

COMS3011A Lab 1

Database Design

Tyra Mohamed

August 4, 2026

1 Introduction

The Todo application stores its data using a local SQLite database managed through Prisma ORM. The application is designed for a single user running the software locally. Because there are no user accounts, only one database table is required.

2 Database Table

The database contains a single table named **Task**.

Column	Data Type	Description
id	Integer	Primary key. Automatically generated for each task.
title	String	Stores the task title entered by the user.
description	String	Stores the detailed task description.
topic	String	Stores the category or topic assigned to the task.
dueDate	DateTime	Stores the task due date selected by the user.
status	String	Stores the task status. Possible values are Todo, In Progress and Complete.
archived	Boolean	Indicates whether the task has been archived. Tasks are never deleted from the database.
createdAt	DateTime	Stores the date and time when the task was created. This value is generated automatically.

3 Entity Relationship Diagram

Since the application only stores tasks for a single local user, there is one entity and no relationships.

Task

PK id : Integer
title : String
description : String
topic : String
dueDate : DateTime
status : String
archived : Boolean
createdAt : DateTime

4 Relationships

This database contains only one table. No relationships exist between tables because the application is intended for a single local user and does not implement user accounts or additional entities.

5 Summary

The database design is intentionally simple. A single Task table stores all information required by the application while ensuring that tasks persist between application restarts. Archiving is implemented using the **archived** Boolean field instead of permanently deleting records.

AI Declaration

The preceding document was planned, reviewed, edited and generated with the assistance of the following:

- ChatGPT Web [GPT-5.5]