# Forecast-Informed Deep Learning for Electricity Price Prediction in the Australian NEM

Group 12
Connor Kikkert (s4748070) · Connor McAreavey (s4884456) · Tyreece Paul (s4883782)
John Pioc (s4775725) · Massimo Spadaro (s4850133)

**Abstract**

This is an application focused project on spot electricity prices in Australia's National Electricity Market (NEM), which are highly volatile, non-stationary and prone to extreme price spikes. Using publicly available AEMO market data, we implement and evaluate deep learning architectures for spot price forecasting across the five NEM regions ingested via model pipeline. We benchmark forecasting performance against AEMO's official predictions to assess whether deep learning approaches can outperform them.

## 1 Topic

We propose to implement a deep learning-based short-term electricity price forecasting system for the Australian NEM, which comprises five interconnected regional markets (NSW, QLD, SA, TAS, VIC). We will implement and compare a series of models, forecasting spot prices at 5-minute, 30-minute and 60-minute horizons. This will include standard deep learning baselines (MLP, LSTM, Boosting, self-attention/Transformer models) with parameter fine-tuning, creating a collection of models and experimenting with different architectures to determine the best performing model. All models will be trained on identical data splits and evaluated using the same metrics (MAE, RMSE, sMAPE and directional accuracy), with a focus on performance during extreme and negative price events. This methodology was inspired by the benchmarking approach of Gani et al. (2026), which tests whether increased model complexity correlates with improved performance on volatile, regime-switching electricity price series, while relating our findings to the concepts covered in the course. Our objective is to outperform a naive persistence benchmark and AEMO's own published projections whilst using them as model inputs. AEMO releases five-minute pre-dispatch (P5MIN) projections of price, demand and available generation for the coming hour, yet neither reference study uses them, which is where the novelty in our project lies.

## 2 Significance

Electricity is sold at unregulated spot prices but bought by consumers at regulated rates, so when prices swing wildly, retailers take the hit directly, which can threaten3 Fea both their finances and the stability of the grid (Li et al., 2025). Between October 2021 and January 2022, average NEM spot prices were almost four times higher than the year before and peaked at \$14,000/MWh (Li et al., 2025). More recent data from 2023–2025 shows this hasn't gone away: growing solar uptake now pushes midday prices negative on a large share of intervals, and the evening ramp as solar output drops off is still a major source of extreme price spikes (Gani et al., 2026). Being able to forecast prices accurately in these conditions is useful for retailers managing risk, generators deciding when to bid and system operators trying to keep enough reserve capacity on hand. Gani et al. (2026) found that several recent state-of-the-art time-series models (TimesNet, iTransformer, TimeMixer), despite being top performers on standard, fairly stable benchmark datasets, are often beaten by much simpler recurrent and convolutional models once tested on real NEM data with actual volatility, structural breaks and negative prices. This shows that a bigger or more complex model isn't automatically better; what matters instead is whether a model's assumptions, like explicit spatial structure, sensible loss design, or multi-task regularisation, fit the statistical behaviour of the data it's being used on.

## 3 Feasibility

**Data and Pipeline:** We use the AEMO public dataset, which publishes historical Regional Reference Price (RRP), demand, generation, and inter-regional power-flow data at 5-minute resolution for all five NEM regions. Over the past four weeks we have built a full data pipeline that fetches and caches this data, including dispatch price, demand/generation, interconnector, and P5MIN forecast series, using `NEMOSIS` and `NEMSEER`. The pipeline constructs a shared feature set (lags, rolling statistics, reserve margins, and AEMO forecast alignment) through a common model interface, and handles chronological train/validation/test splitting with a forecast-horizon embargo to ensure consistent, leakage-free data preparation for all models going forward ensuring consistent experimentation within our methodology.
**Accomplished So Far:** We have implemented three baseline deep models, an MLP regressor, XGBoost regressor, and a standard Transformer (Vaswani et al., 2017), currently configured for 30-minute price forecasting on the QLD and NSW regions.

- Transformer follows the classical architecture, with tabular data encoded into a sequential form via a linear layer projecting the 1-dimensional input into a 64-dimensional embedding before being fed into the Transformer.

The full pipeline described above has been implemented and used to train all three models.
**Planned Work:**
**Evaluation:**
**Risk and Mitigation:** Compute time and budget for training models is a key risk, mitigated by training on UQ's Rangpur HPC cluster for GPU resources. Model complexity risk is mitigated by implementing simpler baseline models first before moving to more sophisticated models, building an understanding of baseline performance before adding complexity. Timeline risk is mitigated by aligning our planned goals with the weekly course content, so we consider the project feasible within the semester timeline.

## References


Gani, M. O. et al. (2026). "Deep Time-Series Models Meet Volatility: Multi-Horizon Electricity Price Forecasting in the Australian National Electricity Market". In: *arXiv preprint arXiv:2602.01157*.

Li, Y. et al. (Jan. 2025). "Multi-Task Graph Adaptive Learning for Multivariate Electricity Price Short-Term Forecasting in Australia's National Electricity Market". In: *IEEE Transactions on Power Systems* 40.1, pp. 530–541. DOI: 10.1109/TPWRS.2024.3380834.

Vaswani, A. et al. (2017). "Attention Is All You Need". In: *Advances in Neural Information Processing Systems*. Vol. 30, pp. 5998–6008.