



NORDWAND MONO

## Family Overview

Nordwand Mono Thin

Nordwand Mono ExtraLight

Nordwand Mono Light

Nordwand Mono Regular

Nordwand Mono Medium

**Nordwand Mono SemiBold**

**Nordwand Mono Bold**

*Nordwand Mono Thin Italic*

*Nordwand Mono ExtraLight Italic*

*Nordwand Mono Light Italic*

*Nordwand Mono Italic*

*Nordwand Mono Medium Italic*

***Nordwand Mono SemiBold Italic***

***Nordwand Mono Bold Italic***

# Nordwand Mono

## Uppercase

A B C D E F G H I J K L M N O P Q R  
S T U V W X Y Z

## Lowercase

a b c d e f g h i j k l m n o p q r  
s t u v w x y z

## Numbers

0 1 2 3 4 5 6 7 8 9

## Punctuation & Symbols

! " # \$ % & ' ( ) \* + , - . / : ; <  
= > ? @ [ \ ] ^ { | } ~

## Accented Lowercase

á à â ã ä å ç é è ê ë í î ï ñ ó ò  
ô õ ö ú ù û ü ý ÿ š

---

## **Bold 12pt**

The Eiger is a 3,967-metre (13,015 ft) mountain of the Bernese Alps, overlooking Grindelwald and Lauterbrunnen in the Bernese Oberland of Switzerland, just north of the main watershed and border with Valais.

---

## **Medium 12pt**

It is the easternmost peak of a ridge crest that extends across the Mönch to the Jungfrau at 4,158 m (13,642 ft), constituting one of the most emblematic sights of the Swiss Alps.

---

## **Regular 12pt**

While the northern side of the mountain rises more than 3,000 m (10,000 ft) above the two valleys of Grindelwald and Lauterbrunnen, the southern side faces the large glaciers of the Jungfrau-Aletsch area, the most glaciated region in the Alps.

---

## **Light 12pt**

The most notable feature of the Eiger is its nearly 1,800-metre-high (5,900 ft) north face of rock and ice, named Eiger-Nordwand, Eigerwand or just Nordwand, which is the biggest north face in the Alps.

---

## **Thin 12pt**

The first ascent of the Eiger was made by Swiss guides Christian Almer and Peter Bohren and Irishman Charles Barrington, who climbed the west flank on August 11, 1858.

---

## **Bold 10pt**

The north face, the last problem of the Alps, considered amongst the most challenging and dangerous ascents, was first climbed in 1938 by an Austrian-German expedition.

---

## **Medium 10pt**

The Eiger has been highly publicized for the many tragedies involving climbing expeditions. Since 1935, at least 64 climbers have died attempting the north face, earning it the German nickname Mordwand, literally "murder(ous) wall"—a pun on its correct title of Nordwand (North Wall).

---

## **Regular 10pt**

Although the summit of the Eiger can be reached by experienced climbers only, a railway tunnel runs inside the mountain, and two internal stations provide easy access to viewing-windows carved into the rock face.

---

## **Light 10pt**

They are both part of the Jungfrau Railway line, running from Kleine Scheidegg to the Jungfraujoch, between the Mönch and the Jungfrau, at the highest railway station in Europe.

---

## **Thin 10pt**

The two stations within the Eiger are Eigerwand (behind the north face) and Eismeer (behind the south face), at around 3,000 metres. The Eigerwand station has not been regularly served since 2016.

# Technical Document

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION  
GODDARD SPACE FLIGHT CENTER  
MISSION STATUS REPORT -- DSR-7

MISSION DESIGNATION : ORION DEEP SKY RELAY -- SEGMENT 7 (DSR-7)  
REPORT DATE : 2026-APR-11 UTC 09:42:15  
PREPARED BY : FLIGHT DYNAMICS OFFICER -- C. VASQUEZ  
CLASSIFICATION : UNCLASSIFIED // FOR PUBLIC RELEASE

## 1. EXECUTIVE SUMMARY

The DSR-7 relay satellite completed its third orbital correction maneuver at 07:18 UTC. All subsystems nominal. Telemetry confirms stable attitude within 0.003 deg of target orientation. Downlink rate sustained at 1.2 Gbps through Goldstone and Canberra stations.

## 2. ORBITAL PARAMETERS

SEMI-MAJOR AXIS : 42,164.00 km  
ECCENTRICITY : 0.000142  
INCLINATION : 0.0471 deg  
ARG OF PERIGEE : 312.004 deg  
TRUE ANOMALY : 89.441 deg  
PERIOD : 23h 56m 04.09s

## 3. SUBSYSTEM STATUS

POWER : 4.82 kW generated / 3.17 kW consumed [NOMINAL]  
THERMAL : +22.4 C bus avg / radiator delta -1.2 C [NOMINAL]  
PROPULSN : 48.7 kg hydrazine remaining (62%) [NOMINAL]  
COMMS : X-band primary / S-band backup active [NOMINAL]