

PMS-EDEN — Model Specification

A PMS-conform paper-specific overlay for Adult Reciprocity, false-coordinated real Ω , scene-bound responsibility, EDEN-MAP, and Reciprocity Loss.

Schema: PMS-EDEN_2.0
Spec basis: PMS-EDEN.yaml · **Base dependency:** PMS_1.3 / PMS.yaml
Status: working_production · **Repository role:** paper_specific_overlay · **Last updated:** 2026-06-24
Author: T. Zöller · **Formalization assistance:** ChatGPT (GPT-5.5 Thinking)

1. Purpose and scope

PMS-EDEN is a paper-specific application schema for the Praxeological Meta-Structure. It is an overlay, not a fork, replacement, extension, or second operator system. It formalizes the paper's argument in a machine-readable and human-auditable way while remaining subordinate to the canonical PMS operator grammar.

The specification's positive starting point is Adult Reciprocity: truthful coordination of real Ω . Its central mechanism is False-Coordinated Real Asymmetry. Its culminating loss is Reciprocity Loss, defined as the erosion of shared correctability under real asymmetry.

Scope in one sentence

Tests whether real Ω is truthfully coordinated through R, Σ , Ψ , X, D, and correctability or falsely coordinated through displaced R and blocked Σ/Ψ .

Non-goals

- comprehensive_social_theory
- psychology_or_personality_theory
- clinical_or_therapeutic_model
- theology_or_exegesis
- sex_metaphysics
- sex_truth_claims
- culture_war_framework
- general_ideology_diagnosis
- empirical_prevalence_study
- relationship_manual
- intervention_protocol
- political_program
- verdict_or_recommendation_engine

Prohibited inferences

- operator_configuration_to_mental_state
- scene_pattern_to_personality
- role_position_to_ontological_worth
- sexed_scene_to_sex_essence
- structuring_effect_to_malice
- vulnerability_to_immunity
- capacity_to_total_guilt
- difference_to_rank
- non_action_to_automatic_praxis
- description_to_action_authority

2. High-level YAML structure

The YAML is organized as a layered schema: base PMS reference, construct registry, validity and firewall, paper lens, core thesis, mechanism modules, responsibility modules, regime/test/loss modules, and boundary/application modules.

Top-level key	Size / value	Specification role
schema_version	PMS-EDEN_2.0	Schema identifier and compatibility marker.
schema_meta	11 subkeys	Model identity, status, authorship, paper role, PMS dependency, and epistemic restraint.
operator_reference	9 subkeys	Fixed PMS operator reference. This is an anchor, not an editable EDEN operator system.
derived_axes_reference	4 subkeys	Canonical PMS-derived axes A, C, R, E, D and mutation policy.
construct_status_registry	4 subkeys	Allowed statuses for EDEN constructs and their non-PMS-modifying role.
validity_gate	6 subkeys	Application-only gate: X, reversibility, D, plus EDEN-specific application requirements.
description_to_action_firewall	4 subkeys	Non-negotiable separation between structural description and binding use.
paper_lens	8 subkeys	The high-level lens: Adult Reciprocity and Reciprocity Loss under real Ω .
paper_structure_map	4 subkeys	Ownership index for chapters and appendices; not prose duplication.
core_thesis	10 subkeys	Positive baseline, negative counterpart, master trace, central mechanism preview, demotions, and guardrails.
architecture_invariants	6 subkeys	Global architecture constraints that prevent old master chains and wrong centers from returning.
method_and_positive_baseline	6 subkeys	Method discipline, Adult Reciprocity, Garden, Limited Legibility, False Comparison.
mechanism_architecture	6 subkeys	Real sexed praxis relation, misframing, false-coordinated real asymmetry, Switch Family.
responsibility_and_praxis_architecture	6 subkeys	No Passive Praxis, Responsibility Principle, Immunization / Overexposure / AEP, Recognition Drift.
regime_test_scene_and_loss_architecture	5 subkeys	PFO as downstream stabilization, Eden as test scene, Reciprocity Loss as payoff.
boundary_and_application_architecture	11 subkeys	Boundary conditions, rival explanations, falsifiers, counter-scenes, EDEN-MAP, adjacent frameworks.

3. PMS conformance

PMS-EDEN does not introduce, remove, reorder, or redefine PMS operators. EDEN terms remain overlay constructs, mechanisms, benchmarks, compressions, application protocols, falsifiers, or shorthand labels. They are not PMS primitives.

Fixed PMS operator order

$$\Delta \rightarrow \nabla \rightarrow \square \rightarrow \wedge \rightarrow A \rightarrow \Omega \rightarrow \Theta \rightarrow \Phi \rightarrow X \rightarrow \Sigma \rightarrow \Psi$$

Operator	Depends on	Semantic invariant
Δ	—	Difference; not rank.
∇	Δ	Directional impulse; not completed action.
$\square$	Δ, ∇	Contextual frame; not proof of falsehood.
$\wedge$	$\square$	Structured absence within $\square$; not mere absence.
A	$\Delta, \nabla, \square, \wedge$	Recurrent attractor/stabilization; not an EDEN protocol.
Ω	A	Structural asymmetry; not inferiority, guilt, or domination by definition.
Θ	Ω, A	Temporal trajectory; not unsupported chronology.
Φ	$\Theta, \Omega, \square$	Recontextualization; not inferred motive or deception.
X	$\Phi, \Theta, \square$	Reflective distance/inhibition; not truth authority.
Σ	X, Φ	Integration; not agreement, peace, legitimation, or continuation.
Ψ	Σ, Θ, X	Self-binding; not obedience, confession, guilt, or imposed binding.

Derived axes

Axis	Name	Formula	EDEN note
A	Awareness	$\Theta \circ \square \circ \Delta$	Canonical PMS-derived axis; EDEN does not redefine it.
C	Coherence	$\Theta \circ \wedge \circ \square \circ \nabla$	Canonical PMS-derived axis; EDEN does not redefine it.
R	Responsibility	$\Psi \circ \Phi \circ \Theta \circ \Omega$	EDEN's normative Responsibility Principle does not redefine or follow automatically from R.
E	Strict Action / Enactment	$\Sigma \circ \Theta \circ \nabla$	Praxis is broader; scene relevance does not automatically establish E.
D	Dignity-in-Practice	$\Psi \circ X \circ \Omega$	EDEN adopts preservation of D as benchmark/application condition without redefining D.

Prohibited PMS changes

- `redefine_any_pms_operator`
- `add_meta_axioms`
- `alter_canonical_operator_order`
- `alter_canonical_dependencies`
- `promote_overlay_constructs_to_pms_operators`
- `promote_edden_benchmarks_to_pms_derived_axes`
- `treat_reduced_signatures_as_alternative_dependency_paths`

4. Construct status registry

The registry prevents EDEN labels from being mistaken for operators, diagnoses, identities, or verdicts. Every construct status is non-PMS-modifying.

Status	Meaning	May modify PMS?
pms_operator_reference	Fixed PMS operator reference.	false
pms_derived_axis_reference	Canonical PMS-derived axis reference.	false
eden_normative_benchmark	Explicit EDEN standard; not PMS-derived natural law.	false
eden_theoretical_compression	Paper compression; not operator or axis.	false
eden_mechanism	Conditional scene mechanism using PMS vocabulary.	false
overlay_construct	Paper construct subordinate to PMS.	false
paper_internal_shorthand	Local abbreviation without operator/axis/diagnostic status.	false
scene_bound_profile	Conditional scene drift; not identity or sex truth.	false
regime_stabilization	Repeatable stabilization; not belief/person/ideology label.	false
boundary_condition	Condition narrowing, suspending, or defeating a reading.	false
falsifier	Condition under which a claim weakens or fails.	false
application_protocol	Mapping order without mechanism or independent authority.	false
viability_signature	Structural possibility; not repair protocol.	false

5. Validity gate and Description-to-Action Firewall

The PMS entry condition applies to application, not to critique, refusal, rejection, revision proposals, or rival formalization. EDEN adds application requirements because its scenes are high-risk: they concern real Ω , responsibility, protection, recognition, cost, exposure, and correctability.

Canonical PMS entry condition

- X: Reflective stop-capability; no fusion into urgency, verdict, enforcement, ideology, or person attribution.
- reversibility: Reading remains scene-bound, revisable, narrowable, suspendable, and defeasible.
- D: No shaming, ranking, humiliation, ontological evaluation, sex ranking, or degradation.

EDEN application requirements

- scene_packet: Specified scene, role-positions, real Ω , effects, costs, Θ , and Σ/Ψ relevance.
- counter_scene_exposure: A plausible materially different scene can change the reading.
- contextual_responsibility: R attribution tracks effect under legibility, capacity, alternatives, Θ , and Ω cost/exposure.
- evidentiary_answerability: No concept, pattern, frame, role code, or label replaces evidence.
- affected_role_contestation: Affected roles may contest packet, evidence, frame, R trace, or application without confirming EDEN by disagreement.
- independent_application_authority: EDEN-MAP supplies no authority to confront, accuse, prescribe, intervene, punish, or enforce.

Invalid if any

- X_suspended_for_clarity_or_urgency
- reversibility_suspended_for_verdict
- D_suspended_for_truth_or_efficiency
- scene_packet_replaced_by_impression
- counter_scene_cannot_change_reading
- responsibility_without_scene_conditions
- description Converted directly into binding
- person_or_sex_label_substituted_for_scene_analysis

Description versus application

Description: Operator-traceable scene mapping without obligation.

Application: Mapping used to steer, bind, obligate, prescribe, confront, accuse, intervene, punish, or enforce.

Permitted descriptive outputs

- name_real_asymmetry
- trace_structuring_effect
- identify_possible_responsibility_displacement
- identify_possible_integration_or_self_binding_blockage
- record_counter_scenes_and_falsifiers

Forbidden conversions from description

- binding
- obligation
- confrontation
- accusation
- prescription
- intervention
- punishment

- enforcement

Core firewall formulas

- Description may name structure.
- Application requires X, reversibility, D, and contextual responsibility.
- Description does not authorize binding.

6. Core thesis and architecture invariants

Adult Reciprocity is truthful coordination of real Ω ; Reciprocity Loss begins where real Ω is falsely coordinated, R displaced, Σ/Ψ blocked, and shared correctability eroded.

Positive baseline

- Adult Reciprocity $\neq$ symmetry.
- Adult Reciprocity = truthful coordination of real Ω .

Explicit EDEN benchmark; not total access, metaphysical truth, empirical universal, or automatic application.

Negative counterpart

- Reciprocity Loss = false coordination of real Ω .
- Reciprocity Loss is the erosion of shared correctability under real asymmetry.

Governing distinction

- Asymmetry is not the failure.
- False coordination of asymmetry is the failure.

Master trace

coordinated $\Omega \rightarrow$ false-coordinated real $\Omega \rightarrow$ displaced R $\rightarrow$ blocked $\Sigma/\Psi \rightarrow$ reciprocity loss

Structural trace; not chronology, deterministic cause, PMS dependency, or universal sequence.

Central mechanism preview

real Ω + false coordination frame + displaced R + blocked Σ/Ψ = false-coordinated real Ω

- The asymmetry need not be false; the coordination is false.
- Partial framing alone is insufficient.
- Scene evidence must establish effect, displaced R, and Σ/Ψ relevance.

Architecture demotions

Construct	Status	Rule / formula	Forbidden role(s)	
false_comparison	eden_mechanism	Attractor/ amplifier/ stabilizer, not first cause.	origin_or_master_mechanism	method_and_positive_bas
pseudo_symmetry	overlay_construct	One Switch Family form.	master_mechanism	mechanism_architecture.
pfo	regime_stabilization	PFO is not the origin of reciprocity loss.; PFO is one regime form in which reciprocity loss stabilizes.	origin, center, person_type, sex_truth, ideology_diagnosis, political_insult, all_modern_gender_order	regime_test_scene_and_1
eden_scene	overlay_construct	Eden is not the paper's origin.; Eden is a test scene for the paper's	paper_origin, proof_path, sex_truth_source, theological_dependency, master_history_of_reciprocity_loss	regime_test_scene_and_1

Construct	Status	Rule / formula	Forbidden role(s)	
		grammar; Eden is not foundation; Eden is demonstration.		

Forbidden master chains

- Eden → Fall → comparison → PFO → reciprocity loss
- False Comparison as first cause
- PFO as origin or center
- Pseudo-Symmetry as master mechanism

7. Module map: method, mechanisms, responsibility, regime, test, loss

The schema is divided into local homes. A construct may be previewed elsewhere, but full development belongs to its home. This prevents Eden-first, PFO-first, comparison-first, or pseudo-symmetry-as-master architecture from returning.

YAML home	Status	Definition / purpose	Formula(s)
method_and_positive_baseline. method_and_pms_discipline	overlay_construct		
method_and_positive_baseline. adult_reciprocity	eden_normative_benchmark	Truthful coordination of real Ω ; 'Adult' stipulates structural answerability, not age, psychological maturity, moral superiority, advice, or typology.	Adult Reciprocity $\neq$ symmetry.; Adult Reciprocity = truthful coordination of real Ω .
method_and_positive_baseline. garden	eden_theoretical_compression	Learned legibility-field shaping what can be seen, named, trusted, feared, protected, exposed, corrected, and carried; theoretical socialization reconstruction, not empirical developmental sequence.	Garden = learned legibility-field.
method_and_positive_baseline. limited_legibility	eden_theoretical_compression	Role-position participates without complete access to all effects, histories, costs, alternatives, Ω , or R.	
method_and_positive_baseline. false_comparison	eden_mechanism	Comparison captured by $\square$ so rank, value, suspicion, idealization, threat, or defect displaces truthful coordination of real Ω .	
mechanism_architecture. real_sexed_praxis_relation_under_ Ω	overlay_construct	Possible embodied, socially framed, historically stabilized, asymmetrically exposed, responsibility-relevant relation among sexed role-positions; states what positioning structures, not what a sex is.	

YAML home	Status	Definition / purpose	Formula(s)
mechanism_architecture. inferiority_and_superiority_misframing	eden_mechanism	Rank conversion of a situated condition under real Ω into generalized lower/higher standing, agency, authority, priority, immunity, or worth; difference may be real, ranking/coordination is artifact.	
mechanism_architecture. false_coordinated_real_asymmetry	eden_mechanism	Real Ω remains operative but a frame displaces R, blocks Σ , weakens/externalizes Ψ , and erodes Adult Reciprocity/correctability; asymmetry need not be false, coordination is false.	real Ω + false coordination frame + displaced R + blocked Σ/Ψ = false-coordinated real Ω
mechanism_architecture. switch_family	eden_mechanism	Frame-shift family: real Ω persists while operative frame, R distribution, critique access, and Σ/Ψ status change.	Switch = real Ω remains + operative frame changes + responsibility distribution changes + critique access changes + Σ/Ψ status changes
responsibility_and_praxis_architecture. .no_passive_praxis	eden_normative_benchmark	Visible action does not exhaust scene-structuring praxis. Non-action becomes praxis-relevant only as a meaningful framed non-event affecting real asymmetry across time and traceably changing another role-position's action conditions, costs, exposure, R, integration, self-binding, or correctability.	

YAML home	Status	Definition / purpose	Formula(s)
responsibility_and_praxis_architecture. responsibility_principle	eden_normative_benchmark	Answerability follows real structuring effect under scene conditions; it is not guilt, blame, moral worth, visibility alone, outcome liability alone, or person condemnation.	R follows real structuring effect under available legibility, capacity, alternative possibility, Θ trajectory, and Ω cost/exposure conditions.
responsibility_and_praxis_architecture. immunization_overexposure_and_AEP	eden_mechanism	Coupled drift family in which one side of a scene may carry effect without full responsibility, another may carry responsibility without full legibility/ protection, and explanatory language may be asymmetrically unavailable.	Immunization = effect without full responsibility. Overexposure = responsibility without full legibility / protection. AEP = high exposure + low legitimate language + critique-to-threat switch + responsibility overload.
responsibility_and_praxis_architecture. recognition_drift	eden_mechanism	Recognition, dignity, voice, protection, moral standing, or equal status detaches from criticizability, consequence attribution, self-binding, correction, and R for real structuring effect.	Recognition without answerability is not equal standing. Equal standing = recognition + answerability + criticizability + consequence attribution + correctability.
regime_test_scene_and_loss_architecture. pfo	regime_stabilization	One downstream regime form where false-coordinated real asymmetry, displaced R, blocked Σ/Ψ , and established drift mechanisms stabilize through repeatable recognition, protection, parity, or exception frames.	
regime_test_scene_and_loss_architecture. eden_scene	overlay_construct	Late compact demonstration of existing grammar: coordinated asymmetry, meaningful boundary, breach, consequence, exposure, legibility management, and R trace without	

YAML home	Status	Definition / purpose	Formula(s)
		theoretical, moral, theological, sexed, or historical origin claim.	
regime_test_scene_and_loss_architecture. reciprocity_loss	eden_theoretical_compression	Structural loss where real Ω persists while R is displaced, Σ blocked, Ψ weakened/ externalized, X reduced, D damaged, and shared capacity for proportionate correction erodes or disappears.	

8. Adult Reciprocity and positive baseline

Truthful coordination of real Ω ; 'Adult' stipulates structural answerability, not age, psychological maturity, moral superiority, advice, or typology.

real Ω visible + D preserved + R follows real structuring effect + Σ integrates costs and effects + Ψ binds relevant actors to their own effect + X keeps revision possible

Adult Reciprocity is not equivalent to

- symmetry
- sameness
- harmony
- equal_burden
- formal_equality
- conflict_absence
- abolition_of_asymmetry

Failure threshold

Where real Ω structures the scene but D cannot be preserved, R cannot follow real structuring effect, Σ cannot integrate costs and effects, Ψ cannot bind role-positions to their own effects, and X cannot keep revision possible, Adult Reciprocity begins to fail.

9. False-Coordinated Real Asymmetry and Switch Family

Real Ω remains operative but a frame displaces R, blocks Σ , weakens/externalizes Ψ , and erodes Adult Reciprocity/correctability; asymmetry need not be false, coordination is false.

real Ω + false coordination frame + displaced R + blocked Σ/Ψ = false-coordinated real Ω

Required components

- real_omega
- false_coordination_frame
- displaced_responsibility
- blocked_integration_or_self_binding

False coordination frames

Partiality is not falsity. A frame becomes false-coordinating only where partial truth prevents proportionate entry of effect, cost, R, Σ , Ψ , or correction.

Frame family	Valid function	False-coordination risk
comparison	Clarifies differences, costs, burdens, capacities, or R.	Rank/value replaces effect tracing.
parity	Corrects domination, condescension, or illegitimate hierarchy.	Formal equality flattens exposure, dependency, cost, or R.
protection	Shelters vulnerability, dependency, exposure, or danger.	Protection reassigns adulthood or removes criticizability/R.
recognition	Preserves D, voice, visibility, standing, and protection from degradation.	Recognition removes criticizability or opposes answerability to D.
responsibility	Connects answerability to effect, role, duty, or consequence.	R is underassigned, overassigned, misassigned, moralized, totalized, or attached to visibility/outcome.
vulnerability	Names injury, exposure, need, sensitivity, or protection relevance.	Vulnerability becomes immunity or is denied because capacity exists.
superiority	Names local capacity, knowledge, authority, resilience, or R.	Local advantage becomes rank, priority, exemption, or command.
non-action / neutrality	Preserves restraint, distance, boundary, or genuine non-involvement.	Structuring Λ stays illegible while shifting cost, timing, access, or Ψ -load.
legitimation	Makes lawful, functional, protective, fair, or necessary arrangements intelligible.	Φ makes displacement appear normal, fair, necessary, autonomous, equal, responsible, or inevitable.

Frames may combine. Presence alone proves nothing; the reading must trace displaced R and blocked/weakened/simulated/avoided/externalized Σ/Ψ .

Not equivalent to

- false_asymmetry
- asymmetry_itself
- asymmetry_misrepresentation_only
- False_Comparison_only
- rank_artifact_only
- Pseudo_Symmetry
- PFO
- mere_error
- conflict
- inequality

Switch Family

Frame-shift family: real Ω persists while operative frame, R distribution, critique access, and Σ/Ψ status change.

Switch = real Ω remains + operative frame changes + responsibility distribution changes + critique access changes + Σ/Ψ status changes

Switch Family members

- pseudo_symmetry
- pseudo_subordination
- pseudo_superiority
- exception_switch
- responsibility_to_authority
- parity_to_exit

10. Responsibility and praxis architecture

No Passive Praxis

Visible action does not exhaust scene-structuring praxis. Non-action becomes praxis-relevant only as a meaningful framed non-event affecting real asymmetry across time and traceably changing another role-position's action conditions, costs, exposure, R, integration, self-binding, or correctability.

- No Passive Praxis $\neq$ every non-action is action.
- Non-action becomes praxis only when it structures a scene under $\square/\wedge/\Omega/\Theta$.
- Praxis $\neq$ strict Action E.
- Strict Action / Enactment $E = \Sigma \circ \Theta \circ \nabla$.

The stop criterion is strict: no traceable change in another role-position's options, costs, exposure, timing, binding load, integration, or correctability means no No Passive Praxis reading.

Level	Meaning	Boundary
Mere absence	Nothing relevant happens, or no scene-structuring effect is traceable.	No praxis finding by absence alone.
Structuring non-event	A framed non-event changes options, costs, timing, exposure, R, Σ , Ψ , or correctability under real Ω .	Scene effect must be shown; no motive follows.
Integrated abstention	Non-action is bounded, legible, responsibility-compatible, and integrated into Σ/Ψ .	Restraint, distance, incapacity, boundary, and legitimate non-involvement remain possible.

Responsibility Principle

R follows real structuring effect under available legibility, capacity, alternative possibility, Θ trajectory, and Ω cost/exposure conditions.

This principle connects answerability to what a role-position materially structures in options, timing, access, exposure, protection, recognition, language, cost, criticizability, integration, binding, or correction.

- R is not blame.
- R is not guilt.
- R is not moral worth.
- R is not person condemnation.
- R is not mere causality.
- R is not outcome-liability alone.
- Responsibility may remain real without malice.
- Responsibility remains limited by legibility, capacity, alternatives, Θ , and Ω .

Responsibility and Action-Power

- Visible action is one responsibility vector.
- Structuring non-action is another responsibility vector.
- Action may create responsibility, but responsibility is not identical with action.
- Non-action may create responsibility-relevant effects, but non-action is not automatically responsibility.

Relevant vectors include direct action, indirect Action-Power, framing, timing control, withholding, recognition allocation, protection allocation, access control, cost distribution, legitimation, non-binding, and structuring non-action. Each vector must separately pass real effect, legibility, capacity, alternatives, temporality, and asymmetrical-cost tests.

Non-binding as Ψ -load shift

- low Ψ on one side $\rightarrow$ increased Ψ -load on the other.
- I do not bind myself, but you must organize yourself around my non-binding.

Possible shifted loads include waiting, option preservation, timing management, interpretation, explanation,

continuity, self-regulation, critique restraint, and repair. Naming a Ψ -load shift does not authorize compelled clarity, commitment, reassurance, availability, disclosure, confession, or continued engagement.

Immunization / Overexposure / AEP

- Immunization = effect without full responsibility.
- Overexposure = responsibility without full legibility / protection.
- AEP = high exposure + low legitimate language + critique-to-threat switch + responsibility overload.

AEP does not mean stupidity, incapacity, moral inferiority, lack of articulation, sex defect, innocence, or cancellation of R. It must be tested under legibility, capacity, alternatives, Θ , Ω , and counter-scene exposure.

Profiles remain scene-bound drift patterns, not sex truths. Naming overexposure does not immunize the overexposed role-position from bounded R; naming immunization does not authorize degradation of the immunized role-position.

Recognition Drift

Recognition, dignity, voice, protection, moral standing, or equal status detaches from criticizability, consequence attribution, self-binding, correction, and R for real structuring effect.

- Recognition without answerability is not equal standing.
- Equal standing = recognition + answerability + criticizability + consequence attribution + correctability.
- Dignity is not immunity.
- Responsibility is not degradation.
- Protection from degradation $\neq$ protection from responsibility.
- Structure critique $\neq$ person threat.

11. PFO, Eden scene, and Reciprocity Loss

PFO

One downstream regime form where false-coordinated real asymmetry, displaced R, blocked Σ/Ψ , and established drift mechanisms stabilize through repeatable recognition, protection, parity, or exception frames.

- PFO is not the origin of reciprocity loss.
- PFO is one regime form in which reciprocity loss stabilizes.
- PFO is downstream regime stabilization.
- PFO = regime stabilization of false-coordinated real Ω under recognition / protection / parity / exception frames with displaced R and blocked Σ/Ψ .
- PFO is repeatable frame availability under real Ω .

Eden scene

Late compact demonstration of existing grammar: coordinated asymmetry, meaningful boundary, breach, consequence, exposure, legibility management, and R trace without theoretical, moral, theological, sexed, or historical origin claim.

- Eden is not the paper's origin.
- Eden is a test scene for the paper's grammar.
- Eden is not foundation.
- Eden is demonstration.
- Eden supports the paper's late-test-scene discipline.
- It does not replace the architecture.

Reciprocity Loss

Structural loss where real Ω persists while R is displaced, Σ blocked, Ψ weakened/externalized, X reduced, D damaged, and shared capacity for proportionate correction erodes or disappears.

- Reciprocity Loss = false coordination of real Ω .
- Reciprocity Loss is the erosion of shared correctability under real asymmetry.
- Reciprocity loss is not merely conflict.
- Conflict can remain compatible with reciprocity.
- Reciprocity loss begins when correction itself becomes illegible, unsafe, one-sided, humiliating, immunized, or impossible.
- Asymmetry is not the failure.
- False coordination of asymmetry is the failure.

12. Boundary and application architecture

Boundary architecture prevents EDEN from becoming a verdict machine. Genuine vulnerability, protection, hierarchy, superiority, non-action, openness, neutrality, coercion, institutional pressure, psychological conditions, and rival explanations remain possible.

YAML home	Status	Definition / rule
boundary_and_application_architecture. boundary_conditions	boundary_condition	Specify where an EDEN reading holds, weakens, narrows, becomes secondary, must be suspended, or fails; boundaries provide discriminative force, not apologies or hidden accusations.
boundary_and_application_architecture. genuine_vulnerability_and_protection	boundary_condition	
boundary_and_application_architecture. genuine_superiority_and_hierarchy	boundary_condition	
boundary_and_application_architecture. genuine_non_action_openness_and_neutrality	boundary_condition	
boundary_and_application_architecture. rival_explanations	boundary_condition	
boundary_and_application_architecture. counter_scene_protocol	application_protocol	
boundary_and_application_architecture. falsifiers	falsifier	Specified condition materially weakening, narrowing, or defeating an EDEN reading rather than merely adding uncertainty.
boundary_and_application_architecture. eden_map	application_protocol	Order established scene-bound questions to test support, uncertainty, narrowing, secondary status, or defeat of false-coordinated real Ω , displaced R, blocked Σ/Ψ , and drift mechanisms; adds no operator, mechanism, diagnosis, verdict, or authority.
boundary_and_application_architecture. adjacent_frameworks	overlay_construct	Scholarly orientation and competition; adjacent frameworks may overlap, differ in level/mechanism, and explain better without becoming EDEN foundations, confirmations, or incomplete versions.

Falsifier categories

- Ω is minimal or absent.
- The alleged non-action does not structure costs or options.
- Responsibility remains properly attached to effect.
- Critique remains possible.
- Σ/Ψ are robustly open.
- Protection is bounded and responsibility-compatible.
- Vulnerability remains criticizable without degradation.
- Hierarchy is bounded and functional.
- A rival explanation is stronger.
- The alleged pattern is not repeated or consequential.
- A counter-scene explains the scene better.

Counter-scene protocol

Every strong EDEN reading must test at least one counter-scene where the same facts do not imply false-coordinated real Ω .

- A counter-scene must be able to change the reading.
- Otherwise it is decorative, not methodological.

- Counter-scene is not politeness.
- Counter-scene is a methodological exposure to non-capture.

13. EDEN-MAP

EDEN-MAP orders scene-bound questions to test support, uncertainty, narrowing, secondary status, or defeat of false-coordinated real Ω , displaced R, blocked Σ/Ψ , and drift mechanisms. It adds no operator, mechanism, diagnosis, verdict, or authority.

- EDEN-MAP maps scenes.
- It maps what may be structurally happening.
- It does not tell what should be done.
- It does not diagnose persons.
- It does not rank sexes.
- It does not authorize coercive action.
- It does not replace counter-scene testing.

Input limits

- No isolated-sentence diagnosis.
- No identity-based application.
- No EDEN-by-vibe.
- No application by label.
- No application by impression.
- No theory label in place of a scene.
- No frame-only reading without effects and costs.
- No actor-only reading without asymmetry and temporality.

Scene packet required fields

Required field	Description
specified_scene_and_temporal_limits	Required scene-packet field.
actors_role_positions	Required scene-packet field.
dominant_□	Required scene-packet field.
real_Ω	Required scene-packet field.
relevant_Λ	Required scene-packet field.
θ_trajectory	Required scene-packet field.
traceable_structuring_effects	Required scene-packet field.
visible_costs	Required scene-packet field.
available_language	Required scene-packet field.
recognition_structure	Required scene-packet field.
protection_structure	Required scene-packet field.
responsibility_distribution	Required scene-packet field.
Σ_Ψ_status	Required scene-packet field.
non_action_relevance	Required scene-packet field.
non_binding_relevance	Required scene-packet field.
legitimation_frame	Required scene-packet field.
immunization_overexposure_signals	Required scene-packet field.
AEP_signals	Required scene-packet field.
action_power_distribution	Required scene-packet field.
counter_scene_possibility	Required scene-packet field.

Protocol order

1. scene_packet
2. real_omega_mapping
3. false_coordination_frame
4. responsibility_and_action_power
5. sigma_psi_and_cost_distribution
6. non_passivity_and_non_binding
7. immunization_overexposure_and_AEP
8. counter_scene_and_falsifier
9. description_to_action_status
10. revision_point_or_open_question

Output schema

ID	Field	Requirement
1	Scene packet summary	Bounded scene, role-positions, temporal limits, principal effects, and evidentiary constraints.
2	Real Ω	Consequential multidimensional asymmetries and what each changes.
3	Dominant false-coordination frame	Frame only if displaced R and blocked Σ/Ψ are supported; otherwise record not established.
4	Responsibility / Action-Power distribution	Structuring effects and attribution limits under the Responsibility Principle.
5	Σ / Ψ status	Integration and self-binding openness, blockage, simulation, externalization, or uncertainty.
6	Cost distribution	Differentiated costs without suffering rank or equal-responsibility inference.
7	Non-action / non-binding relevance	Mere absence, structuring non-event, integrated abstention, legitimate openness, or indeterminate.
8	Immunization / overexposure / AEP result	Scene-bound coupled result with genuine-case and counter-immunity checks.
9	Counter-scene / falsifier result	Strongest alternative, supporting evidence, defeat condition, and effect on the reading.
10	Description / Application status	Non-binding description or separately authorized and fully gated application; record contestation.
11	Revision point / open question	Evidence, changed condition, unresolved distinction, or counter-scene capable of altering the map.

Closure guardrails

- No sealed output.
- No final verdict.
- No case closure.
- No diagnosis.
- No recommendation.

14. Chapter and appendix ownership

The structure map records canonical homes. It is an ownership index, not manuscript prose and not a glossary substitute.

Chapters

Chapter(s)	Home(s)
1	core_thesis, method_and_positive_baseline.adult_reciprocity, responsibility_and_praxis_architecture.recognition_drift.equal_standing_positive_standard, regime_test_scene_and_loss_architecture.reciprocity_loss
2-6	method_and_positive_baseline
7-10	mechanism_architecture
11-14	responsibility_and_praxis_architecture
15-17	regime_test_scene_and_loss_architecture
18-19	boundary_and_application_architecture
20	core_thesis, method_and_positive_baseline.adult_reciprocity.full_positive_structure, method_and_positive_baseline.garden, method_and_positive_baseline.limited_legibility, regime_test_scene_and_loss_architecture.reciprocity_loss, architecture_invariants.reflexive_self_binding, boundary_and_application_architecture.falsifiers

Appendices

Appendix	Title	Home(s)
A	Structural Glossary	construct_status_registry, operator_reference, derived_axes_reference, core_thesis, mechanism_architecture, responsibility_and_praxis_architecture, regime_test_scene_and_loss_architecture, boundary_and_application_architecture, description_to_action_firewall
B	Adjacent Frameworks	boundary_and_application_architecture.adjacent_frameworks

15. Implementation and use notes

- Load PMS-EDEN only as an overlay after the canonical PMS base file.
- Do not treat EDEN labels as operators, psychological labels, ideology labels, person labels, or sex-truth claims.
- Do not infer application authority from structural coherence.
- End EDEN-MAP outputs with a revision point or open question.
- Keep examples scene-bound, counter-scene exposed, non-diagnostic, non-prescriptive, and dignity-preserving.

Final guard: PMS-EDEN maps scenes. It does not diagnose persons, rank sexes, authorize coercive action, replace counter-scene testing, or convert description into binding.