

PMS-SEX – Model Specification

A PMS-conform compact application profile for sexuality: structural legibility of scenes, frames, asymmetry, non-event pressure, drift, viability, sexual cost topology, body/boundary coding, direct otherness, withdrawal, genital integration, Dignity-in-Practice, MIP docking, and the Δ - Ψ operator chain without person-typing, diagnosis, moral ranking, sex truth, genital truth, maturity ranking, adulthood verdicts, or practice guidance.

Schema: PMS-SEX_PROFILE · Profile format: compact_machine_profile · Spec basis: PMS-SEX.yaml
Last revised: 2026-06-30 · Language: EN · Status: application_profile
Author: T. Zöller · Formalization assistant: ChatGPT 5.5 (Thinking)
Depends on: PMS.yaml (schema_version = "PMS_1.3")
Repo: <https://github.com/tz-dev/PMS-SEX>

1. Purpose and epistemic status

This document specifies the *PMS-SEX* compact application profile in a technical, human-readable form. It summarizes the formal structure expressed in PMS-SEX.yaml , including model identity, guard registries, operator spine, concept registry, drift registry, viability criteria, modules, limits, analysis pipeline, example schema, case-template interface, and final profile guard.

PMS-SEX is a **praxeological grammar of sexual praxis**. It does not claim empirical finality about sexuality, preference, identity, orientation, biology, or personhood. Its value lies in making sexual configurations describable without collapsing them into diagnosis, morality, confession, sex truth, genital truth, practice prescription, or public punishment.

The profile reads sexuality as enacted configuration under frame, non-event, attractor formation, asymmetry, temporality, recontextualization, distance, integration, and self-binding. Its canonical PMS operator grammar remains:

$$\Delta \rightarrow \nabla \rightarrow \square \rightarrow \wedge \rightarrow A \rightarrow \Omega \rightarrow \Theta \rightarrow \Phi \rightarrow X \rightarrow \Sigma \rightarrow \Psi$$

Source paper paper basis
PMS-SEX — From Impulse to Self-Binding: A Praxeological Grammar of Sexuality (Δ - Ψ)

PMS-SEX remains valid by staying within what it can responsibly say: not what persons are, but what configurations do over time. It permits hard structural claims about cost, drift, outer legibility, publicness, body/boundary coding, genital sovereignty drift, after-scene dignity, and responsibility handling without converting those claims into person-status judgments.

Core formula scope discipline
PMS-SEX makes sexual configurations structurally criticizable without making persons sexually confessional, diagnosable, rankable, or morally capturable.

2. Relationship to PMS: conformity constraints

2.1 Dependency statement

PMS-SEX depends on the canonical PMS base specification: `PMS.yaml ( schema_version = "PMS_1.3" )`.

2.2 Non-negotiable conformity constraints

- PMS-SEX is an **overlay**, not a fork, replacement, or extension of PMS.
- PMS-SEX introduces no new PMS operators, meta-axioms, or dependency relations.
- PMS-SEX does not modify canonical PMS operator order.
- PMS-SEX does not modify PMS-derived axes `A`, `C`, `R`, `E`, `D`.
- All reduced signatures are shorthand only and never alternative dependency graphs.
- `ops` fields are reserved for canonical PMS operators only.
- `axis_refs` may reference derived axes but do not create operators.
- MIP docking axes remain MIP docking axes and do not rewrite PMS axes.
- PMS-SEX may record operator profiles; it may not directly evaluate person-adulthood or maturity.

2.3 Conformity record

Field	Value	Meaning
<code>schema_version</code>	<code>PMS-SEX_PROFILE</code>	Compact PMS-SEX profile identity.
<code>profile_format</code>	<code>compact_machine_profile</code>	Machine-readable compact registry profile.
<code>base_schema_version</code>	<code>PMS_1.3</code>	Canonical PMS base version.
<code>canonical_operator_spine</code>	$\Delta \rightarrow \nabla \rightarrow \square \rightarrow \wedge \rightarrow A \rightarrow \Omega \rightarrow \theta \rightarrow \Phi \rightarrow X \rightarrow \Sigma \rightarrow \Psi$	Operator path used throughout PMS-SEX.
<code>no_operator_redefinition</code>	<code>true</code>	Operators retain canonical PMS meanings.
<code>no_dependency_rewrite</code>	<code>true</code>	No alternative operator graph is introduced.
<code>axis_refs_are_not_operators</code>	<code>true</code>	Derived-axis references remain references only.
<code>operator_profile_only</code>	<code>true</code>	Operator profiles are not person verdicts.

Dependency hygiene PMS preserved

Any use of `x` presupposes `Φ`, `θ`, `□`. Any use of `Σ` presupposes `x`, `Φ`. Any use of `Ψ` presupposes `Σ`, `θ`, `x`.

3. High-level structure of the YAML profile

The compact PMS-SEX YAML is organized as a registry-driven profile. It separates source references, guardrails, operator spine, concepts, drifts, drift chains, viability conditions, modules, limits, tools, pipeline, example schema, chapter markers, and final profile guard.

3.1 Top-level keys

Key	Description	Role in the profile
schema_version	Profile identifier: PMS-SEX_PROFILE .	File identity and compatibility marker.
profile_format	Compact machine profile format.	Signals registry-style structure.
schema_meta	Model identity, authorship, source paper, repo, dependency statement.	Profile-level metadata.
source_model	PMS dependency and overlay status.	Non-redefinition guarantee.
references / ref_index	Paper, PMS, MIP, EDEN, and chapter references.	Traceability and citation support.
guard_registry	Atomic guards such as no diagnosis, no person label, no access entitlement.	Application firewall.
guard_sets	Reusable guard bundles.	Consistent constraint reuse.
operator_spine	Canonical PMS operators, order, dependencies, and hygiene rules.	Δ - Ψ reference spine.
concepts	PMS-SEX concept registry.	Application concepts and concept guards.
concept_sets	Grouped concept references.	Reusable analysis bundles.
drifts	Configuration-level drift registry.	Drift semantics without person labels.
drift_sets	Grouped drift references.	Drift scanning bundles.
drift_chains	Common trajectory sequences.	Pattern recognition across Θ .
viability	Governability criteria and warning signals.	Viability without normality ranking.
modules	Dignity-in-Practice, Minimal Psychology Adapter, and MIP Docking.	Specialized application modules.
limits	Scope limits and exclusions.	Non-capture and boundary discipline.
tools	Operator table and structural map.	Analysis consistency aids.
analysis_pipeline	Scene-bound analysis steps.	Application workflow.
example_schema	Required and forbidden fields for examples.	Repo example discipline.
chapter_markers	One-line chapter closure markers.	Paper-linked retrieval support.
final_profile_guard	Final compressed validity rule.	Profile closure.

4. Guard architecture and application firewall

PMS-SEX is deliberately guard-heavy. The guard system prevents structural language from becoming diagnosis, public accusation, practice guidance, sex ranking, genital truth, biological destiny, maturity ranking, or dignity hierarchy.

4.1 Core guard families

Guard family	Function	Blocked conversion
Scene-bound reading	Restricts interpretation to bounded configurations.	Global person label, identity verdict, or essence claim.
No diagnosis / no person label	Keeps PMS-SEX non-clinical and non-psychological.	Pathology, motive attribution, personality typing.
No rank	Prevents dignity, maturity, sex, or orientation ranking.	Hierarchy of persons, bodies, sexes, or practices.
No access entitlement	Protects direct otherness from being misread as owed availability.	Access claim, desire claim, explanation claim.
No permission-image as consent	Blocks image/category substitution for real otherness.	Simulated counterdesire as consent.
No cost score	Protects sexual cost topology as scene-bound layout.	Quantified blame, worth, maturity, or dignity score.
No public confession	Protects private preference from compulsory inventory.	Confession regime or public identity demand.
Dignity protection	Maintains D-in-Practice under critique.	Humiliation, degradation, public punishment, person-shrinking.
MIP docking required	Separates structural profiles from evaluative critique.	Direct adulthood or maturity verdict from PMS-SEX alone.

4.2 Final application entry condition

Any PMS-SEX application presupposes:

Condition	Meaning	Invalid use prevented
X — Distance	Meta-position, stop-capability, non-fusion, and re-readability remain available.	Using the model as accusation, urgency, enforcement, or role-fusion.
Reversibility	Readings remain scene-bound, revisable, and falsifiable by counter-scene.	Irreversible person labels or total capture.
D — Dignity-in-Practice	Critique preserves non-degradation and person-status protection.	Humiliation, diagnosis, ranking, or public punishment.

Application firewall (X + reversibility + D)

If PMS-SEX is used to diagnose, shame, rank, publicly punish, prescribe sexual practice, derive sex truth, derive genital truth, or issue a direct adulthood verdict, it has already left valid application.

5. Operator spine and dependency hygiene

5.1 Fixed operator set

Δ, ∇, □, Λ, A, Ω, Θ, Φ, X, Σ, Ψ

5.2 Dependency table

Operator	Depends on	PMS-SEX use note
Δ	[]	Difference, category, boundary, body marker, or access threshold becomes legible.
∇	["Δ"]	Impulse introduces directional pressure without implying malice or entitlement.
□	["Δ", "∇"]	Frame constrains impulse into scene grammar.
Λ	["□"]	Non-event, absence, delay, withdrawal, silence, or refusal becomes active under expectation.
A	["Δ", "∇", "□", "Λ"]	Attractor formation stabilizes scripts, categories, patterns, and repetition.
Ω	["A"]	Asymmetry distributes access, exposure, bodily cost, exit, responsibility, and consequence.
Θ	["Ω", "A"]	Temporality makes accumulation, irreversibility, after-cost, and trajectory visible.
Φ	["Θ", "Ω", "□"]	Recontextualization changes narration without rewinding consequence.
X	["Φ", "Θ", "□"]	Distance enables stop-capability, meta-position, de-escalation, and non-fusion.
Σ	["X", "Φ"]	Integration holds contradiction, body, frame, asymmetry, and consequence without simplification.
Ψ	["Σ", "Θ", "X"]	Self-binding carries responsibility across time without externalization.

5.3 Reduced signatures

Reduced signatures are reading aids for chapters, cases, and templates. They foreground local operator clusters, but do not suspend dependencies. A shorthand such as $\Lambda \rightarrow A \rightarrow \Omega \rightarrow \Theta$ or Ω/Θ cost topology + $X + \Sigma/\Psi$ remains subordinate to the full PMS spine.

6. Concept registry: application concepts, not operators

PMS-SEX concepts are registry entries that organize PMS operators in the domain of sexual praxis. They are not operators, not axioms, not new PMS axes, and not person-level labels.

6.1 Core concepts

Concept	Meaning	Guard
Scene	Bounded configuration in which sexual praxis becomes structurally readable.	All readings remain scene-bound and revisable.
Configuration	Arrangement of roles, frame, timing, cost, asymmetry, non-events, and consequences.	Configurations are not persons.
Praxeological grammar	Operator-based reading of how practices become framed, repeated, costly, and binding.	No psychological or clinical reduction.
Preference / praxis boundary	Preference remains private until it structures a concrete scene.	No confession regime and no responsibility evasion once praxis structures cost.
Public measure-formation	Sexual praxis becomes publicly criticizable where it organizes costs, risks, deception, law, violence, consent, responsibility, or long-term effects.	Public measure is not public confession and not public punishment.
Non-capture	PMS-SEX may stop or narrow its reading where other lenses are required.	No total capture claim.

6.2 Layer concepts

Concept	Definition	Misreading prevented
Internal framing	How a scene is inhabited, narrated, or lived from within.	Erasing internal meaning as unreal.
Outer legibility	Structurally readable action-form under asymmetry, exposure, repetition, body/boundary coding, access form, publicness, and temporal carryover.	Letting internal labels erase enacted form.
Pre-reflective readability	Early scene-legibility before elaborate narration.	Treating immediate readability as person truth.
Publicness as overlay	Frame-extension that distributes, amplifies, documents, circulates, repeats, or sedimentizes consequences.	Treating publicness as either everything or nothing.
Visible form readability	Visible action-form remains readable but not total.	Visible-form totalization.

6.3 Embodiment and sexed-structure concepts

Concept	Definition	Guard
Biological Affordance Without Destiny	Biology structures bodies, risks, affordances, thresholds, and likely strategy spaces.	No destiny, rank, role proof, or conduct mandate.
Sexed Dependency Without Mandate	Human life emerges through sexually differentiated bodily and social conditions.	No heterosexual mandate, reproductive command, cis hierarchy, or partner prescription.
Impulse-Nearness Without Malice	Fast, visual, bodily, impulse-near perception or approach before reflective calibration.	No default malice; no consequence erasure by lack of malice.
Unlearned Handling	Impulse handled under contradictory or non-operational frame rules.	Explains clumsiness without excusing cost externalization.
Body as Non-Operator Remainder	Material consequence interface that compels visibility, irreversibility, and cost recognition without becoming an operator.	No biological destiny and no body-rank logic.

Concept	Definition	Guard
Body/Boundary Coding	Body-state, exposure, withholding, opening, refusal, shame, recognition, or bodily consequence as scene readability channel.	No sex truth, genital truth, or person truth.
Genital Meaning	Genital meaning as real embodied significance without sovereignty over the person.	Genital meaning is real; genital sovereignty is drift.
Genital Emancipation	The genital belongs to the person; the person does not belong to the genital.	No genital oracle, altar, proof, or immunity source.
Adult Sexual Emancipation	Genital integration without genital sovereignty.	Not enactment multiplication, public confession, visibility alone, or boundary reduction.

6.4 Direct otherness and access concepts

Concept	Definition	Guard
Direct Otherness	Reality-correction by an other who can respond, refuse, invite, misunderstand, correct, desire, withdraw, delay, and remain non-identical with the script.	Direct otherness is not access entitlement.
Permission-Image	Image-bound effect where a category appears to carry desire, invitation, permission, enjoyment, or hidden demand.	Permission-image is not consent.
Simulated Counterdesire	Image-bound appearance that the other wants, permits, invites, or confirms access.	Simulation does not substitute for direct otherness.
Access / Counterdesire Loop	Mediated loop in which category availability and simulated counterdesire stabilize permission as substitute for encounter.	No access entitlement and no diagnosis.
Access-Based Deviance	Configuration path where deviance becomes legible through access thresholds.	Configuration-level only, not person-level deviance.
Body/Boundary Coding Deviance	Configuration path where deviance becomes legible through body and boundary channels.	No body-state person truth.

6.5 Binding, withdrawal, and dignity concepts

Concept	Definition	Guard
Covert Ψ-Expectation	Binding relevance created by care, access, repetition, ambiguity, desire, or after-scene conduct while the frame narrates non-binding.	No automatic guilt and no automatic exculpation.
Ambivalence-Withdrawal	Binding weakens because the resonance field no longer stabilizes desire, safety, determination, or future-readability.	Can be adult under honest framing and after-scene dignity.
Post-Access Withdrawal	Access-threshold pressure resolves through enactment while Ψ does not bind to the after-scene.	Not automatic guilt, not automatic exculpation.
After-Scene Dignity	Whether a scene can be carried after Θ without person-shrinking, degradation, self-worth leakage, blame reversal, or responsibility flight.	Dignity protection after the episode.
Positive / Guided Dominance	Bounded intensity that leads, approaches, or intensifies a negotiated boundary without reducing the person to the scene.	D-compatible only under clear frame, real stop, after-scene dignity, and no self-worth leak.

7. Layer separation and misreading guards

PMS-SEX distinguishes internal framing, outer legibility, publicness, body/boundary layer, and temporal carryover. These layers may overlap, but none may erase the others.

Layer	Question	Misreading prevented
Internal framing	How is the scene lived, narrated, or named from within?	Assuming internal meaning is irrelevant or false.
Outer legibility	What action-form is readable under asymmetry, exposure, repetition, and cost?	Letting labels such as play, service, consent, devotion, or casualness end analysis.
Publicness	Does visibility, documentation, circulation, audience, or reputation modify consequences?	Treating publicness as either the whole issue or as irrelevant.
Body/ boundary layer	Does body-state, exposure, refusal, shame, recognition, or genital meaning structure the scene?	Converting body meaning into person truth.
Temporal carryover	What remains after the local episode?	Claiming that later narration rewinds accumulation.

Non-collapse rule layer discipline

A scene may be internally framed one way, externally readable another way, publicly circulated in a third way, body-bound in a fourth way, and temporally carried in a fifth way. PMS-SEX reads the relation between layers without using any one layer as total explanation.

8. Sexual cost topology and asymmetry-specific responsibility

Sexual cost topology is the scene-bound distribution of bodily, temporal, exposure-related, reputational, binding-related, exit-related, publicness-related, body/boundary-related, access-related, and responsibility-related costs. It is not a score, not a person measure, not a maturity measure, and not a dignity measure.

8.1 Cost channels

Cost channel	Description	Guard
Bodily costs	Costs borne through body, health, risk, reproduction, exposure, or bodily consequence.	No biological destiny or body-rank inference.
Exposure costs	Costs created by visibility, vulnerability, disclosure, or bodily/ social readability.	No public punishment or visibility totalization.
Reputational costs	Costs carried through reputation, social legibility, documentation, or circulation.	No moral rank from reputation effects.
Binding costs	Costs produced by expectation, care, repetition, ambiguity, desire, or after-scene conduct.	No automatic guilt or automatic exculpation.
Exit costs	Costs of refusal, withdrawal, ending, repair, or redefinition.	No exit fiction under Θ .
Publicness costs	Amplification, documentation, circulation, audience uptake, or sedimentation.	Publicness remains overlay, not total origin.
Responsibility costs	Role-position burden to carry consequences under Ω/Θ .	Responsibility remains self-binding, not authority.

8.2 Asymmetry principle

Asymmetry is not the problem. False coordination of real asymmetry is the problem. PMS-SEX does not require identical burdens, identical role tasks, or symmetrical content. It requires that unequal burdens not be hidden, moralized, externalized, or converted into authority.

8.3 Sexual reciprocity under real asymmetry

Principle non-externalization

Sexual reciprocity under real asymmetry does not require equal burdens. It requires that unequal burdens not be externalized.

8.4 Asymmetry-specific responsibility

Each role-position must carry the self-binding required by its own cost, power, exposure, exit, access, and externalization profile. This is a scene-bound responsibility reading under Ω/Θ , not a hierarchy of persons.

Misread	PMS-SEX correction
Equal consent settles all costs.	Consent matters, but does not by itself settle sexual cost topology.
Unequal costs imply person guilt.	Unequal costs require topology reading, not automatic blame.
Greater responsibility creates authority.	Responsibility remains Ψ/X self-binding, not governance over the other.
Parity means no further responsibility.	Parity coordinates reciprocity only if it does not erase real Ω/Θ burdens.

9. Direct otherness, embodiment, and genital integration

9.1 Direct otherness

Direct otherness is the condition in which a sexual script encounters an other who can respond, refuse, invite, misunderstand, correct, desire, withdraw, delay, and remain non-identical with the script. This is a reality-correction condition, not access entitlement.

Construct	Risk	Guard
Permission-image	Category appears to carry the other's desire or invitation.	Permission-image is not consent.
Simulated counterdesire	Image appears to confirm access or hidden demand.	Simulation is not encounter.
Access / counterdesire loop	Repeatable category availability replaces real correction.	No access entitlement.
Direct otherness failure	Script no longer receives correction from the other.	Configuration drift, not person diagnosis.

9.2 Embodiment and biology

PMS-SEX treats body and biology as structurally relevant without turning them into destiny, rank, or role command. Biology may structure affordances, risks, thresholds, asymmetries, and likely strategy spaces, but it does not by itself establish conduct, moral rank, or person truth.

9.3 Genital meaning and genital sovereignty

Genital meaning is real. Genital sovereignty is drift. PMS-SEX therefore holds two claims together: the genital may be a dense embodied meaning-site, and the genital must not become identity oracle, altar, proof, shame-center, potency evidence, liberation symbol, victim center, boundary mystery, or immunity source.

Genital emancipation closing guard

The genital belongs to the person. The person does not belong to the genital.

9.4 Adult sexual emancipation

Adult Sexual Emancipation means genital integration without genital sovereignty: the capacity to carry one's sexual body under X , Σ , and Ψ without denial, enthronement, or externalization. It is not enactment multiplication, public confession, genital celebration as such, visibility alone, boundary reduction, person hierarchy, or sovereign sexual self-description.

10. Withdrawal, covert Ψ -expectation, and after-scene dignity

Withdrawal is structurally important because sex often generates expectation, ambiguity, care, access, repetition, or after-scene conduct while still being narrated as limited or non-binding. PMS-SEX therefore refuses two shortcuts: withdrawal is not automatic guilt, and withdrawal is not automatic exculpation.

Profile	Structural reading	Guard
Covert Ψ-expectation	Binding relevance forms through care, access, repetition, ambiguity, desire, or after-scene conduct under a non-binding narration.	Expectation is structural, not automatic guilt.
Ambivalence-withdrawal	Love, attachment, or sexual-relational binding weakens because the resonance field no longer stabilizes desire, safety, determination, or future-readability.	Can be structurally adult under honest framing and after-scene dignity.
Post-access withdrawal	Access-threshold pressure resolves through enactment while Ψ does not bind to the after-scene.	Becomes drift-relevant where structured expectation and after-scene dignity are disowned.
After-scene dignity	The scene can still be carried after Θ without person-shrinking, shame residue, degradation, blame reversal, or responsibility flight.	After-cost must not be dumped onto the other or erased by labels.

Withdrawal guard paired reading

Ambivalence-withdrawal and post-access withdrawal can be structurally adult where framing is honest and after-scene dignity is carried. They become drift-relevant where effects are disowned or Ψ -expectation costs are externalized.

11. Drift registry and drift chains

Drifts are configuration trajectories. They are not person labels, not diagnoses, not pathologies, not orientation claims, not sex claims, and not moral accusations. Each drift means: *in this configuration, this structural tendency is present*.

11.1 Core drift families

Drift family	Markers	Structural risk
Ψ / binding drifts	Ψ leak, covert Ψ -expectation drift, Ψ externalization.	Binding becomes operative while the frame denies it.
Ω / asymmetry drifts	Ω escalation, pseudo-symmetry drift, unmarked Ω activation, asymmetry-switch drift.	Asymmetry steers the scene while remaining unmarked or falsely coordinated.
Λ / A drifts	Non-event steering, A fixation, category monopolization.	Absence, repetition, and categories steer more than explicit coordination.
Θ / Φ / X drifts	Θ overload, Φ inflation, X loss.	Accumulation exceeds frame capacity, narration substitutes integration, distance collapses.
Layer drifts	Outer-form denial, visible-form fixation, publicness confusion.	Internal, visible, public, and temporal layers collapse into one another.
Access and category drifts	Access entitlement drift, direct otherness failure, category monopolization.	Access threshold becomes claim; image/category substitutes for encounter.
Embodiment drifts	Body/boundary person-truth drift, genital sovereignty drift.	Body or genital meaning becomes person truth or immunity source.
Withdrawal and dignity drifts	Withdrawal expectation disowned, after-scene dignity failure.	After-cost is denied, dumped, or person-shrinking.
Final overlay markers	Boundary-aggression collapse, sexed leniency drift, asymmetric self-control burden, humiliation-to-control-collapse corridor.	Dignity-relevant misreadings of boundary, sex-coded leniency, restraint burden, and humiliation-near recurrence.

11.2 Selected drift definitions

Drift	Definition	Guard
Category monopolization	One category, image, access threshold, body/boundary code, or repeatable scene form crowds out the broader sexual field.	Configuration marker only.
Access entitlement drift	Access threshold-language becomes entitlement, claim, right, debt, or owed availability.	No access entitlement.
Body/boundary person-truth drift	Body-state, boundary-form, exposure, refusal, shame, recognition, genital meaning, or bodily consequence is treated as truth of the person.	No sex truth, genital truth, or rank.
Genital sovereignty drift	Genital meaning becomes command, altar, oracle, proof, shame-center, potency evidence, liberation symbol, victim center, or immunity source.	Genital emancipation guard.
Boundary-aggression collapse	Boundary-setting is read as aggression, or aggressive conduct is framed as mere boundary-setting.	No boundary-aggression authorization.
Sexed leniency drift	Leniency tracks sex-coded expectation rather than scene, cost, capacity, frame, or responsibility structure.	No sex truth or rank.
Asymmetric self-control burden	One role-position carries disproportionate restraint, de-escalation, non-reaction, interruption, or self-binding.	Dignity protection.
Humiliation-to-control-collapse corridor	Repeated humiliation-near marking overloads X/ Ψ until stop-capability, self-binding, distance, and after-scene dignity become unstable.	No violence authorization and no person degradation.

11.3 Drift chains

Chain	Trace	Reading
Primary destructive chain	Ψ leak $\rightarrow \Omega$ escalation $\rightarrow X$ loss $\rightarrow A$ fixation $\rightarrow \Theta$ overload $\rightarrow$ exit collapse	Covert binding and unregulated asymmetry harden into attractor and overload the frame.
Non-event attractor chain	Λ steering $\rightarrow A$ fixation $\rightarrow \Omega/\Theta$ cost concentration	Absence, delay, or non-occurrence becomes the steering medium.
Layer collapse chain	internal-label capture $\rightarrow$ outer-form denial $\rightarrow$ publicness confusion $\rightarrow$ delayed cost recognition	One layer is made to settle the whole scene.
Category / access / body chain	category availability $\rightarrow$ permission-image $\rightarrow$ direct otherness failure $\rightarrow$ access entitlement drift	Image/category mediation replaces encounter and correction.
Genital sovereignty chain	genital meaning $\rightarrow$ sacralized self-reading $\rightarrow$ genital sovereignty drift $\rightarrow D$ strain	Genital meaning becomes person-command rather than integrated body meaning.
Withdrawal expectation chain	covert Ψ expectation $\rightarrow$ withdrawal $\rightarrow$ expectation disowned $\rightarrow$ after-scene dignity failure	Non-binding narration erases structured after-cost.

12. Viability: governability, not normality

Viability describes whether a sexual configuration remains structurally governable. It does not define normality, prescribe conduct, rank practices, diagnose persons, or establish maturity.

12.1 Minimal viability corridor

□ explicit

- * Ω nameable
- * Θ realistic
- * X operative
- * Λ tolerable
- * Ψ handled
 - (+ Σ reachable where needed)
- * cost topology explicit
- * category pressure proportionate
- * access non-entitled
- * body/boundary coding scene-bound
- * direct otherness non-entitled
- * genital meaning integrated, not sovereign
- * withdrawal expectations honestly carried
- * after-scene dignity intact
- * boundary/aggression distinguishable
- * asymmetry activation marked, bounded, and re-bound where relevant
 - = structurally governable configuration

12.2 Viability checks

Condition	Question	Failure marker
Frame explicitness	Can the scene name its operative frame?	Frame ambiguity, outer-form denial.
Ω nameability	Can asymmetry and cost distribution be named?	Pseudo-symmetry, cost-topology mismatch.
Θ realism	Are accumulation and after-cost acknowledged?	Exit fiction, temporal overload.
X operability	Can distance, stop, humor, interruption, and meta-commentary operate?	X loss.
Λ tolerance	Can absence, pause, refusal, or non-occurrence remain non-steering?	Non-event steering.
Ψ handling	Is binding explicit, suspended honestly, or carried after the scene?	Ψ leak, Ψ externalization.
Σ reachability	Can contradiction be integrated without simplification?	Φ inflation, narrative substitution.
After-scene dignity	Can the scene be carried after Θ without degradation or responsibility flight?	After-scene dignity failure.

12.3 Warning signals

- Φ narrative inflation substitutes for Σ .
- One frame monopolizes alternatives.
- Ω is moralized instead of regulated.
- Repetition continues despite clear structural undercutting.
- Θ costs are externalized.

- Outer form is denied by internal label.
- Publicness is treated as everything or nothing.
- Category pressure replaces encounter.
- Boundary and aggression collapse into each other.
- Genital meaning becomes sovereignty.
- Withdrawal disowns structured expectation.
- Humiliation-near recurrence destabilizes X/Ψ .

13. Modules: Dignity, Minimal Psychology, and MIP docking

13.1 Dignity-in-Practice

Dignity-in-Practice is a PMS-derived construct. Its canonical PMS formula remains $\Psi + X + \Omega$. PMS-SEX uses an application condition profile, not a new PMS formula.

- explicit Ω
- * operative X
- * no covert Ψ demand under Θ
- * after-scene dignity
- * marked / bounded asymmetry activation where relevant
- * no parity-to-exit
- * no responsibility-to-authority
- * boundary/aggression readability
- * outer-form readability without visible-form totalization
- = Dignity-in-Practice in PMS-SEX application

D applies in enactment, not as person status. PMS-SEX has no authority over motives, worth, identity, biography, orientation, body, desire, or what someone “really is.” It can critique enacted structures and cost handling only under D.

13.2 Minimal Psychology Adapter

Minimal psychology is a structural self-check adapter. It activates only where drift markers are already structurally legible, viability checks do not restore correction, and repetition continues. It does not explain desire, diagnose persons, infer motives, or produce clinical claims.

Permitted question structural alarm only

What structural role is this desire playing in this configuration?

Permitted output is limited to structural alarm: drift persistence, self-correction failure, need for X /frame/ Θ reactivation, or need to re-read outer legibility and cost distribution without person-ranking.

13.3 MIP Docking Interface

MIP docking is optional. PMS-SEX explains how structures work; MIP explains when critique is legitimate. PMS-SEX may record operator profiles and drift markers, but it may not directly evaluate person-adulthood, assign maturity ranks, diagnose persons, or create dignity hierarchies.

PMS-SEX provides	MIP may ask	MIP must not do
Ω layout, Θ trajectory, X operability, Ψ leakage, A fixation, Λ density, outer legibility, cost topology, drift markers.	Whether a role-position carried the self-binding made necessary by its cost, power, exposure, exit capacity, and externalization profile.	Essence claim, person rank, maturity hierarchy, global diagnosis, dignity hierarchy, or moralized person-label.

13.4 MIP docking axes

Axis	Name	Meaning
A	Awareness	MIP docking awareness; structural knowability, not psychological insight and not PMS-axis rewrite.
C	Coherence	MIP docking coherence; stability over time under $\Theta + \Lambda + \square$, not PMS-axis rewrite.
R	Responsibility	MIP docking responsibility; self-binding and consequence handling under $\Omega + \Theta$, not PMS-axis rewrite.
P	Power	MIP-only docking axis for real agency, alternatives, and choice capacity.
D	Dignity-in-Practice	PMS-derived D used as docking constraint: praxeological non-degradation, not ontological worth.

These labels belong to the MIP docking interface and do not redefine PMS-derived axes A, C, R, E, D.

14. Limits and non-capture

PMS-SEX is intentionally bounded. It reads sexual configurations as structures over time. It does not replace psychology, therapy, law, ethics, empirical research, phenomenology, history, sociology, discourse analysis, community knowledge, or MIP.

PMS-SEX models	PMS-SEX does not model
Scenes, frames, role-positions, asymmetries, non-events, repetition, trajectories, publicness, body/boundary coding, cost topology, drift, viability, after-scene dignity, and possible MIP docking profiles.	Persons, personalities, motives, clinical states, developmental histories, orientation essence, sex essence, genital truth, moral worth, legal verdicts, therapy needs, or practice decisions.

14.1 Non-capture conditions

- The scene is not bounded enough to map operator profiles.
- Relevant facts are unavailable or contested.
- Clinical, legal, empirical, historical, or community-specific knowledge is decisive.
- The PMS-SEX reading would require motive inference.
- The model would have to rank persons, identities, bodies, sexes, or practices.
- Outer legibility cannot be reconstructed without public punishment risk.
- Dignity-in-Practice cannot be preserved.

14.2 Scope guards

- Identical practice labels do not imply identical structures.
- Consent-language does not exhaust cost topology.
- Internal framing does not settle outer form.
- Publicness does not exhaust scene legibility.
- Biology structures affordances without coding destiny.
- Genital meaning is not genital sovereignty.
- Withdrawal is neither automatic guilt nor automatic innocence.
- Refusal of PMS-SEX terms is not itself denial, immaturity, pathology, or drift.

15. Structural tools, analysis pipeline, and example schema

15.1 Structural tools

The PMS-SEX tool layer contains an operator table and one-page structural map. These tools support consistency. They do not diagnose, prescribe, classify persons, rank maturity, or decide dignity status.

15.2 Analysis pipeline

Step	Title	Core checks
S1	Scene boundary	Define the scene and keep the reading bounded.
S2	Operator mapping	Map Δ - Ψ without dependency rewrite.
S3	Layer distinction	Separate internal framing, outer legibility, publicness, body/boundary layer, and Θ carryover.
S4	Cost topology	Map Ω / Θ cost channels without score or person rank.
S5	Direct otherness and access	Check whether real correction is present or replaced by permission-image/category.
S6	Embodiment and genital meaning	Check body/boundary coding, biological affordance, genital integration, and sovereignty risk.
S7	Withdrawal and binding	Check covert Ψ -expectation, withdrawal profiles, and after-scene dignity.
S8	Drift scan	Select at most a few primary drifts and include counter-evidence.
S9	Viability readout	Apply governability corridor and warning signals.
S10	Dignity-in-Practice	Check D without person-status claim.
S11	Minimal psychology gate	Activate only as structural alarm where needed.
S12	MIP docking gate	Route maturity/adulthood language to MIP, not PMS-SEX alone.
S13	Non-capture and limits	Record counter-reading, adjacent lenses, and stop conditions.
S14	Final validity gate	Check X, reversibility, D, no person verdict, no practice guidance, no cost score, operator-profile-only.

15.3 Example schema

Examples are scene-bound operator-readable vignettes. They are generic, abstracted, non-identifying, and structurally focused.

Required fields

- vignette
- repo_use
- operator_mapping
- layer_distinction
- cost_topology
- drift_readout
- viability_readout
- dignity_readout
- mip_gate
- closure

Forbidden in examples

- practice guidance
- risk optimization

- identifiable case narratives
- clinical interpretation
- motive attribution
- person ranking
- orientation taxonomy
- sex truth
- genital truth
- maturity ranking
- adulthood verdict from PMS-SEX alone
- dignity hierarchy
- moral verdicts

16. Case Template interface

The PMS-SEX Case Template is the preferred format for repo examples and applied analysis. It translates the YAML profile into a reusable scene-bound analysis skeleton while preserving all major guards.

16.1 Case Template purpose

The template is intentionally extensive. Its length is a safeguard: it prevents quick drift-labeling, person diagnosis, visible-form totalization, access entitlement, cost-score logic, genital truth, or maturity inference. It also gives enough fields to analyze internal framing, outer legibility, cost topology, direct otherness, embodiment, withdrawal, drift, viability, Dignity-in-Practice, MIP docking, and non-capture.

16.2 Template alignment with example schema

Required example field	Case Template location
vignette	minimal_vignette
repo_use	repo_use
operator_mapping	scene_packet.operator_trace and pms_sex_map.operator_profile
layer_distinction	scene_packet.layer_distinction and pms_sex_map.layer_readout
cost_topology	scene_packet.sexual_cost_topology and pms_sex_map.cost_topology_readout
drift_readout	pms_sex_map.drift_scan
viability_readout	pms_sex_map.viability_readout
dignity_readout	pms_sex_map.dignity_in_practice_readout
mip_gate	pms_sex_map.mip_docking_gate
closure	readable_structural_closure

16.3 Closure discipline

Every completed case should end with a concise structural summary that names the scene structure, principal operator profile, cost topology, relevant drifts or viability limits, and the strength and limits of the reading. It must not tell anyone what to do.

Required final phrase case closure

This remains a scene-bound structural reading, not a diagnosis, verdict, instruction, or person-status claim.

17. Chapter markers

- **Ch. 0:** PMS-SEX is structural grammar, not psychology, morality, legal model, or practice guide.
- **Ch. 1:** Sexuality is unavoidable praxis pressure, not a confession demand.
- **Ch. 2:** Drive is structural necessity; impulse-nearness is not malice.
- **Ch. 3:** Frame overrides intention where scene grammar structures consequence.
- **Ch. 4:** Asymmetry becomes concrete as sexual cost topology.
- **Ch. 5:** Drive has no endpoint; Θ keeps after-costs real.
- **Ch. 6:** Exit realism matters because sexual scenes do not simply reset.
- **Ch. 7:** Absence, delay, refusal, and non-occurrence can become structure.
- **Ch. 8:** Patterns stabilize beyond decision.
- **Ch. 9:** Recontextualization cannot rewind accumulated cost.
- **Ch. 10:** Distance regulates without abolishing sexuality.
- **Ch. 11:** Integration is possible but not mandatory as goal.
- **Ch. 12:** Self-binding begins where sexuality costs.
- **Ch. 13:** The body is consequence interface, not PMS operator.
- **Ch. 14:** Modulators weight operator paths without typing persons.
- **Ch. 15:** Deviance is a consequence structure, not moral inferiority.
- **Ch. 16:** High-risk practice is readable only structurally, never as instruction.
- **Ch. 17:** Suspended self-binding suspends attribution; it does not remove Ψ .
- **Ch. 18:** Drift markers describe configuration dynamics, not persons.
- **Ch. 19:** Viability means governability under real cost, not normality.
- **Ch. 20:** Minimal psychology signals structural self-correction failure without explaining desire.
- **Ch. 21:** Dignity in sexual practice is how asymmetry is carried, not who someone is.
- **Ch. 22:** PMS-SEX explains structure; MIP explains when critique is legitimate.
- **Ch. 23:** PMS-SEX stops where other lenses are needed.
- **Ch. 24:** Genital integration without genital sovereignty is the closing marker.

18. Final profile guard

PMS-SEX remains valid by staying within what it can responsibly say: not what persons are, but what configurations do over time. It reads sexual praxis as enacted configuration under frame, asymmetry, non-event, repetition, temporality, body/boundary consequence, distance, integration, and self-binding. It permits hard claims about cost, drift, outer legibility, sexual cost topology, direct otherness, withdrawal, genital sovereignty drift, and Dignity-in-Practice without converting those claims into person-status judgments.

18.1 Compressed rules

- no consequence-free sex
- no desire exempt from structural conditions once it structures a scene
- no preference confession requirement
- no outer-form erasure by internal labels
- no visible-form totalization
- no publicness reduction
- no sexual cost topology as score
- no path-cost as person-worth
- no access entitlement
- no permission-image as consent
- no direct otherness as owed correction
- no body-state as person truth
- no genital meaning as genital sovereignty
- no withdrawal as automatic guilt
- no withdrawal as automatic exculpation
- no asymmetry activation without marking, bounding, and re-binding where relevant
- no parity language as exit from responsibility
- no responsibility as authority
- no operator profile as direct adulthood verdict
- no critique through humiliation
- no maturity hierarchy
- no dignity hierarchy
- no taxonomy where only configuration-language is warranted
- no total capture where the scene exceeds the grammar

18.2 Closing principles

Principle	Formula
Preference / praxis boundary	Preference is private until it structures a scene; praxis is responsible once it structures costs, participants, risks, or consequences.
Public measure without confession	Sexuality is publicly measure-forming but not confession-mandatory.
Deviance	Deviance is higher $\Delta/A/\Theta$ work of a configuration, not moral inferiority.
Asymmetry	Asymmetry is not the problem; false coordination of real asymmetry is the problem.
Direct otherness	Direct otherness corrects scripts by reality without creating access entitlement.
Genital emancipation	The genital belongs to the person. The person does not belong to the genital.
Adult Sexual Emancipation	Genital integration without genital sovereignty.
Final scope	PMS-SEX records configurations, not person-status.

Final marker [profile closure](#)

PMS-SEX remains valid by staying within what it can responsibly say: not what persons are, but what configurations do over time.