PMS-SEX – Model Specification

A PMS-conform application profile (overlay) for sexuality: structural legibility of scenes, frames, drift, viability, dignity-in-practice, and the Δ–Ψ operator chain without person-typing, diagnosis, moral ranking, or how-to guidance.

Version: `PMS-SEX_1.1` · Spec basis: `PMS-SEX.yaml`
Last updated: `2026-04-26` · Language: EN · Status: `application_overlay`
Author: T. Zöller · Formalisation assistance: ChatGPT (`GPT-5.5 Thinking`)
Depends on: `PMS.yaml` (`schema_version = "PMS_1.3"`)
Repo: `https://github.com/tz-dev/PMS-SEX`

---

1. Purpose and status of this specification

This document specifies the *PMS-SEX* application profile in a concise, technical, human-readable form. It is based on `PMS-SEX.yaml` (`schema_version = "PMS-SEX_1.1"`) and renders its identity, constraints, overlay concepts, drift markers, viability criteria, and application discipline explicit for repo, paper, and computational use.

PMS-SEX is a **paper-specific application profile** of the Praxeological Meta-Structure (PMS). It operationalizes the structural lens of the accompanying paper:

> **Source paper updated paper reference**
> *PMS-SEX — From Impulse to Self-Binding: A Praxeological Grammar of Sexuality (Δ–Ψ)*

The profile is an **overlay**, not a fork, replacement, or extension of PMS. Its function is to make the sexuality lens formally legible while remaining strictly subordinate to the canonical PMS repository reference specification.

PMS-SEX does not redefine PMS operators, dependencies, derived axes, or meta-axioms. It uses the canonical operator grammar `Δ → ∇ → □ → Λ → A → Ω → Θ → Φ → X → Σ → Ψ` to read sexual praxis as enacted configuration under frame, non-event, attractor formation, asymmetry, temporality, recontextualization, distance, integration, and self-binding, with publicness and documentation treated only as application-level □ **extensions**, never as new operators.

> **Core idea overlay discipline**
> PMS-SEX remains valid by staying within what it can responsibly say: not what persons are, but what configurations do over time. It permits hard claims about cost, drift, outer legibility, and consequence without converting those claims into person-status judgments.

2. Relationship to PMS: non-negotiable constraints

2.1 Dependency statement

PMS-SEX depends on the canonical PMS base specification: `PMS.yaml` (`schema_version = "PMS_1.3"`).

2.2 Conformity constraints

- PMS-SEX does **not** redefine, replace, reinterpret, or extend the eleven PMS meta-axioms.
- PMS-SEX does **not** introduce new operators, meta-axioms, or dependency relations.
- PMS-SEX does **not** modify canonical operator order, dependency hygiene, or derived axes `A, C, R, E, D` .
- All references to `Δ–Ψ` retain their meanings exactly as defined in `PMS.yaml` .
- Apparent deviations such as reduced signatures, publicness overlay, outer legibility, path-cost, or suspended Ψ attribution are shorthand or frame-level descriptions only.

2.3 Conformity record

Field	Value	Meaning
`status`	`conformant_overlay`	PMS-SEX is an application overlay, not a PMS fork.
`base_schema_version`	`PMS_1.3`	Canonical PMS base version.
`canonical_operator_spine`	`Δ → ∇ → □ → Λ → A → Ω → Θ → Φ → X → Σ → Ψ`	Reference path used throughout PMS-SEX.
`no_new_meta_axioms`	`true`	No additional PMS-level axioms are introduced.
`no_operator_redefinition`	`true`	Operators retain canonical PMS meanings.
`no_dependency_rewrite`	`true`	No alternative operator graph is created.
`no_derived_axis_rewrite`	`true`	Derived PMS axes remain unchanged.

Dependency hygiene PMS_1.3 preserved

Reduced formulas are reading aids. They are not alternative dependency graphs. Any use of `X` presupposes `Φ, Θ, □` . Any use of `Ψ` presupposes `Σ, Θ, X` .

3. High-level structure of the YAML model

3.1 Top-level keys

Key	Description	Role in the profile
`schema_version`	Version identifier: `PMS-SEX_1.1` .	Compatibility, citation, and file identity.
`schema_meta`	Model identity, authorship, repo, source paper, dependency on PMS.	Profile identity and inheritance statement.
`pms_v13_conformity`	Formal conformity block against PMS_1.3.	Non-redefinition guarantee.
`validity_gate`	Application entry condition: X + reversibility + D.	Application firewall.
`operator_reference`	Fixed operator set, canonical order, dependencies, hygiene note.	Δ–Ψ reference spine.
`references`	PMS, PMS.yaml raw, MIP, MIP.yaml raw.	Traceability and docking reference.
`overlay_concepts`	Internal framing, outer legibility, publicness, path-cost, body remainder.	Application-level concepts, not operators.
`reduced_signatures`	Chapter-specific shorthand signatures and formulas.	Paper and repo orientation keys.
`layer_separation`	Internal / outer / public / temporal layer guards.	Misreading prevention.
`disturbance_and_path_cost_guard`	Allowed and forbidden use of path-cost / disturbance language.	Anti-person-ranking guard.
`drift_catalogue`	Core dysfunction markers and dynamic drift chains.	Configuration-level drift semantics.
`viability`	Functional minimums, warning signals, viability corridor.	Non-normative governability criteria.
`modulators`	Non-operator weightings: $\square_0$, Ω_0, Λ density, Θ stability, Φ habituation, X mode, publicness.	Path likelihood without person typing.
`minimal_psychology_adapter`	Ch. 20 structural self-check alarm.	Restricted alarm, not explanation.
`dignity_in_practice_module`	PMS-derived D construct and PMS-SEX application formula.	Dignity constraint under Ω/X/Ψ/Θ.
`mip_docking_interface`	Optional interface to MIP critique context.	Context shift, not merger.
`limits_and_extensions`	Structural limits, exclusions, openness to remainder.	Scope discipline.
`glossary_concepts`	Appendix B terms.	Terminological consistency.
`chapter_one_line_markers`	Quote-ready chapter closure markers.	Paper-linked retrieval and citation support.
`structural_tools`	Operator table and one-page structural map.	Analysis consistency tools.
`analysis_checklist`	S1–S10 scene-bound checklist.	Application protocol scaffold.
`example_suite_schema`	Required blocks and forbidden uses for examples.	Repo vignette schema.
`final_profile_guard`	Final constraint and compressed rules.	Profile-level closure.

Conceptual separation PMS vs PMS-SEX

PMS defines the operator grammar. PMS-SEX defines how that grammar is used to read sexual practice structurally: frames, asymmetries, non-events, repetition, trajectories, outer legibility, publicness, drift, and viability.

4. Validity gate and application firewall

The validity gate constrains PMS application only. PMS itself may be criticized, rejected, revised, or ignored without satisfying this gate. Any use of PMS-SEX *as PMS application* presupposes:

Requirement	Meaning	Invalid conversion prevented
X — Distance	Maintained meta-position and stop-capability; no fusion into verdict, urgency, enforcement, person-level attribution, role, impulse, or self-justifying rhetoric.	Using PMS-SEX as enforcement, accusation, urgency, or role-fusion.
Reversibility	Scene-bound, configuration-specific, revisable readings; no global person labels, irreversible claims, identity verdicts, or ontological attributions.	Turning a structural reading into a fixed person-label.
D — Dignity-in-Practice	No shaming, humiliation, person-ranking, diagnosis, orientation taxonomy, or person-worth evaluation; critique targets enacted structures and cost handling only.	Converting cost, asymmetry, or drift into degraded personhood.

4.1 Self-binding and model hygiene

In line with PMS v1.3, any application that suspends **Distance (X)**, **Self-Binding discipline (Ψ)**, or **Dignity-in-Practice (D)** in order to enforce truth, clarity, authority, resolution, urgency, action, or asymmetry is formally invalid as PMS application, even if PMS terminology is retained.

4.2 PMS-SEX analysis status

- scene-bound
- structurally revisable
- non-psychological
- non-clinical
- non-diagnostic
- non-prescriptive
- non-moralizing
- dignity-preserving

Key firewall X + reversibility + D
If the overlay is used to shame, rank, diagnose, humiliate, force action, or produce irreversible person-level interpretation, it has already left PMS-SEX application validity.

5. Operator reference and dependency hygiene

5.1 Fixed operator set

PMS-SEX uses exactly the canonical PMS operator set:

```
Δ, ∇, □, Λ, A, Ω, Θ, Φ, X, Σ, Ψ
```

5.2 Canonical order

```
Δ → ∇ → □ → Λ → A → Ω → Θ → Φ → X → Σ → Ψ
```

5.3 Dependency table

Operator	Depends on	PMS-SEX use note
Δ	`[]`	Difference makes scene distinctions legible.
∇	`["Δ"]`	Impulse introduces directional pressure.
□	`["Δ", "∇"]`	Frame constrains impulse into scene grammar.
Λ	`["□"]`	Non-events become structurally active under expectation.
A	`["Δ", "∇", "□", "Λ"]`	Attractors stabilize repeated scripts.
Ω	`["A"]`	Asymmetry distributes access, exposure, exit, and cost.
Θ	`["Ω", "A"]`	Temporality makes accumulation and exit realism visible.
Φ	`["Θ", "Ω", "□"]`	Recontextualization changes framing without rewinding costs.
X	`["Φ", "Θ", "□"]`	Distance enables stop-capability and meta-position.
Σ	`["X", "Φ"]`	Integration holds contradictions without coercive simplification.
Ψ	`["Σ", "Θ", "X"]`	Self-binding binds integrated trajectories over time.

Dependency hygiene note no shortcutting
Reduced signatures may foreground a cluster such as `Ω → Θ` or `Λ → A → Ω → Θ`. Such foregrounding does not suspend, bypass, or reorder PMS dependencies.

6. Overlay concepts: non-operators, application-level only

PMS-SEX introduces overlay concepts that organize or amplify PMS operators. They do not replace PMS generativity, do not create new operators, and do not authorize person-typing.

Overlay concept	Definition	Guard
Internal Framing	How a scene is inhabited, narrated, or lived from within the configuration: as play, service, devotion, experimentation, intimacy, kink, discipline, restraint, authenticity, or otherwise.	Internal framing may shape experience but does not by itself determine or erase outer structural form.
Outer Legibility	The structurally readable action-form a scene presents under visible asymmetry, exposure, markedness, repetition, and consequence.	Naming outer legibility does not imply person-ranking, diagnosis, moral verdict, denial of consent, or total interpretation.
Pre-Reflective Scene Readability	Early or immediate scene-legibility of certain marked configurations before elaborate internal translation or justificatory narration.	Structural readability claim only; not psychology thesis, innocence theory, or license for person-ranking.
Publicness as Overlay	Frame-extension that distributes, amplifies, documents, repeats, or sedimentizes readability and consequences without necessarily generating the primary scene form.	Publicness is neither always the origin nor automatically irrelevant. It modifies the consequence field.
Path-Cost / Stabilization Burden	Configuration-level language for operator-work required to keep a configuration coherent, reversible, non-coercive, and dignity-preserving under recurrence and temporality.	Path-cost does not classify persons, diagnose identities, rank orientations, lower dignity, or authorize moral pathology.
Body as Non-Operator Remainder	The body is treated as material remainder or consequence interface that forces visibility, irreversibility, and cost recognition without becoming a new PMS operator.	Body remainder is not a person-ranking device and not a biological taxonomy.

Publicness overlay □ extension

Publicness primarily intensifies Ω and Θ, and interacts with $\Box$, A, Λ. It remains an overlay, not an origin claim and not a new operator.

7. Layer separation and misreading guards

Internal framing, outer legibility, public circulation, and temporal carryover may overlap, but must not be collapsed into one another.

7.1 Layer model

Layer	Question	Misreading prevented
Internal framing	How is the scene inhabited or named from within?	Assuming internal meaning is false or irrelevant.
Outer legibility	What action-form is structurally readable under asymmetry, exposure, repetition, and time?	Letting internal labels erase enacted form.
Publicness	Does visibility, documentation, circulation, reputation, or audience uptake modify consequences?	Treating publicity as either the whole problem or as irrelevant.
Temporal carryover	How does the scene continue across Θ?	Claiming that later narration rewinds accumulation.

7.2 Guard list

- Understanding internal meaning does not erase external form.
- Naming outer legibility does not imply person-ranking, diagnosis, or moral verdict.
- Publicity may amplify, distribute, or sedimentize readability without necessarily creating it.
- Practice labels do not by themselves settle outer structural form.
- Pre-reflective readability does not settle meaning, worth, blame, or consent.
- Outer legibility does not authorize public accusation by itself.
- Publicness is an overlay, not the necessary origin of consequence.
- Internal framing may be real without being total.

Layer discipline non-collapse rule

A scene may be internally framed one way, externally readable another way, publicly circulated in a third way, and temporally carried in a fourth way. PMS-SEX does not collapse these layers.

8. Disturbance and path-cost guard

PMS-SEX allows disturbance and path-cost language only as configuration-language. It is inadmissible when converted into person-language, diagnosis, humiliation, or ranking.

8.1 Allowed language

- configuration-level entropy
- path-cost
- stabilization burden
- attractor pressure
- Θ-accumulation
- X/Σ/Ψ-work required for governability
- neutral disturbance as perturbation-language

8.2 Forbidden conversions

- person-level pathology
- sexual-orientation taxonomy
- identity ranking
- clinical diagnosis
- moral pathology
- humiliation or degradation of persons
- using entropy-language to override D

Final path-cost guard configuration only

Disturbance-language is admissible only as configuration-language. The moment it becomes person-language, diagnosis, rank, orientation taxonomy, or humiliation, it leaves PMS-SEX.

9. Reduced signatures: paper-specific shorthand only

Reduced signatures are chapter-specific reading aids. They foreground local operator clusters but do not alter PMS v1.3 order, dependencies, or operator meanings.

9.1 Signature index

ID	Label	Raw signature	Use
SEX_linear_spine	Linear operator spine / canonical PMS v1.3 flow	Δ → ∇ → □ → Λ → A → Ω → Θ → Φ → X → Σ → Ψ	Canonical orientation.
MF_1_2	Sexuality as Recurring Praxis Pressure	Δ → ∇ → □; early effective: □ → Λ → A	Early pressure and frame formation.
MF_3_2	Frame	Δ → ∇ → □ → (Λ) → A	Frame as scene grammar.
MF_4_2	Asymmetry	Δ → ∇ → □ → Λ → A → Ω → Θ	Cost gradients under pattern formation.
MF_5_2	Temporality	Δ → ∇ → □ → Λ → A → Ω → Θ	Accumulation and irreversibility.
MF_6_2	Exit Realism	(□ → Λ → A) → Ω → Θ → (X/Σ/Ψ)	Transversal exit-realism cluster.
MF_7_2	Non-Event	Δ → ∇ → □ → Λ → (A) → (Ω/Θ)	Absence as active structure.
MF_8_2	Pattern Formation	Δ → ∇ → □ → Λ → A → (Ω → Θ)	Attractor and cost-axis emergence.
MF_9_2	Recontextualization	Δ → ∇ → $□_1$ → (Λ) → A → Ω/Θ → Φ → $□_2$	Re-embedding under Φ.
MF_10_2	Distance	Δ → ∇ → □ → (Λ) → A → Ω → Θ → Φ → X	Stop-capability and meta-position.
MF_11_2	Integration	Δ → ∇ → □ → Λ → A → Ω → Θ → Φ → X → Σ	Contradiction handling.
MF_12_2	Self-Binding	Δ → ∇ → □ → Λ → A → Ω → Θ → Φ → X → Σ → Ψ	Trajectory binding.
MF_14_3	Modulators	Δ → ∇ → □ → Λ → A → Ω → Θ → Φ → X → Σ → Ψ	Full operatorial background for weightings.
MF_15_2	Deviance as Consequence Structure	Δ → ∇ → □ → Λ → A → Ω → Θ → Φ → X → Σ → Ψ; pulling arrows: Λ → A → Ω → Θ	Configuration-level deviation, not person deviance.
MF_16_2	High-Risk / Extreme Practices	Δ → ∇ → □ → Λ → A → Ω → Θ → Φ → X → Σ → Ψ; pulling arrows: ∇ → □ → Ω → Θ	Intensity under X limiter.
MF_17_2	Suspended Self-Binding Boundary Configuration	Δ → ∇ → □ → Λ → A → Ω → Θ → Φ → X → Σ → Ψ	Ψ as deliberately suspended attribution condition.
MF_18_2	Dysfunctional Expressions and Destructive Dynamics	Δ → ∇ → □ → Λ → A → Ω → Θ → Φ → X → Σ → Ψ; pulling arrows: Λ → A → Ω → Θ	Drift and destructive dynamics.

ID	Label	Raw signature	Use
MF_19_2	Functional Conditions and Warning Signals	Δ → ∇ → □ → Λ → A → Ω → Θ → Φ → X → Σ → Ψ; dominant interaction: Ω → Θ, with accumulated Θ making Ω layouts more visible and consequential	Viability and warnings.
D_pms_sex_application_formula_ch21_3	D-in-Practice application formula	D = explicit Ω + operative X + no covert Ψ demand under Θ, with outer-form readability preserved	Application-side D compliance; PMS-D remains Ψ/X/Ω-derived.

Suspended Ψ clarification Ch. 17

Suspended self-binding means Ψ is present as a deliberately suspended attribution condition. It is not absent, replaced, removed, or transformed into a new operator.

10. Drift catalogue: core dysfunction markers and corridors

Each marker is a configuration statement: “in this configuration…”. Markers describe predictable structural consequences of operator constellations. They are scene-bound, revisable, and non-diagnostic.

10.1 Core dysfunction markers

▼ (1) Covert self-binding demand (Ψ leak)

Meaning and identity-relevant stakes enter a frame narrated as limited, suspended, local, or non-binding. Typical indicators include implicit expectations, possession logic inside a play frame, meaning claims without explicit frame legibility, and local enactments treated as identity proofs. Structural result: **Ψ** becomes operative although suspension is asserted.

▶ (2) Asymmetry escalation (Ω escalation)

Asymmetry increases while remaining unacknowledged inside the frame. Typical indicators include boundary testing, access pressure, power shifts without explicit rule updates, uneven refusal or exit capacity, and exposure gradients treated as mutual.

▶ (3) Pseudo-symmetry

Equality rhetoric functions as a lid on cost description. Consent or mutuality language blocks analysis of unequal exposure, after-costs, body remainder, outer legibility, temporality, or publicness overlays.

▶ (4) Non-event escalation (Λ as steering)

Absence becomes an active steering mechanism. Withdrawal, silence, indeterminacy, chronic “maybe,” or unmarked withholding shape practice more than enactment.

▶ (5) Attractor fixation (A compulsivity)

Stabilization flips into fixation. Practice becomes non-substitutable, repetition replaces choice, alternatives lose practical attractiveness, and practice labels protect the route from re-reading.

▶ (6) Loss of distance (X loss)

The meta-layer collapses. Stopping becomes practically unavailable, hesitation is read as betrayal, de-escalation disappears, and outer-form awareness becomes inaccessible.

▶ (7) Temporal overload (Θ accumulation)

Costs accumulate faster than the frame can carry. Exit fictions persist, collapse becomes abrupt, and outer legibility remains after internal closure language claims the scene is over.

▶ (8) Outer-form denial

Internal framing or later recontextualization blocks analysis of enacted form. “It was play,” “service,” “authenticity,” “devotion,” or “consent” is used to end structural reading.

10.2 Dynamic chains

Chain	Raw	Reading
Primary chain	`Ψ leak → Ω escalation → X loss → A fixation → Θ overload → exit collapse`	Once meaning and attribution become covert, Ω becomes a steering variable. If X is not operational, the script hardens through A and temporal costs accumulate until the exit fiction breaks.
Secondary chain	`internal-label capture → outer-form denial → publicness confusion → delayed cost recognition`	Practice labels settle the internal story while enacted form remains structurally readable. Public reaction is treated either as the whole problem or as irrelevant.

11. Viability: functional minimums, warnings, and corridor

Functional minimum conditions describe when a configuration remains structurally governable under **Ω/Θ/Λ**, without systematic D violation, without exit fictions, and without using internal labels to erase enacted form. Criteria only; no how-to.

11.1 Functional minimum conditions

ID	Label	Minimal form	Core checks
`explicit_omega_recognition`	Explicit Ω recognition	**Ω** must be nameable and regulable within the frame.	Cost, risk, access, exposure, exit, repair, and reputational gradients are not denied.
`theta_awareness`	Θ awareness	Consequences are treated as real: exit realism.	Frequency, repetition, after-effects, and repair windows are carried; recontextualization does not claim rewind.
`stable_chi_capacity`	Stable X capacity	**X** is operative, not ornamental.	Stop-capability, distance, meta-commentability, and outer-form awareness remain practically available.
`no_psi_substitution`	No Ψ substitution	No **Ψ** leak as default carrier of stakes.	Sexual practice does not substitute for integration, self-worth, identity proof, or relationship clarification.
`lambda_tolerance_without_escalation`	Λ tolerance without escalation	**Λ** can exist without steering or coercion.	Pause, fatigue, unavailability, cancellation, and hesitation remain tolerable.
`internal_framing_accountable_to_outer_form`	Internal framing accountable to outer form	Internal framing does not erase outer structural form.	Practice labels clarify internal occupation but do not end structural analysis.
`publicness_handled_as_overlay`	Publicness handled as overlay	Publicness modifies readability and consequence without being confused with origin.	Publicity is neither sole source of harm nor ignored where it amplifies or sediments consequence.

11.2 Warning signals

- **Φ narrative inflation:** reframing repeatedly covers costs or asymmetry; clarification and cost naming are replaced by re-description.
- **Narrowing of □ alternatives:** A monopolizes □; only one frame works; alternatives are devalued or rendered impossible.
- **Ω moralization instead of regulation:** asymmetry is handled through guilt, entitlement, or accusation rather than regulation.
- **Persistence despite structural undercutting:** A + Θ overrun X; repetition continues despite recognized costs.
- **Θ cost externalization:** bodily, reputational, emotional, social, exposure-related, or binding-related consequences are offloaded.
- **Outer-form denial:** internal naming blocks structural reading; visible action-form remains unread.
- **Publicness confusion:** publicness is misread as origin or as nothing rather than overlay.

11.3 Minimal viability corridor

```
□ explicit
+ Ω nameable
+ Θ realistic
+ X operative
+ Λ tolerable
+ Ψ handled
(+ Σ reachable)
= structurally governable configuration
```

This corridor expresses structural governability only. It makes no moral claim, defines no normality threshold, and does not prescribe action.

12. Modulators: non-operator weightings, “types without typing”

Modulators are praxeological, not psychological. They operate through frames, repetition, and cost layouts rather than through motive narratives. They weight likelihood and dominance of existing operators in scene configurations without typing persons or explaining inner causes.

12.1 Minimal operatorial background

```
Δ → ∇ → □ → Λ → A → Ω → Θ → Φ → X → Σ → Ψ
```

12.2 Central modulators

Modulator	Key dimensions	Structural effect
$□_0$ Early framing	Speakability, order, boundary clarity, internal naming vs outer-form accountability.	Strong $□_0$ supports later frame stability; weak $□_0$ increases ambiguity and retroactive rewriting.
$Ω_0$ Asymmetry calibration	Proximity/distance, control/exposure, choice power, capacity to name cost gradients.	Calibrated $Ω_0$ supports regulation; blurred $Ω_0$ increases pseudo-symmetry until Θ forces visibility.
Λ density	Withdrawal, rejection, hesitation, cancellation, indeterminacy, chronic mismatch.	Higher Λ density raises interpretive pressure and substitute-script formation.
Θ stability	Continuity vs fragmentation, repeatability vs volatility, commitments vs discontinuous episodes.	Stable Θ makes path dependence legible; fragmented Θ obscures exit realism through narrative resets.
Φ habituation	Reinterpretation as tension reduction, narrative repair, frequent switching of what the scene “really was”.	High Φ can stabilize locally but risks pseudo-resolution when A/Ω/Θ remain unchanged.
X mode	Distance as protection, control, devaluation, meta-capacity; outer-form awareness availability.	X as meta-capacity supports repair; X as control or devaluation produces brittle stability.
Publicness / media modulators	Visibility, documentation, comparison pressure, reputation, circulation, sedimentation.	Increased publicness can harden Θ costs and amplify Ω gradients.

12.3 Interplay patterns

- **Λ-dense + X-weak + Θ-fragmented:** brittle stabilization; pressure rises, stop-capability fails, and scripts consolidate as compensation.
- **$Ω_0$ blurred + □ unstable:** pseudo-symmetry; costs distribute unevenly while the frame remains narratively equal.
- **Φ-high + Σ-weak:** narrative inflation; re-framing substitutes for synthesis.
- **Internal-label capture + publicness confusion:** internal description blocks outer-form analysis while publicity is treated either as the whole problem or as irrelevant.

Demarcation no person typing

Modulator ≠ character. Modulator ≠ blame. Modulator ≠ diagnosis. Modulator ≠ sexual identity. Modulator ≠ orientation taxonomy.

13. Minimal psychology adapter: structural self-check only

“Minimal psychology” is a name for a structural self-check adapter, not a psychological explanatory layer. It activates where Ch. 18 drift markers and Ch. 19 viability failures are already structurally legible, yet repetition continues unchanged because structural description alone no longer interrupts the path.

13.1 Boundaries

- no diagnosis
- no motive theory
- no person typing
- no identity ranking
- no moral evaluation
- no therapeutic method
- no conversion into clinical taxonomy

13.2 Activation conditions

The adapter activates only when all of the following hold:

- drift markers from Chapter 18 are present;
- minimal viability conditions from Chapter 19 are no longer restoring correction;
- the configuration is still carried voluntarily and repeatedly.

13.3 Primary structural question

Permitted question structural only
“What structural role is this desire playing in this configuration?”

The colloquial form “Why do I really desire X?” is admissible only if immediately translated back into the structural question above.

13.4 Permitted warning hypothesis

Under sustained drift, one limited hypothesis becomes admissible:

> In this configuration, desire-language may be functioning as a drift-maintaining mechanism rather than as play, exploration, negotiated intensity, or bounded practice.

This hypothesis does not explain desire. It is never confirmed psychologically; it is only structurally tested against enacted patterns.

13.5 Test criteria

- **Repeated D-in-Practice failure:** enactments repeatedly undermine D as an enactment constraint.
- **Θ damage despite knowledge:** foreseeable harm is explicitly acknowledged, but repetition continues unchanged.
- **Progressive frame narrowing:** alternatives lose attractiveness or feasibility.
- **Desire used against X:** desire is invoked to bypass stopping, hesitation, or meta-commentary.
- **Publicness displacement:** public reaction is treated as the whole problem while the enacted configuration remains unread.

13.6 Allowed output format

- “In this configuration, drift persistence is present.”
- “The configuration is no longer correcting itself structurally.”
- “Distance (X), frame clarity (□), and Θ realism require reactivation.”

- “Internal framing is no longer sufficient to settle the enacted structure.”
- “Outer legibility and cost distribution require re-reading without person-ranking.”

Output boundary alarm only
No conclusions about character, pathology, motive, identity, orientation, or worth are permitted.

14. Dignity-in-Practice module

Dignity-in-Practice is a PMS-derived construct. PMS-SEX adds application-side D-compliance conditions but does not revise PMS-D.

14.1 Canonical and application formulas

Formula	Expression	Status
Canonical PMS-D	`["Ψ", "X", "Ω"]`	PMS-derived construct, unchanged by PMS-SEX.
PMS-SEX application formula	`explicit Ω + operative X + no covert Ψ demand under Θ, with outer-form readability preserved`	Application-side D-compliance guard for sexual praxis.

14.2 Principle

D applies in enactment, not as status. PMS-SEX has no entitlement to the person: no authority over motives, worth, identity, biography, orientation, or what someone “really is.” PMS-SEX has only entitlement to D in enactment: restraint, respect, and non-degradation within the accepted frame.

14.3 Outer-form guard

Naming an externally readable humiliation-form, degradation-form, asymmetry-form, or exposure-form is not itself a violation of the anti-moral stance. The violation would lie in converting scene analysis into person-ranking, humiliation, diagnosis, identity verdict, or moral contempt.

14.4 Critique language

Not justified when	Structurally legible when
frame respect is maintained	Ψ leak appears
no D-in-Practice failure occurs	Ω escalation appears
no Ω escalation occurs	pseudo-symmetry makes costs unnameable
no Ψ leak occurs	Θ consequences are ignored or externalized
outer-form naming remains non-punitive	outer-form denial blocks scene readability
publicness is not weaponized	publicness is weaponized or denied

D guardrail protection-first
Any use of D for shaming, public pillory, identity labeling, orientation ranking, diagnosis, or person degradation is a misuse pattern and becomes critique-relevant itself.

15. MIP docking interface

The MIP docking interface is optional and evaluative. PMS-SEX explains how sexual practice works structurally. MIP explains when critique is legitimate in system and publicity contexts. Docking is a context shift, not a merger.

15.1 No back-projection

- MIP must not import moral psychology into PMS-SEX's descriptive layer.
- PMS-SEX must not smuggle evaluation as neutral description.
- Outer structural legibility at the PMS-SEX layer does not by itself authorize public critique.
- Higher path-cost or disturbance does not by itself establish immaturity, blame, pathology, or moral failure.

15.2 Docking axes

Axis	Name	Meaning in docking context
A	Awareness	Structural awareness, not psychological insight.
C	Coherence	Stability over time under Θ + Λ + □.
R	Responsibility	Self-binding and consequence handling under Ω + Θ.
P	Power	Real agency, alternatives, and choice capacity.

Axis guard: A/C/R/P here are MIP docking axes for evaluative critique. They do not modify PMS-derived axes `A, C, R, E, D`, introduce a new PMS primitive, or replace PMS operator derivation.

15.3 IA box

Code	Name	Question
T	Transparent	Was the asymmetry legible?
J	Justified	Was it grounded in a protected good or legitimate constraint?
TB	Time-bound	Was it limited and reviewable?
R	Reversible	Were correction and exit pathways structurally available?

Docking guard no moral back-projection

PMS-SEX outer-form naming does not automatically license public accusation. MIP critique does not retroactively convert PMS-SEX structural descriptions into moral verdicts.

16. Limits and scope discipline

16.1 PMS-SEX models

- scenes and enactments
- frames and frame stability
- asymmetries and cost layouts
- repetition, trajectories, and irreversibility
- non-events, absence, and expectation fields
- outer legibility and publicness overlays
- drift, stabilization, and exit conditions

16.2 PMS-SEX does not model

- persons
- personality, disposition, or character
- inner motives, drives, or experiential qualities
- developmental histories or causal psychologies
- sexual identity, orientation, or worth
- individual responsibility beyond structural attribution

16.3 Configuration scope

PMS-SEX does not claim isomorphism across all sexual configurations. Configurations shaped by different public, institutional, identity, or community-legibility conditions may exhibit different **Ω**, □, **Λ**, **Θ**, and **Ψ** profiles.

16.4 Psychology scope

Psychology is subordinated, not denied. It may refine a reading only after structural reconstruction via Δ–Ψ, cost layout, outer legibility, and publicness overlays have already been reconstructed.

16.5 Forbidden psychology uses

- bypassing Ω accounting
- dissolving Θ irreversibility
- personalizing what remains structurally induced
- erasing outer form with inner narrative
- converting drift into diagnosis
- converting path-cost into identity rank
- short-circuiting X and reversibility

16.6 Explicit exclusions

- no how-to guidance
- no risk-management manual
- no therapeutic, clinical, medical, or forensic authority
- no optimization logic for desire, bonding, or satisfaction
- no taxonomy of sexual identities or orientations
- no diagnosis of persons, groups, practices, or communities
- no moral ranking from statistical default, lower entropy, or stronger canalization

Non-capture openness limits preserved
Translation into PMS terms does not prove exhaustive capture, and refusal of PMS terms does not automatically indicate denial, immaturity, or drift.

17. Appendix glossary concepts

Concept	Definition
Scene	A bounded enactment unit rendered legible by a frame (□) and carried through time (Θ).
Configuration	A concrete arrangement of operators as enacted; not a person, trait, identity, or diagnosis.
Drift	Predictable movement toward instability or harm when costs accumulate faster than regulation capacity.
Viability	Structural capacity of a configuration to remain governable under Ω, Θ, and Λ without systematic D violation or exit fiction.
Cost layout	Patterned distribution of burdens, risks, exposure, and consequences across roles and time: Ω under Θ.
Exit realism	Whether stopping, leaving, or undoing remains practically available under accumulated costs.
Pseudo-symmetry	Frame rhetoric that denies real asymmetry, rendering costs unnameable and conflict non-negotiable.
Narrative substitution	Use of recontextualization (Φ) to claim resolution while structural costs and scripts remain unchanged.
Frame narrowing	Loss of alternative viable scenes; one script becomes non-substitutable through A monopolization.
Drift marker	A structural signal indicating elevated risk of destructive dynamics.
Outer legibility	The structurally readable action-form a scene presents under visible asymmetry, exposure, markedness, repetition, and consequence.
Internal framing	How a scene is inhabited, narrated, or lived from within the configuration.
Pre-reflective readability	Early or immediate scene-legibility of marked configurations prior to elaborate internal translation or justificatory narration.
Publicness as overlay	Publicness as frame-extension that distributes, amplifies, documents, repeats, or sedimentizes readability and consequences.
Humiliation-form / exposure-form	Structurally readable action-form characterized by marked asymmetry, exposure concentration, degradation-nearness, or visible vulnerability. Scene form, not person worth.
Entropic path structure	A configuration's stabilization difficulty under frame, attractor formation, asymmetry, temporality, distance, integration, and self-binding.
Neutral disturbance	Structural term for deviation, perturbation, instability, or added stabilization burden; no moral failure or lower dignity.
Path-cost	Operator-work required for a configuration to remain coherent, reversible, non-coercive, and dignity-preserving over time.
Stabilization burden	Amount of framing, distance, integration, self-binding discipline, or cost accounting required to prevent narrowing, cost externalization, or collapse.
Configuration-level deviation	Structural divergence from a lower-cost or more strongly stabilized path. Applies to scene organization, not persons or identities.

18. Quote-ready chapter markers

The following markers compactly express chapter closures or final guards. They are retrieval and citation aids, not independent axioms.

Ch.	Marker
1	Sexuality is not optional enactment but recurring praxis pressure: what matters is how a configuration carries ∇ under □ across Λ and Θ.
2	Drive does not disappear when it is suppressed; it reappears later as absence, habit, and accumulated cost.
3	What makes a sexual situation consequential is not what was meant, but how the situation was framed—and when framing is unclear, costs do not vanish, they drift.
4	Asymmetry is not a moral charge but a cost layout: if uneven exposure is not handled in the situation, it resurfaces later as conflict and accumulated consequence.
5	Time does not pause sexuality: postponement redistributes costs, repetition stabilizes patterns, and consequences grow even when nothing seems to happen.
6	Leaving changes what comes next, not what already counts: exits redirect trajectories, but time keeps the bill.
7	When a situation carries expectations, silence is not neutral: absence does work, shifts burdens, and shapes what comes next.
8	What repeats becomes easier, what is easier becomes default, and what becomes default quietly shapes who carries the costs.
9	Redirection does not remove pressure; it moves it, changing who carries the costs and where they show up.
10	Distance does not end pressure; it makes stopping possible before pressure turns into a path.
11	Integration is the ability to hold conflicting demands together; when it is unavailable, stability is usually bought by pushing the conflict somewhere else.
12	Sexuality starts to cost when scenes stop being local and begin to count across time.
13	No matter how the story is told, the body keeps the record.
14	What keeps happening is often less about who someone is than about how the situation is weighted.
15	Deviance is not who someone is, but what a situation becomes when one way of handling keeps working and nothing interrupts it.
16	Intensity does not create the danger; unmatched intensity does.
17	Suspending self-binding can work locally, but only while the situation itself carries the weight that identity usually does.
18	Dysfunctional dynamics are rarely sudden: they are structurally prepared when Ψ leaks, Ω becomes a steering variable, X collapses, A fixates, and Θ accumulation breaks the exit fiction.
19	Functional practice is defined by governability, not normality: Ω nameable, Θ real, X operative, Ψ not substituted, Λ tolerable, inner framing accountable to outer form, and publicness kept in proportion.
20	Minimal psychology in PMS-SEX activates when drift persists despite clarity: it does not explain desire, it signals that repetition, accumulation, and frame narrowing are no longer correcting themselves.
21	Dignity in sexual practice is not about who someone is, but about how asymmetry is carried: when stopping works, meaning stays bounded, and consequences are acknowledged, critique is possible without humiliation.
22	PMS-SEX explains how structures work; MIP explains when critique is legitimate—docking the two adds clarity without turning analysis into moral judgment.
23	PMS-SEX remains valid by stopping where other lenses begin: it explains what configurations do over time, without turning structure into psychology, taxonomy, moral rank, or advice.

Final guard marker Ch. 24

PMS-SEX replaces neither decisions, nor responsibility, nor tragedy. It makes visible where costs emerge, when they tip, and why many conflicts arise not from malice but from structural opacity. Internal framing does not erase outer form; outer legibility does not authorize person-ranking. Publicity may intensify what a scene becomes, but does not necessarily create what the scene already presents. Disturbance, entropy, deviation, and path-cost language name structural stabilization burden, not human worth, identity rank, orientation status, or clinical disorder.

19. Structural tools: operator table and structural map

19.1 Operator table

Operator	Name	Minimal function in PMS-SEX	Typical drift markers
Δ	Difference	Creates distinctions: inside/outside, allowed/forbidden, self/other, private/public, local/binding-relevant.	Undifferentiated pressure; fusion; illegibility of boundaries.
∇	Impulse	Introduces directional pressure demanding handling.	Escalation without framing; pressure outruns coordination; urgency becomes self-justifying.
□	Frame	Constrains impulse into scene grammar: roles, rules, permissions, timing, publicity overlays.	Ambiguity drift; retroactive rule changes; practice labels replacing frame analysis; mono-frame dominance.
Λ	Non-Event	Makes absence, delay, silence, hesitation, cancellation, and withdrawal structurally active.	Silence as leverage; withdrawal as punishment; chronic maybe/later; interpretive overload.
A	Attractor	Stabilizes recurrent scripts and lower-friction repeatability.	Script monopolization; loss of alternatives; repetition replaces choice.
Ω	Asymmetry	Produces gradients of access, exposure, obligation, definitional control, exit margin, repair burden, and cost-bearing.	Pseudo-symmetry; covert cost shifting; exposure concentration; power as steering variable.
Θ	Temporality	Extends configurations into trajectories: accumulation, irreversibility, memory, documentation, body persistence, exit realism.	Exit fiction; delayed collapse; persistence despite visible costs; public sedimentation.
Φ	Recontextualization	Relocates an existing structure into a new frame without dissolving already active costs.	Narrative substitution; reset claims; cost denial; inner re-description used to erase outer form.
X	Distance	Enables stop-capability, meta-position, pause, refusal, humor, re-reading, de-escalation, non-fusion.	Stop punished; critique read as betrayal; outer-form awareness forbidden; escalation lock-in.
Σ	Integration	Synthesizes contradictions without compensation, denial, splitting, or coercive simplification.	Fragmentation; Φ substitutes for Σ; A/Ω/Λ compensate for unresolved contradiction.
Ψ	Self-Binding	Binds integrated trajectories into identity-relevant commitments over time.	Ψ leak; possession or self-worth claims smuggled into limited frames; identity capture.

19.2 Structural map

Canonical spine: Δ → ∇ → □ → Λ → A → Ω → Θ → Φ → X → Σ → Ψ
Activation and legibility: Δ, ∇, □ — difference and impulse become readable only through frame grammar.
Absence and stabilization: Λ, A — absence is not neutral; repetition is not free.
Cost axis core: Ω, Θ — once A exists, Ω and Θ become consequence-effective.
Narrative handling: Φ — regulated when paired with operative X; drift-prone without X.
Regulation gate: X — X loss is the strongest drift predictor in PMS-SEX.
Coherence handling: Σ — if Σ fails, substitutes take over: A repetition, Φ inflation, Ω control, or Λ withdrawal.
Identity binding zone: Ψ — Ψ leak indicates binding pressure inside frames that cannot carry identity relevance.

19.3 Highlighted drift corridors

```
Primary:
Ψ leak
 → Ω escalation
 → X loss
 → A fixation
 → Θ overload
 → exit collapse

Compressed Appendix D:
Λ density
 → A monopolization
 → Ω as steering
 → Θ accumulation
 → X collapse
 → late Ψ capture

Secondary:
internal-label capture
 → outer-form denial
 → publicness confusion
 → delayed cost recognition
```

20. Analysis checklist: scene-bound application protocol

The analysis checklist is criterial, non-instructional, and non-diagnostic. It must be used with the validity gate: **X + reversibility + D**.

1. **S1 — Scene boundary:** Define the scene through □: inside/outside, timing, role grammar, permitted/not permitted, local/binding-relevant. Confirm that all readings remain configuration-bound and revisable.
2. **S2 — Canonical dependency check:** Confirm the reading does not alter the PMS v1.3 spine. If using a reduced signature, treat it as shorthand only.
3. **S3 — Reduced operator signature:** Select the closest reduced_signatures entry and record chapter reference. Do not infer a new dependency relation from a shorthand cluster.
4. **S4 — Inner / outer / public layer scan:** Identify internal framing, outer legibility, publicness, and temporal carryover. Do not let any one layer erase the others.
5. **S5 — Cost axis scan:** Identify **Ω** gradients and **Θ** trajectory: accumulation, irreversibility, repetition, sedimentation, exit realism.
6. **S6 — Distance and correction capacity:** Test whether **X** is practically operative and whether **Σ** is reachable without coercive simplification or narrative compensation.
7. **S7 — Drift marker scan:** Check Ch. 18.3 markers and Ch. 18.4 chains. If **Ψ** leak is suspected, verify whether binding entered a limited/local/non-binding frame.
8. **S8 — Viability minimums:** Apply Ch. 19.3 functional minimums and Ch. 19.4 warning signals. Use the Appendix D corridor as compressed orientation only.
9. **S9 — Path-cost guard:** If using disturbance, entropy, path-cost, or stabilization-burden language, confirm that it applies only to configuration dynamics.
10. **S10 — Escalation guard:** If drift persists despite structural clarity, the Ch. 20 structural self-check adapter may activate. It outputs alarm only; no motive explanation or diagnosis.

21. Example suite schema

Examples are scene-bound operator-readable vignettes. They are non-instructional, generic, abstracted, and non-identifying.

21.1 Required blocks

Required block	Purpose
Minimal vignette	Scene-bound and non-identifying configuration snapshot.
Why this is repo-useful	Structural focus only.
Operator mapping	Canonical spine and reduced signature if applicable.
Inner / outer / public layer distinction	Layer separation and misreading prevention.
Operator costs / cost layout	Ω under Θ; include body and publicness interfaces where relevant.
Typical drift markers	Max 2–3; non-moral, non-diagnostic.
Viability minimums or warning signals	Apply Ch. 19 criteria if relevant.
Path-cost guard	Required if disturbance or entropy language appears.
Validity gate reminder	X + reversibility + D.
Readable structural closure	2–5 sentences; non-instructional.

21.2 Forbidden in examples

- how-to guidance
- procedural sexual instruction
- risk optimization
- identifiable case narratives
- clinical interpretation
- motive attribution
- person ranking
- orientation taxonomy
- moral verdicts

Example discipline repo vignettes

Examples demonstrate structural distinctions. They are not guides, prescriptions, safety procedures, therapeutic interpretations, or moral evaluations.

22. Implementation notes and references

22.1 Authoritative loading order

The authoritative profile file is `PMS-SEX.yaml`. It must be read after and against the canonical PMS base specification:

```
PMS.yaml (PMS_1.3) → PMS-SEX.yaml (PMS-SEX_1.1)
```

22.2 Canonical source URL

`https://raw.githubusercontent.com/tz-dev/Praxeological-Meta-Structure-Theory/refs/heads/main/model/PMS.yaml`

22.3 Repository references

Label	URL
PMS-SEX	`https://github.com/tz-dev/PMS-SEX`
PMS	`https://github.com/tz-dev/Praxeological-Meta-Structure-Theory`
PMS.yaml raw	`https://raw.githubusercontent.com/tz-dev/Praxeological-Meta-Structure-Theory/refs/heads/main/model/PMS.yaml`
MIP	`https://github.com/tz-dev/Maturity-in-Practice`
MIP.yaml raw	`https://raw.githubusercontent.com/tz-dev/Maturity-in-Practice/refs/heads/main/MIPractice_case_v2.0_full_with_model_reference.yaml`

22.4 Citation form

Technical reference:
PMS-SEX.yaml — PMS-SEX Application Profile (Overlay), schema_version PMS-SEX_1.1.

Base dependency:
PMS.yaml — Praxeological Meta-Structure, schema_version PMS_1.3.

23. Final profile guard

PMS-SEX remains valid by staying within what it can responsibly say: not what persons are, but what configurations do over time. It reads sexual praxis as enacted configuration under frame, asymmetry, non-event, repetition, temporality, distance, integration, and self-binding. It permits hard claims about cost, drift, outer legibility, and consequence without converting those claims into person-status judgments.

23.1 Compressed rules

- no consequence-free sex
- no desire exempt from structural conditions
- no outer-form erasure by internal labels
- no publicness reduction
- no path-cost as person-worth
- no critique through humiliation
- no taxonomy where only configuration-language is warranted
- no total capture where the scene exceeds the grammar

Closing sentence profile boundary

PMS-SEX remains valid by staying within what it can responsibly say: not what persons are, but what configurations do over time.