Lab 2 Section 3 - Art Guardian Product Specification

Team Blue

Old Dominion University

CS 411W

Professor James Brunelle

19 November, 2022

Collaborative Section 3

Final Version

3 Product Requirements

3.1 Functional Requirements

3.1.1 User Interface

3.1.1.1 Navigation Bar (O: Diaz)

- The navigation bar shall appear on all pages, except the sign-in and registration page.
- The Art Guardian logo shall appear on the left side of the navigation bar.
- The navigation bar shall have four buttons to direct to four different pages:
 - o Home (3.1.1.3)
 - Profile (3.1.1.5)
 - Notifications (3.1.1.6)
 - Settings (3.1.1.8)

3.1.1.2 Account Creation (O: Diaz, M1: Ihde, M2: Thompson, M3:Roberts)

3.1.1.2.1 Sign-In

- The Sign-In page shall be the default page when the web application is loaded, if the user has not previously logged in.
- The Art Guardian logo shall appear in the center of the page.
- Beneath the Art Guardian Logo a form shall load in the center of the page with two options listed at the top as tabs.
 - o The first, leftmost, shall be Sign In
 - The second, rightmost, shall be Sign Up.
 - This tab shall redirect the user to the registration page. (3.1.1.2.2)

- There shall be two text boxes at the center of the form:
 - The user shall insert their sign in information to the text boxes labeled username and password.
 - o If the sign in credentials is invalid, the user will be notified that either their username or password is invalid in red text between the password text box and the sign in button.
 - The sign in credentials are invalid if either the information in any of the boxes are incorrect or if one of the boxes is left blank.
- There shall be a "Sign In" button under the password text field.
 - This button shall perform the authentication.
- If the sign in credentials are valid and the user has two-factor authentication enabled, the user will be directed to another login page.
 - There will be a textbox in the center of the page with text above it stating: "A code has been sent to the registered phone number or email address for two-factor. authentication, please enter the code below."
 - The user will be prompted to enter the passcode into the text box that was sent to the user's chosen phone number or email.
 - If the code is invalid, the user will be notified that the code is invalid in red text below the code textbox.

 The sign in credentials are invalid if either the passcode textbox is incorrect or if it is left blank.

3.1.1.2.2 Registration (O: Ihde, M1: Thompson, M2: Diaz)

- The registration page shall acquire the following information from the user through text boxes:
 - o Email
 - First Name
 - Last Name
 - o Password
 - Password Confirmation
 - Linked Art Account
 - Phone Number
- There shall be a submit button at the bottom of the page.
- Users shall only be able to submit the information if all the information fields are filled.
- If the user attempts to submit without filling in all the information then the empty information fields shall be highlighted in red and text will appear in between the Sign Up logo and the email text box stating that the user must fill in all information.

3.1.1.3 Landing Page (O: Kidd, M1: Thompson)

3.1.1.3.1 Updates (*O: Kidd, M1: Thompson*)

 At the top of the page there shall be a welcome message for the user.

- There shall be a message notifying the user of new instances of art theft after the welcome message.
- There shall be a hyperlink located below the art theft notification message to redirect the user to the notifications page if any instances of art theft are found for the user.

3.1.1.3.2 Guidelines (*O: Kidd*)

- Below the updates section there shall be a message that says 'Art
 Protection Guidelines'.
- There shall be a description of the Art protection Guidelines under the 'Art Protection Guidelines' message.

3.1.1.4 Art Upload (O: Ihde, M1: Thompson)

- This function shall allow users to upload images of their artwork to be stored in the database, which will then be available to view in the art library
- The Art Upload page will prompt the user to upload their art and will present them a textbox for title and an add file square that a user can click on to upload an image file.
 - Image files shall be in either JPEG or PNG format
- Once the art has been given a title and a file is uploaded, the user
 will be able to click on the upload button on the bottom of the page
 to upload the art to the database.
 - The upload file will be grayed out until the user gives the
 art a title and they upload the file for the art. Once both

have been done, the button will be highlighted blue to indicate that the user can upload their art.

3.1.1.5 Art Gallery (*O: Ihde, M1: Zheng*)

3.1.1.5.1 Profile (*O: Ihde*)

• At the top of the page, the user profile picture shall be displayed, along with the number of uploaded art pieces, and an art upload button which brings users to the art upload page (3.1.1.4).

3.1.1.5.2 Gallery View (O: Ihde, M1: Zheng, M2: Thompson)

- The art gallery view shall display all of the images uploaded by the user.
 - The art gallery resides below the profile view.
- Images shall be displayed as cards in a rectangular grid format that adjusts its number of images per row based on the window size.
- Each card shall display a preview of the uploaded art and the following information shall be displayed under the image preview:
 - o Title
 - Upload Date
 - Whitelist Status
- There shall be an edit button on each image card, which when clicked, a pop up window will appear to the right of the art, and users can edit the title, set whitelisting status, or delete the art piece, which will also remove it from the art database.

3.1.1.6 Notifications (*O: Diaz*)

3.1.1.6.1 Alerts (*O*: *Diaz*, *M1*: *Thompson*, *M2*: *Ihde*)

- Notifications shall be sent to the user on the web application.
- If the user has unread notifications, then the notification icon in the navbar shall have a red dot at the top-right of the icon indicating that unread notifications are available.
- Alerts shall appear in a vertical list when the icon is clicked on, in which the user can scroll up or down to view more alerts.
- A single alert shall contain a preview of the NFT on the left side of the panel.
- A single alert shall have a brief description of the NFT, worded as:
 "Your art titled <Art Title> has been found on a(n) <NFT
 Marketplace Name> transaction. Click here for more information".
- A single alert shall contain:
 - Information link that leads to Art Confirmation Page
 - NFT URL link to marketplace
 - o Preview of artwork
- The notification button on the navigation bar shall have a red dot to indicate new/unread notifications.

3.1.1.6.1.1 Information Link (O: Diaz)

 The information link shall be a hyperlink with the text "Click here". The information link shall redirect the user to the Art Confirmation page.

3.1.1.6.1.2 NFT Link (*O*: *Diaz*)

- The NFT link shall be a hyperlink with the text being the name of the NFT Marketplace.
- The NFT link shall redirect the user to a new tab with the URL of the NFT.

3.1.1.6.2 Art Confirmation (O: Diaz)

- The art confirmation page shall contain the NFT information and preview (3.1.1.6.2.1) on the left side of the page.
- The art confirmation page shall contain checkboxes (3.1.1.6.2.2) to ensure integrity by the user.
- The art confirmation page shall have a continue button at the bottom right of the page, underneath the checks.
 - The button shall be grayed out and non-clickable if either of the checkboxes are not checked.
 - The button shall be blue and clickable if both checkboxes are checked.

3.1.1.6.2.1 NFT Preview (*O: Diaz, M1: Zheng*)

- The NFT preview shall contain the information of the NFT:
 - The image preview of the NFT
 - o The NFT marketplace the NFT is on
 - The NFT URL

- The blockchain the NFT is on
- The NFT token ID
- The owner of the NFT

3.1.1.6.2.2 Check Boxes (O: Diaz)

- The check boxes on the art confirmation page shall ensure that:
 - The user is the original artist of the art.
 - The user is looking to request a takedown of the NFT.
- The check boxes shall appear on the right side of their respective descriptions.
- The checkboxes shall have a "required" text underneath it to indicate the user must check the boxes continue.

3.1.1.7 DMCA Takedown Page (O: Kidd)

3.1.1.7.1 DMCA Takedown Request Preview (O: Kidd, M1: Diaz)

- At the top of the page there shall be a header that says 'DMCA'
 Takedown Request'.
- Below the 'DMCA Takedown Request' header there shall be a
 modal containing a preview of the generated email that will be sent
 to a NFT marketplace on the users behalf.
 - The generated email shall contain auto-filled data where it is needed:
 - NFT marketplace name
 - NFT link
 - NFT token

- User art name
- User email
- This modal shall be vertically-scrollable if the screen size is too small.

3.1.1.7.2 E-Signature (*O:Kidd, M1: Thompson*)

- There shall be a box for the user to provide their signature below the email generation preview.
- There shall be a submit button to the right of the signature box for the user to submit the DMCA takedown request.
 - The Submit E-Signature button shall be grayed out until the user has put down their e-signature.

3.1.1.8 Settings (O: Ihde, M1: Thompson)

- The settings icon shall be located in the navigation bar of Art Guardian.
- When the settings icon is clicked on, the user shall be redirected to the settings page.

3.1.1.8.1 Account Information (O: Ihde, M1: Thompson)

- Users shall be able to edit personal information associated with their account. This information include:
 - First Name
 - o Last Name
 - o Email Address
 - Phone Number

- Users shall be able to add and delete art accounts associated with their account.
- Users shall be able to reset their password.
 - o If users choose to reset their password, then an email shall be sent to their account's email address which shall contain a link that takes them to change password page.
 - The password reset link shall only last for 24 hours, after that the user needs to request another password reset link.
- Users shall be able to change their profile picture by uploading an image file in JPEG or PNG format.

3.1.1.8.2 Security Settings (O: Ihde, M1: Thompson)

- Users shall be able to add two-factor authentication to their account via phone number or alternative email address.
- Two-factor authentication shall be verified by inserting a code delivered via text message or an alternative email address.
- The user shall be able to change the phone number or email address for two-factor authentication.

3.1.2 Algorithms

3.1.2.1 Whitelisting (*O: Roberts, M1: Thompson, M2: Zheng*)

- Whitelisting shall allow users to choose specific NFTs to exclude from the Image Batch Searcher. (3.1.2.3.1)
- Users shall input the Token ID for one specific NFT they wish to whitelist.

- To input the Token ID, the user shall type the Token ID into a form field within a modal that shall be accessed by clicking on the "Whitelist" button on the Gallery View.
- The Token ID shall be passed on to the NFTPort API, which will validate if the Token ID exists.
 - If the Token ID is found, the modal shall display the following statement: "Token ID has been successfully whitelisted!"
 - Afterwards, the Token ID shall be sent to the DynamoDB database to be whitelisted. (3.1.2.2.1)
 - o If the Token ID is not found, the modal shall display the following statement underneath the form field: "Token ID could not be found."
 - Afterwards, the user shall be prompted to insert another
 Token ID into the form field.

3.1.2.2 Marketplace Monitoring (O: Roberts, M1: Diaz, M2: Zheng)

 Marketplace monitoring shall allow the OpenSea NFT marketplace to be searched and monitored for counterfeit NFTs using the Image Batch Searcher. (3.1.2.2.1)

3.1.2.2.1 Image Batch Searcher (*O: Zheng, M1: Thompson*)

 The Image Batch Searcher shall periodically batch 15 or fewer separate images within the user's art library and search for counterfeit NFTs with the NFTPort API using those images as queries.

- The period between searches shall be four days.
- Only one batch shall be searched at a time.
- The following pattern of batch searching shall be implemented:
 - The first 15 images shall be searched first.
 - The second 15 images shall be searched second.
 - o Etc.
- If there are less than 15 images within the user's art library, then those images shall be searched every period.
- The Image Batch Searcher shall return:
 - The top five counterfeit NFTs that result from each image search.
 - The Image Batch Searcher shall not return any NFT that has a whitelisted token ID.
 - The image used to query the NFTPort API.

3.1.2.3 Image Matcher (*O: Zheng, M1: Ihde, M2: Thompson*)

- The Image Matcher shall retrieve the returned items from the Image Batch Searcher. (3.1.2.2.1)
- The Image Matcher relies on the ORB feature-matching algorithm to compare each query image to the images of the corresponding top five counterfeit NFTs.
- The Image Matcher will return a similarity score for each comparison.

- Any comparison that returns a similarity score less than 0.9 will be ignored.
- The counterfeit NFT and query image pairs which possess the highest similarity score shall be included within a single alert. (3.1.1.6.1)

3.1.3 DMCA Takedown Processes

3.1.3.1 DMCA Generation (*O: Roberts, M1: Diaz*)

- This is a page that will automatically generate a DMCA take down for a user after the user confirms the stolen artwork is theirs and that they would like to pursue a take down. The take down will be generated using the preset DMCA Takedown Template as well as data collected from the NFT that was found to be stolen art and user data. This includes:
 - o User artwork title
 - Marketplace name
 - Marketplace URL
 - Email address of notice sender
 - A statement that the notifier has a good faith belief that the material is not authorized by the intellectual property or copyright owner, its agent, or the law.
 - Statement that Art Guardian has permission to send this notice on behalf of the copyright holder.

3.1.3.2 DMCA Filing (*O: Roberts, M1: Diaz*)

This feature shall send the DMCA takedown request through email. This
feature shall be partially implemented in the prototype, in which the
DMCA takedown request shall be sent to a testing email via the gmail
API.

3.1.3.3 DMCA Cataloging (*O: Roberts, M1: Diaz*)

- This function tracks and catalogs information regarding generated DMCA takedown notices. The tracking capability shall not be implemented in the prototype, as no real DMCA takedown requests shall be filed to NFT marketplaces. (3.1.3.2)
 - This includes:
 - Date and time of generation and issue
 - Parties involved
 - DMCA sent
- This catalog can later be accessed by the user via the user profile under "DMCA History".
- **3.2** Performance Requirements (O: Diaz, M1: Thompson)
 - **3.2.1** Scanning Frequency (O: Zheng, M1: Ihde)
 - The application shall scan the NFT marketplaces for stolen artwork every two weeks.
 - 3.2.2 Web Application Performance
 - **3.2.2.1 Web Pages** (*O: Zheng, M1: Kidd*)
 - All web pages shall load within five seconds.

3.2.2.2 Image Upload (*O: Zheng, M1: Kidd*)

• Uploading images shall not take more than one minute.

3.2.2.3 Image Loading (O: Zheng, M1: Kidd)

• All entries within the Image Library shall load within one minute.

3.2.2.4 Image Matcher (*O: Zheng, M1: Thompson*)

Results will be returned from the Image Matcher within one minute.

3.2.2.5 DMCA Generator (*O: Zheng, M1: Thompson*)

• DMCA takedown notices will be generated within 30 seconds.

3.2.2.6 Network Performance (O: Zheng, M1: Kidd)

Given that the user has a stable internet connection with a speed
 >700 Mbps, all operations involving the transfer of data from a non-UI component to the UI and vice versa will not require more than two minutes in completion time.

3.2.2.7 Concurrency Performance (O: Ihde, M1: Zheng)

• The server shall be able to handle at least 5 requests per second.

3.3 Assumptions and Constraints (O: Kidd, M1: Ihde)

Table 1. Effects of Assumptions, Dependencies, and Constraints on Requirements.

Condition	Type	Effect on Requirements
Users cannot occupy	Constraint	Bounds the problem of matching users to
more than one profile.		available profiles.
Only valid data entries	Assumption	Allows for minimal error checking for the
will be provided.		purposes of developing and demonstrating the
		prototype.
The desktop web	Dependency	The AWS Amplify platform must be simulated
application will be		if AWS cloud services are not available.
hosted through AWS		
services.		

3.4 Non-Functional Requirements

3.4.1 Security (*O*: *Kidd*, *M1*: *Roberts*, *M2*: *Ihde*, *M3*: *Diaz*)

3.4.1.1 Protocol (O: Kidd, M1: Roberts, M2: Ihde, M3: Diaz)

 The website shall use HTTPS to encrypt transferred data between client and server.

3.4.1.2 Database (*O: Kidd, M1: Roberts, M2: Ihde, M3: Diaz*)

- The database shall have access control using an MFA requirement and AWS IAM role policies.
- The data on the database shall be encrypted.

3.4.1.3 Authentication (O: Kidd, M1: Roberts, M2: Ihde, M3: Diaz)

• The prototype shall utilize two factor authentication via Google authenticator.

3.4.2 Maintainability (*O: Kidd, M1: Hite*)

3.4.2.1 AWS Amplify

- The prototype shall utilize AWS Amplify to host a frontend, backend, and database.
- The Amplify project shall be updated on a quarterly basis to provide the very latest updates for NFT monitoring and detection.
- The Amplify project shall undergo maintenance procedures for all other components, such as the database, semiannually.
- Maintenance and updates to the Amplify project shall be conducted by appropriately skilled personnel.

3.4.3 Reliability (O: Roberts, M1: Diaz)

- The prototype shall have a 90% reliability so theft does not go without notice and artists are able to act.
- The prototype shall have a 90% reliability so users may use Art Guardian's core features without interruption.

3.4.3.1 Availability (O: Diaz)

3.4.3.1.1 Art Upload Availability (O: Diaz)

- The art upload feature shall be available 24 hours a day, 7 days a week.
- Users shall not experience any delays, difficulties, or restrictions when uploading artwork.

3.4.3.1.2 Marketplace Search Availability (O: Diaz, M1: Zheng)


- A marketplace search shall be performed between four-day intervals during the hours 8 AM to 5 PM E.S.T.
- The prototype shall be able to complete at least 90% of its marketplace searches without error.

3.4.3.1.3 DMCA Generation Availability (O: Diaz)

- DMCA generation shall be available 24 hours a day, 7 days a week.
- The prototype shall be able to complete at least 90% of its
 DMCA generation without error.


Appendix A

Site Map (O: Ihde, M1: Diaz)



Appendix B

Database Schema (O: Kidd)



Appendix C

Database Tables (O: Kidd)

