


A thick dark blue vertical bar is positioned on the left side of the page. To its right, several thin, curved lines in shades of blue and grey sweep upwards and outwards from the bottom left corner.

Montefiore Einstein Comprehensive Cancer Center Procedures for Publications

2/7/2023

Table of Contents

I.	How cancer relevance of a publication is selected.....	3
II.	How collaboration percentages are calculated.....	3
III.	Gather Publications from PubMed	5
IV.	How publications are gathered from Pubmed	5
2.	What is EndNote?	5
3.	How to download and Install EndNote	5
4.	Create an importable text file	6
5.	Import references into the EndNote library.....	6
6.	Place all imported references into a custom group.....	7
7.	Perform Find Reference Updates next.....	7
8.	Enter the excludes in the custom 8 field.....	8
9.	Enter the year the publications were retrieved and the source in the Reviewed Item field.....	8
10.	Copy the accession number/PMID to the label field for duplicate searching	8
11.	Copy the Record Number to the Call Number field for consistency.....	8
12.	Display the Author ID / ORCID field in one line	8
13.	Display all your grant information in a single line.....	9
14.	Designate which publications are multi-institutional	9
15.	Enter program information in the Tertiary Title/Research Programs field	10
16.	File each publication in a group	11
17.	Enter the current journal impact factor	11
18.	Find Full Text for ALL new publications	12
19.	Create the Publication Verification Table.....	12
20.	Scripts	16
21.	Fixing Problems.....	17
22.	Download the Journal Impact factors from Clarivate	23
23.	Sort the EndNote Library by Journal Name	26
24.	Match the Journal name to that in the Spreadsheet	26
25.	Check off in the spreadsheet when a Journal has been updated	26
26.	Backup frequently	26
27.	Journal Names	26
28.	Changing the Preferences in Endnote.....	26

Publication selection and quantification method

I. How cancer relevance of a publication is selected

Publication titles are individually examined for:

- Cancer terminology (e.g., cancer, oncology, neoplasm, carcinogenesis, metastasis, a cancer type, cancer drug, etc.) is mentioned.
- Cancer terminology is not in the title, but the publication has significant cancer-related components (e.g., pathways affecting cancer pathogenesis). Connections to other therapeutic areas may be mentioned.
- Cancer terminology is not in the title, but the agent/device/procedure/topic pathway in the research is used for cancer research, diagnosis, or treatment.
- Study of diseases or risk factors that can lead to cancer (e.g., obesity, cirrhosis, NASH, IBD).
- Basic research studies that are applicable to cancer.

Cancer relevant publications are selected in two steps:

1. Administration personnel mark the publications which have questionable cancer relevance
2. Each research Program Leader examines their program publication list and determines which of the non-cancer-relevant publications to delete from the list.

II. How collaboration percentages are calculated

1. Calculating Collaborations

- a. Coding publications as delineated in the EndNote Update Procedure
 - i. Each publication, after being imported into EndNote, is hard coded for collaboration type.
 - ii. Publications are coded to identify the program to any Cancer Center author belongs:
 1. Cancer Epidemiology, Prevention and Control
 2. Cancer Therapeutics
 3. Stem Cell and Cancer Biology
 4. Tumor Microenvironment and Metastasis
 - iii. If more than one author is a Cancer Center member, then the type of collaboration needs to be coded as follows:
 1. inter-programmatic (denoted by +)
 2. intra-programmatic (denoted by ~)
 3. inter-programmatic and intra-programmatic (denoted by +~)
 4. Multi-institutional (denoted by ***)
- b. Create EndNote groups to calculate collaboration
 - iv. A group is created from other groups (in order to keep the logic the same for everything)
 - v. Each group references

1. The group for that particular Research Program
2. The group for the type of collaboration (inter, intra, inter and intra, multi)
3. The group that designates the time period – which also excludes non-cancer relevant publications
4. A sample group would be the following for Research Program Tumor Microenvironment and Metastasis (TMM):
 - a. After Site Visit cancer relevant without excludes
 - i. Uses an exclude that finds all publications downloaded to the database after the previous site visit
 - ii. Excludes any non-cancer relevant publications
 - b. Inter-Programmatic
 - i. Finds all publications code (+) for inter-programmatic only
 - c. Tumor Microenvironment and Metastasis Program
 - i. Finds all publications by members of the TMM program
- vi. Once the groups are created, they produce a number of publications that meet the specified criteria
- vii. These numbers are entered into an excel spreadsheet
 1. The spreadsheet is setup to
 - a. Divide the number of each category by the number of total cancer relevant publications for that time period (i.e., inter-programmatic publications for TMM/total cancer relevant publications for TMM).
 - b. For the final percentage the Intra-programmatic publications are added to the inter/intra publications and divided by the total number of cancer relevant publications for that Research Program, and the same is done for the inter-programmatic publications (i.e., [inter-programmatic publications+Inter/Intra-programmatic publications]/total cancer Relevant publications)
 2. The spreadsheet consists of the following information:
 - a. Inter-Programmatic publications for each program
 - b. Intra-Programmatic publications for each program
 - c. Inter-Programmatic and Intra-Programmatic publications for each program
 - d. Multi institutional publications for each program
 - e. The number of publications with an impact factor greater than 10 for each program
 - f. The number of publications with an impact factor greater than 15 for each program
 - g. The number of publications with an impact factor greater than 20 for each program
- viii. The spreadsheet is reviewed for accuracy and then uploaded into a graphical representation of the data using PowerBI and SharePoint.

III. Gather Publications from PubMed

- a. PubMed Search
 - i. When: Each Sunday at 6:00pm EST
 - ii. What Happens: a search is executed on PubMed
 - iii. Search Parameters:
 1. All publications
 2. All members of the MECCC Cancer Center
 3. Publications new since the previous Sunday's search
 4. Location or Address is set to match one of the following:
 - a. Einstein
 - b. Long Island Jewish Medical Center
 - c. LIJ
 - d. Montefiore
 - e. New York (in case anybody is missed)
 - f. The results of the search, a blank email if nothing is found, are emailed to [the MECCC Senior Data Analyst](#).
- b. The email is then parsed to include only the PubMed results in Medline format– see the below [EndNote Update Procedure](#).
 - i. [By using a script](#)
 1. AutoHotKey (AHK) script (.ahk format)
 2. Compiled script (.exe format)
 - ii. By hand

IV. How publications are gathered from Pubmed

Publications for all Cancer Center authors are maintained in a centralized EndNote library. Updates are emailed to the Cancer Center's Systems Analyst once per week on Sunday from PubMed. The procedure for updating the library/dB from these emails follows. It is important that these steps be done in the order they are listed. If using the AHK scripts for EndNote X9.3.3, they are located in [\\data.einsteinmed.edu\users\Shared Files - Cancer Center\software\AHK Scripts\Endnote\x9.3.x](#) or the AHK scripts for EndNote 20 located in [\\data.einsteinmed.edu\users\Shared Files - Cancer Center\software\AHK Scripts\Endnote\scripts for EN20](#), skip to the step to [Designate multi-institutional publications](#) to continue. It is highly recommended to at least use the first script described in the first subsection of [Scripts section](#) to extract the publications from your email, then starting with #2 below.

If the scripts or the word macros are used to generate the table, quit all other applications prior to beginning.

2. What is EndNote?

- a. EndNote is database software made by Clarivate Analytics. It is widely used to track publications from various sources and use them in word documents.
- b. EndNote is most often used, in academic institutions, for including publications – both within the text and as a bibliography at the end of the document – in a written document, whether a grant application or a journal paper.


3. How to download and Install EndNote

- a. Downloading EndNote


- i. Download EndNote from the library website: <https://libguides.einsteinmed.edu/endnote>
- ii. Click on "Download EndNote for Windows and Macs"
- iii. Enter your email/Montefiore Active Directory login name and password and click "Login"
- iv. Download either the MAC or Windows version
- b. Installing EndNote
 - i. If this is a Montefiore computer (imaged by Einstein IT), a ticket will need to be created at itsupport.einsteinmed.edu to have EndNote installed and/or updated
 - ii. If this is a personal computer
 - Download EndNote from the Library website
 - Install EndNote (accepting all defaults)
 - Run EndNote and update (this is basically another install)
 - iii. When everything is installed, run EndNote again to be sure everything is working correctly

4. Create an importable text file

- a. To create an importable text file from the email received from PubMed
 - i. Open the email
 - ii. Start highlighting where the text, "PMID" starts
 - iii. Highlight several lines
 - iv. Use the scroll bar to scroll to the bottom of the email
 - v. Hold down the shift key and click to the right of the last line
 - vi. Press the Control key (<CTRL>) and the C key (CTRL-C) to copy the highlighted text
 - vii. Open Notepad
 - viii. Paste the text (CTRL-V)
 - ix. Delete the last **blank** line



- b. Save the file with the name format of YYYYMMDD_HHMM.txt on the network share (folder \\data.einsteinmed.org\users\Shared Files – Cancer Center\ Cancer Center\backups\refman\searches\new imports to be approved<yyyy>\<yyyymm>)




5. Import references into the EndNote library

- a. Open EndNote and the MECCC.enl library
- b. Check to make sure Duplicates are set correctly
 - i. Click Edit menu
 - ii. Select Preferences

- iii. Select Duplicates
- iv. Make sure that the only checked boxes are
 - Author
 - Year
 - Title
 - Reference Type

c. From the File menu

- i. Select Import
- ii. Select File
- iii. Click the "Choose ..." button to select the text file created in above step
- iv. Note that the import option is set to the "Modified for AUID PubMed (NLM)" file. This file, located in <\\data.einsteinmed.edu\users\Cancer Center\backups\endnote\filters>, will save many steps in that it imports information into the correct fields (including the ORCID ID into the Custom 5 field).
- v. Click Import to start the procedure, when done proceed to the next step





6. Place all imported references into a custom group

- a. Highlight all references and right click
- b. Select "Add references to ..."
- c. Select "Create Custom Group"
- d. All references will be added to a new group, called "New Group" in the first group set in the database (this is in case the database resets)
- e. **IMPORTANT:** Click back on the "Imported References" group for the next step

7. Perform Find Reference Updates next


- a. Highlight all references in the imported list
- b. Right click and select "Find Reference Updates"
- c. Select "Update all fields"
- d. Click "Yes" to apply to all references
- e. If at any time during the update, the program stops responding
 - i. give it a few seconds to recover
 - ii. if it still doesn't respond
 - try to determine where the updating left off and restart from there
 - a. count the number of publications it updated when it got stuck ("Finding updates for x of y ...") and subtract 1
 - b. update each single publication until one asks to update all fields
 - c. highlight the rest of the publications and update all of them
 - repeat steps a – c, if needed, until the program finishes updating



8. Enter the excludes in the custom 8 field

after20220630Freeze after2022submission
afterEdwardChustart_20201005 after2019sv after2019sv
pubstoreport2019to2023 202301


- Select the "Library" menu and the "Change/Move/Copy fields ..." option
- Select the custom 8 field
- Select Replace whole field with:
- Paste the text above into the box
- Click OK and follow the prompts to update



9. Enter the year the publications were retrieved and the source in the Reviewed Item field

Example: 2023 from PubMed

- Select the "Library" menu and the "Change/Move/Copy fields ..." option
- Select the "Reviewed Item" field
- Select Replace whole field with:
- Paste the text above into the box
- Click OK and follow the prompts to update



10. Copy the accession number/PMID to the label field for duplicate searching

- Select the "Library" menu and the "Change/Move/Copy fields ..." option
- Select the Move/Copy tab
- Select the Copy option
- Select "Accession Number" as the source field
- Select "Label" as the destination field
- Select Replace all
- Follow the prompts to update

11. Copy the Record Number to the Call Number field for consistency

- Select the "Library" menu and the "Change/Move/Copy fields ..." option
- Select the Move/Copy Fields tab
- Select the Copy Field option
- Select "Record Number" as the source field
- Select "Call Number" as the destination field
- Select Replace Entire Field
- Click OK and follow the prompts to update

12. Display the Author ID / ORCID field in one line

- Using the "Recently Added" group, click on one of the references that you imported
- Select the "Library" menu
- Select the "Find and Replace" option
- Select the "Custom 5" field

- e. Click "Insert Special" and select "Carriage Return"
- f. In the "Replace with:" box enter ", " without the quotes (note that that is a comma followed by a space)
- g. Click Change
- h. Follow the prompts to update

13. Display all your grant information in a single line

- a. replace any carriage return (CR) in the Translated Title field with ", "
- b. Select the "Library" menu
- c. Select the "Find and Replace" option
- d. Select the "Translated Title" field
- e. Click "Insert Special" and select "Carriage Return"
- f. In the "Replace with:" box enter ", " without the quotes
- g. Click Change
- h. Follow the prompts to update
- i. Right click on one of the highlighted references
- j. Select "Add references to ..."
- k. Select Create Custom group (at top)
- l. Select the new group
- m. Select the first reference
- n. Scroll down to the Funding/Translated Title field and click inside it
- o. If the CCSG (P30 CA013330) is listed
 - (1) Make sure that the CCSG is the first grant listed
 - (2) type "yes" (without the quotes) in the field above
- p. Once you have checked all the publications with grant funding listed
 - (1) Click on the Imported References group
 - (2) Delete the custom group you made in step to "[create custom group](#)" above
 - (a) Left click on the group to select it
 - (b) Right click on the group
 - (c) Select Delete Group

14. Designate which publications are multi-institutional

- a. Click Edit in the right pane to access the reference's editable fields
- b. Resize the Endnote display
 - i. Put your cursor over the separator lines until it turns into a double arrow - 
 - ii. Drag the left "MY GROUPS" section so that it reads as small as possible
 - i. Drag the right section over as far as possible to the left (so only the first column is still visible)
Start by selecting the first record, then each subsequent record. Make sure that the records are sorted by record number before beginning
 - ii. Check the Address field
 - iii. Scroll down to "Research Notes / Groups" and click in it
- c. If it contains Einstein, Montefiore, FDNY, Jacobi, or North Shore/LIJ but no other institution
 - i. Go to the next record
- d. If the Address field doesn't contain Einstein, Montefiore, FDNY, Jacobi, or North Shore/LIJ

- i. Delete the record by pressing the Delete button (CTRL+D in first version of EndNote 20) while the record number is highlighted
- e. If the Address field contains one of the above and another institution
 - i. The publication is "Multi-institutional" put *** in the Research Notes / Multi field
- f. Go to the next record and repeat steps c-e until all newly imported records have been checked.
- g. When you are finished, empty the Trash
 - i. Right Click Trash
 - 1. Select Empty Trash
 - 2. Click OK

15. Enter program information in the Tertiary Title/Research Programs field

- a. While doing this, bold each MECCC affiliated author's last name in the author field (perform these steps together)
- b. Resize the Display
 - i. Make the right section back to the size it had been
 - ii. Make the "MY GROUPS" section on the left large enough so it can read
- c. Start by selecting the first record, then each subsequent record
 - i. To resort the records by Record# click on the REC# field at top
 - ii. Scroll to the top
 - iii. Click in the Author field
- d. To check the author(s) name(s) look in the **Notes** field for the full name (abbreviations are sometimes deceiving)
- e. If NONE of the authors are MECCC Cancer Center members, delete the record
- f. Bold any author's last name who is a MECCC Cancer Center member
 - i. Double click the name in the Author field **ONLY**
 - ii. Press Control-B (CTRL-B)
- g. Bold and Italicize any author's last name who is a MECCC Cancer Center associate member
 - iii. Double click the name in the Author field **ONLY**
 - iv. Press Control-B (CTRL-B)
 - v. Press Control-I (CTRL-I)
- h. In the Research Programs/Tertiary Title field, enter the first letter of each program name (note that Cancer Therapeutics – CT - and Cancer Epidemiology, Prevention and Control – CEPC - both start with "C" so type the word "Cancer" followed by a space and either the letter "T" or "E" – all without quotes - and the rest will autofill) associated with the publication, or type the letter "c" and then press the down arrow for CT. If there is more than one program, enter the program for each author by
 - i. Entering the first letter of the program (except as noted above)
 - ii. Pressing the right arrow
 - iii. Entering a semicolon
 - iv. Entering a space
 - v. Pressing the first letter (see above note) of the next program
 - vi. if there is a collaboration (more than one author from the center), indicate that in the collaboration field
 - 1. + for inter programmatic publications (at least 2 authors are in different programs)

2. ~ for intra programmatic publications (at least 2 authors are in the same program)
3. +~ for inter/intra programmatic publications (at least 2 authors are in the same program and at least 1 author is in a different program)

16. File each publication in a group

- a. Sort the publications by Research Program (This generally will put the programs in reverse order)
- b. Publications with no program should be added to the no program group
 - i. Highlight the publications with no associated program
 - ii. Right click and choose add references to... and choose "Create Custom Group"
 - iii. From the Library menu select Change/Move/Copy fields
 1. Select the tertiary title / programs field
 2. Select replace whole field with:
 3. Type "Unfiled" (without the quotes) in the box
 4. Click OK
 5. Click OK again
 6. When it displays the message box indicating it has finished, click ok again
 7. Delete the custom group
 8. Click on Recently Added
- c. Right click each group ("all Stem Cell" for instance) and add to the corresponding group under "Programs for filing"

17. Enter the current journal impact factor

Impact Factors are obtained each July for the previous year (7/2021 for the year of 2020 so the 2020 IFs are used until 7/2022 when the 2021 IFs are downloaded) from clarivate.com

- a. for each publication in the caption field (JIF: Journal Impact Factor [0000 if no JIF])
- b. Once you have finished filing each publication in the steps above
- c. Select the 2013 to present group set
- d. Select the "2019 forward wo excludes aligned cancel"
- e. Sort the publications by the Caption field
- f. Select the top item and sort by Journal
- g. In the Caption field enter the Journal Impact Factor for that journal
 - i. Obtain this either from other publications in the same journal (only if the year of the publication with the impact factor is greater than or equal to the publication that is being coded – i.e., year of publication in the same journal is 08.000 and the year of that publication is same year as the uncoded publication) or the Impact Factors spreadsheet (located on the shared network drive - <\\data.einsteinmed.edu\users\Shared Files - Cancer Center\Publications and Logos\Clarivate impact factors.xlsx>)
- h. Click on a low numbered (preferably 0000) item and then sort by caption again
- i. Make sure that the highlighted reference is the very top one (it is easiest to use the PgUp button after sorting) and repeat steps 16e-16h
- j. Continue this process until there are no items that are blank in the caption field

- k. Double check this by clicking on the recently added group and be sure all of them have a JIF associated with them

18. Find Full Text for ALL new publications

This step should be completed just prior to creating the publication table; otherwise, EndNote wants to re-index its PDF index each time a record is changed. This is an OPTIONAL step. Performing this each will increase the Library's size exponentially.


- a. Find the full text of publications for all new items
- b. Highlight all new items
 - i. Click one item/publication
 - ii. Either click the Edit menu and choose Select All or Press the Control button (CTRL) and the A button (CTRL+A)
- c. Right click and select "Find Full Text"
- d. Each time it Finds a PDF, EndNote will re-index its PDF cache ("Indexing PDFs ...")
- e. EndNote indicates how many were Found, Not Found, or URL was found, as it searches
- f. When EndNote has finished searching (In the Find Full Text group set [at the bottom of the groups window] Searching... is 0) or the Searching has choked
 - i. Click on the "Not found" group
 - a. Select the first publication
 - b. If there is a link just click that and skip to 17.g.
 - c. Copy the PMID/Accession number from the publication
 - d. Open a browser and type in pubmed.gov
 - e. Paste the number (it should be 8 digits) in the search box
 - f. Most likely there will either a link from the Einstein Library or to another full text source.
 - g. Repeat all steps under 17.f.i until all publications have been checked
 - ii. If EndNote found a URL, click on that to go to the Full text, download and skip to 17.g.
- g. Attach each PDF to its corresponding record
 - i. Highlight the Record
 - ii. Click the Attach file button on the right side
 - iii. Select the PDF that was downloaded

19. Create the Publication Verification Table



Once the imported publications have had the previous steps done to them, the program leaders of the Cancer Center need to designate which ones are cancer relevant. This process is done by generating a table from the EndNote library of the publications that were just imported. To do this, follow the instructions below.

- a. Choose which publications to put in the verification report
 - i. Select the group set that matches the year for which the list is to be generated (if generating a list for the year 2021 and month 04, select the 2021 - verifications group set)
 - ii. Select the month and program smartgroup that matches the month and program for which the list is to be generated (for instance, select the smartgroup, "04 – 02 – TMM" if generating a table for Program 2 for April)
- b. Generate the .rtf file for the report


- i. Click on the Tools menu
 - ii. Select “Subject Bibliography ...”
 - iii. Select “Reference Type” in the Subject fields dialogue and make sure that the “List each author separately” bottom checkbox is checked, then click OK
 - iv. Select “Journal Article” in the Subject Terms dialogue, then click OK
 - v. In the following dialogue, “Subject Bibliography”
 1. The output style should be “! approval”
 2. Layout should be
 - a. References: Bibliography Sort Order: Order of Appearance
 - b. Terms:
 - i. Reference List: Subject Terms and reference List
 - ii. Include: Subject Term Counts
 - iii. Subject Term Layout: By Term – Alphabetical
 - iv. Styles: Bold
 - c. Page Layout
 - i. Font: Tahoma 10
 - ii. Margins: 1.00 all around
 - iii. Page Numbers: start with 1, suppress first page, location - footer – center
 - d. Bibliography Layout
 - i. Number of references should begin with 1
 - e. Click OK to accept the Layout
 3. Click the “Save ...” button
 4. In the “Save As” dialogue box
 - a. Save the results in the “new imports to be approved/YYYY/YYYYMM/” folder on the data.einsteinmed.edu shared network drive (i.e., new imports to be approved/2021/202104/)
 - b. Name the results using the naming procedure of “<Program #> - <Program Initials>.rtf”. For instance, if the file is being saved for 04/2021 for program 2, then the file name should be 02 - TMM.rtf, if the program is Stem Cell and Cancer Biology (Number 3), then the file name would be 03 - SCCB.rtf.
- c. Open the “Monthly approval-table 2021-2.dotm” file in Word
- i. The file is in the directory \\data.einsteinmed.edu\users\Cancer Center\backups\publications\Program Publications\tables
- d. From within Word browse to open the rtf file just created
- i. Delete all lines preceding the first publication
 - ii. In Word click the “Layout” menu item
 - iii. Click the arrow in the Page Setup section
 - iv. In the resulting Page Setup dialogue
 1. In the Margins tab, Set the Top, Bottom, Left and Right margins to 0
 2. In the Paper tab, set the paper size to 22” width and 22” height



3. Click OK and IGNORE



4. In the Home tab, use the decrease font icon to keep decreasing the font size until each publication entry fits on a single line instead of wrapping
5. Once this is done press the home key to place the cursor at the beginning of the first line



- e. Switch to the approval document
 - i. Place the cursor in the first cell under Record #
 - ii. Press Alt-F8 to invoke the macro library
 - iii. Select TableIsOpenFirst_Multi (this is the macro for when the approval table is opened first)
 1. Each publication will be selected and transferred to the table, one line at a time
 2. If there is an immediate error and a blank appears
 - a. Press control-Z to undo the process (in whichever document this happened)
 - b. Use the other macro by repeating steps e.i – e.ii and selecting tableIsWin1 (this is the macro for when the approval table is in window 1)
 - iv. If another error appears when the macro reaches the end of the rtf file, select OK and then press Control-W to close the file (DO NOT save the changes)
- f. Highlight all the references and select font size 10 from the home menu dropdown.
- g. Change the Date at the top of the table to today's date in the format MM-YYYY
- h. If the file has more than 13 entries, a second page will need to be created.
 - i. Click in the non-cancer column in the row below where you want the page break.
 - ii. Select "Page Break" from the insert menu
 - iii. Once the table has been made into 2 or more parts, copy the header from the original table to each new part of the table where a page break was inserted.

1. Highlight the header row of the table by moving the mouse cursor to the left of  the table until it turns into a diagonal arrow
 2. Click to highlight the header row
 3. Press CTRL-C to copy the row
- iv. Paste the Header Row into all the following pages
1. Move any table down by clicking inside the table until you see the table's plus sign then grab the plus sign and drag the table down until there is enough room to fit the header row. 
 2. Press CTRL-V to paste the header row at the cursor insertion point.
- v. Align the header row
1. Drag the header row down and align it so that the column lines match with the table.
- i. Saving
- i. If doing weekly updates, save the Approval document as a word document, in the same documents to be approved directory as above, with the naming protocol <first record number>&" to "&<last record number>&" – approval-table2.docx". Therefore, if your document contains record numbers from 22521 to 22553, the filename would be "22521 to 22553 – approval-table2.docx" without the quotes.
 - ii. If doing monthly updates for program leaders
 1. Save each monthly update by year, month, program number and program name. For instance, for the month of 04/2021, save the file for program 2 in the 202104 subdirectory of the 2021 subdirectory (i.e., \\data.einsteinmed.edu\users\Cancer Center\backups\refman\searches\new imports to be approved\2021\202104\ - if any of the subdirectories do not exist, create them) with the name *02 – TMM.docx*
- j. The finished product should look something like the image below:

[illegible]

- k. Finally, email all program documents to the Program Leaders, cc'ing the Cancer Center Director and Deputy Director for Administration, with a request that the Program Leaders return the documents, with the appropriate identification of cancer relevance, before the next month's verification tables are generated.

20. Scripts

- a. The following are the Auto Hot Key scripts in the <\\data.einsteinmed.edu\users\Shared Files - Cancer Center\software\AHK Scripts\Endnote\x9.3.x> directory (for EndNote X9.3.3). There are also similar scripts (with an extra “0” in front of them) in the <\\data.einsteinmed.edu\users\Shared Files - Cancer Center\software\AHK Scripts\Endnote\scripts for EN20> directory for EndNote 20 and executable versions of the scripts for EndNote 20 are in <\\data.einsteinmed.edu\users\Shared Files - Cancer Center\software\AHK Scripts\Endnote\scripts for EN20\Executable versions of EndNote 20 scripts> PLEASE read the explanations at the beginning of each script for more detail. For the executable scripts you do not need the AutoHot Key software.
- i. 000 - Pubs_from_email.exe / 0000 - Pubs_from_email.ahk
 - 1. This replaces [Step 1](#)
 - 2. This script needs Outlook to already be started/logged into
 - 3. It searches for the phrase “in PubMed” in the subject line of an email in the AECC\publications from NCBI\PubMed subfolder of the email.
 - ii. 005 - Backup - with winmenuselect no pause.ahk
 - 1. This script performs a backup of the library with the name format of yyyyymmdd_hhmm_<library name>.enlx in the requested directory.
 - 2. 0006 - Backup – no win key assigned.ahk is the same as the 0005 – backup.ahk script, but, as indicated, it fires immediately – no hotkey.

- iii. 005 – Backup.exe / 0005 – Backup.ahk
 - 1. Only one (1) of the backup scripts needs to be used. They are just implemented differently.
 - 2. The 0005 script for EndNote 20 needs to be run and then fires whenever the Windows key is held down and the b key is pressed (Win+B).
 - 3. This will work on any open EndNote 20 library
- iv. 010 - import_records.exe / 0010 – import_records.ahk
 - 1. Replaces [Step 2](#) and [Step 3](#)
 - 2. Asks for the file to be imported and imports records to library
- v. 020 – excludes.exe / 0020 – excludes.ahk
 - 1. Replaces [the step to enter excludes](#)
 - 2. This script needs updates the most.
- vi. 030 - reviewed_item.exe / 0030 – reviewed_item.ahk
 - 1. Replaces [the step to enter the year the publications were retrieved](#)
 - 2. This script puts the current year in the reviewed item field in the form of “yyyy from Pubmed” unless it is from another source, like the researcher.
- vii. 040 - pmid2label.exe / 0040 – pmid2label.ahk
 - 1. Replaces [the step to copy the accession number/pmid](#)
 - 2. Due to the fact that EndNote does not allow using the accession number (PMID in our case) in duplicate searches, copy the PMID to the label field, which can be searched.
- viii. 050 - record_number.exe / 0050 – record_number.ahk
 - 1. Replaces [the step to copy the record Number to the Call Number](#)
 - 2. For consistency copy the record number to the call number field
- ix. 080 - auid normalize.exe / 0080 – auid normalize.ahk
 - 1. Replaces [the step to display the Author ID / ORCID field in one line](#)
 - 2. puts all auids in one line separated by commas
- x. 090 – grantinfo.exe / 0090 – grantinfo.ahk
 - 1. Replaces [the step to display all grant info in a single line](#)
 - 2. Puts all grant numbers into one line separated by commas
- xi. 100 – Backup / 0100 – backup.ahk – same as 005 / 0005

21. Fixing Problems

- a. Problem – Date field is empty (determine this by clicking on the “Date field empty & ePub has Date” smartgroup in the Troubleshooting group set
 - i. Select all references in the group and create a custom group from them (the can be renamed)
 - ii. Copy edition (ePub) field to Date field
 - 1. Use Library menu
 - 2. Select Change/Move/Copy fields ...
 - 3. Select Move/Copy Fields tab
 - 4. Select Copy Field
 - 5. Choose the edition field as the source (From)
 - 6. Choose the Date field as the destination (To)

7. Replace entire field
8. Click Okay and Okay again
- iii. Select the references just copied by selecting the group created previously and clicking on one reference, then pressing CTRL+A to select all references in the current window
- iv. Replace the year with nothing
 1. Select the Edit menu
 2. Select "Find and Replace ..."
 3. Select the Date field
 4. Enter the Year followed by a forward slash (e.g., 2020/), in the "Find:" box
 5. Uncheck "Retain Capitalization"
 6. Click Change
 7. Click OK
 8. When finished click OK again
 9. Repeat steps 1-8 for each year you are replacing
- v. Replace the Month with corresponding Month followed by a space (e.g., "08/" -> "Aug" – without quotes)
 1. Select the Edit menu
 2. Select "Find and Replace ..."
 3. Select the Date field
 4. Enter the Month, in numeric form, followed by a forward slash (e.g., 08/), in the "Find:" box
 - a. IT IS EXTREMELY IMPORTANT THAT YOU INCLUDE THE SLASH (/), otherwise the day may be replaced instead of the month (it may be something like 10/Dec instead of 10/12)
 5. Enter the Alphabetic representation of the Month in the Replace: box (e.g., Aug) followed by a **space**
 6. Uncheck "Retain Capitalization"
 7. Click Change
 8. Click OK
 9. When finished click OK again
 10. Repeat steps 1-9 for each month you are replacing
- b. Problem – Date has no slashes in the edition field
 - i. Put all records without a slash in a custom group (not a smartgroup as this will recalculate as you are trying to make changes)
 - ii. Use the Library menu and the Find and Replace submenu to replace each instance of the year with the year followed by a slash
 1. Click the Library Menu
 2. Click the Find and Replace submenu
 3. Enter the year in the Find field (i.e., 2022)
 4. Tab twice to the "Match Words" check box and uncheck it
 5. In the replace box enter the year followed by a / (i.e., 2022/)
 6. Make sure you are selecting the edition field and click change


7. Click okay
8. Repeat steps 1-7 for each year you are doing
- iii. When you have completed the years, you will need to do the months
 1. Click the Library Menu
 2. Click the Find and Replace submenu
 3. Enter the month in the Find field preceded by a slash (i.e., /01)
 4. Tab twice to the "Match Words" check box and uncheck it
 5. In the replace box enter a slash, the month followed by another / (i.e., /01/) **NOTE:** it seems to be best to start with 12 (December) and work your way down to 01 (January)
 6. Make sure you are selecting the edition field and click change
 7. There will be some mistakes (like 2022/01/01/) we can clean this up later
 8. Repeat steps 1-6 for all months
- iv. When you have finished, select all the items in your group
 1. Select another group
 2. Reselect the group you are interested in
 3. Click on one of the records
 4. Hold down the Control key and press A (CTRL+A) to select all records
- v. When both the year and month are complete, it is time to clean up
 1. Search for all records where the edition field ends in a slash
 - a. Select all relevant records as the first search field (for instance, year is greater than or equal to 2019) and then indicate you only want records where the edition field ends in a / (And Edition Field end with /)

	Year	Is greater than or equal to	2019	+	x
And	Edition	Field ends with	/	+	x
And	Title	Contains		+	x

[x Clear search](#)
[Simple search](#)
[Search options](#)
[Search](#)

- b. Select the Library menu
- c. Select the Change/Move/Copy submenu
- d. Select Insert After Field's text
- e. Enter a period (.) in the box
- f. Uncheck the include a space checkbox
- g. Make sure you have selected the edition field
- h. Click Ok an OK again
- i. All the records that formerly ended in a slash now end in a slash and a period (/.) This is because there are other slashes in the field we do NOT wish to delete
- j. Select the Library menu again
- k. Select the Find and Replace submenu

- l. Enter \. In the find field and nothing in the replace field (make sure to select the edition field in the in section)
 - m. The correction has been made. You can now use the date field with more surety. If you have selected the records correctly, then the data has been completely scrubbed.
- c. Problem – Edition field is empty but there is data in the Date and Year fields
- i. To find these records use the search parameters:
 1. Edition is less than 0
 2. Date is greater than 0
 3. Year is greater than or equal to 2019 (for records since 20190101)
 - ii. The edition field (e-pub date) should be in the format of yyyy/mm/dd.
 - iii. Use the Library Menu to copy from the Year field to the Edition field
 1. Library -> Change/Move/Copy fields ... ->
 2. Select the Move/Copy tab
 3. Select copy
 4. Select the Year field in the first box and the edition field in the second box
 5. Choose to replace entire field
 6. Click OK 3 times
 - iv. Use the library menu to insert a “/” at the end of the edition field
 1. Library -> Change/Move/Copy Fields ... ->
 2. Select the edition field
 3. Type “/” in the large box (without the quotes)
 4. Uncheck the checkbox for “include a space ...”
 5. Click OK 3 times
 - v. Use the Library Menu to copy the date to the end of the edition field (it will automatically put in a space – we’ll take care of that later)
 1. Library -> Change/Move/Copy fields ... ->
 2. Select the Move/Copy tab
 3. Select copy
 4. Select the Date as the first field and edition as the second field
 5. Leave it as “Insert After Field’s Text”
 6. Click OK 3 times
 - vi. Use the Library Menu (Find and Replace) to replace the year followed by / followed by a space with no space (“/ “ with “/”) in the edition field
 - vii. Use the Library Menu –
 1. Replace each month (e.g., “Jan “ with “01/”).
 - a. This step may result in some records having data that ends in a backslash, we’ll clean up later
 - b. For this step be sure to uncheck the box labeled “Match Words”
 2. Clean-up
 - a. Replace “/ “ with “/.”
 - b. Replace “/.” With nothing



- d. Problem – PMC has extra data

- i. Determine this by clicking on the smartgroup “PMC has extra data” in the Troubleshooting group set
 - ii. Click each reference in the group and delete the extraneous information in the custom 2 field (this is where the PMCID is stored)
- e. Problem – The journal impact factor (JIF) has not been entered in the caption field
 - i. Determine by using the “JIF not entered (not k12)” smartgroup in the troubleshooting group set.
 - ii. Return to [Enter the current journal impact factor](#)
- f. Problem – ORCID is empty
 - i. There are several reasons that this might be so
 - 1. The ORCID is entered into another field or not entered at all
 - c. Make sure you are using the correct Import Filter, see [Import references into the EndNote library](#)
 - 2. The author does not have an ORCID ID
 - 3. The ORCID ID was not entered into the publication information or not entered in the correct place.
 - ii. Finding Missing ORCID IDs
 - 1. You can lookup investigators on the ORCID site (orcid.org) but you may get multiple hits
 - 2. You can use the [Cancer Center DB](#) (in MS Access) and lookup any member who has an ORCID ID
 - 3. You can email or contact Investigators to ascertain if they have an ORCID ID and what it is if they do.
 - 4. The ORCID is requested in the Membership Application Form (in MS Forms) and can be looked up there as well.

2. Date Ranges and Date Range Searches:

- a. EndNote is not particularly accurate when it comes to searching a date range. The month and year are kept in different fields, which makes searching for a multi-year range particularly difficult. Instead of searching for a date range, it is sometimes better to search using a specific term. For instance, a date range will not catch the publications that came before that range but, due to various reasons, could not be reported until after the start date of the date range (think of a publication with a publication date of 9/16/2020 that was not included in an RPPR that was submitted in 10/2020, but will not be caught by a date range search of 10-1-2020 to 10-30-2021).
- b. To fix this problem, I suggest creating an exclude that designates the month/year the publication was actually added to the database. Each publication in this EndNote database has an exclude in the format of yyyy-mm (i.e., 202110 for October 2021) that indicates the exact month it was downloaded. Please refer to the [EndNote Update Procedure](#) for more information.
- c. The exclude script automatically retrieves the current year and month and uses that as part of the excludes (i.e., 202206).


- d. To completely mitigate problems, all data in endnote should be scrubbed so that the edition field contains a properly formatted E-Pub date (YYYY/MM/DD) that can be use to search and sort. The procedure for doing this is delineated in problem [21.c](#).

Data Import of Publications for all Cancer Center authors are maintained in an EndNote library. Updates are emailed to the Cancer Center Systems Analyst once per week on Sunday from PubMed. The procedure for updating the Journal Impact Factor (JIF) in the database (contained in the caption field) must be completed each year around July 15th, or whenever the newest impact factors are released. Note that impact factors are distributed for the previous year. Also note that, although JIFs and Eigenfactors are instructive, they are not necessarily the best indication of a journal's true impact.

22. Download the Journal Impact factors from Clarivate

- Go to <https://jcr.clarivate.com/jcrjournalhomeaction.action>
- Note that this site only allows the top 600 hits to be downloaded at one time
- Use the Filters options located on the left hand side of the page
- Try using the JIF Range Filter to create multiple files that will be less than 600




- Click the download icon to download the file 
- Select "XLS" as the download format.
- Select to open with Excel




- When the Excel file opens, select "Enable Editing"




- The window will redraw once the enable editing button has been clicked to look like the image below left:



vi. Delete the first 2 rows





vii. Highlight the rest and copy it to another tab




viii. When you paste the information to the new tab, be sure to use past values. This prevents other formatting from being pasted as well.

ix. Format the new information to auto fit column widths


x. Format the selection as a table



xi. Delete these 3 columns (they are blank)



xii. Sort the resulting list alphabetically (a-z) by journal name by clicking the arrow next to the field labelled "Full Journal Title"



xiii. There are websites that have the impact factor file as a single download, but be careful that this is the same IF data as the one from clarivate. Some of these are:

- <https://abdullahfarhan.com/journal-citation-report-2020/>
- www.iipopescu.com/Ranking.xls (this file has only 1/4th of the journals) – there should be over 20,000 journals.

23. Sort the EndNote Library by Journal Name

24. Match the Journal name to that in the Spreadsheet

25. Check off in the spreadsheet when a Journal has been updated

- Setting up conditional formatting in an excel spreadsheet to track this

26. Backup frequently

27. Journal Names

- If you are unsure what the abbreviation of a Journal stands for and the notes do not help – click on the link for the PubMed citation.
- Hovering over the abbreviated journal name results in the full name of the journal.



28. Changing the Preferences in Endnote

Preferences that should be changed (Either to make it easier to use the database or make it more understandable), are:

A. Display Fields



If you wish to have the names that display above the records in the center window of EndNote read something other than the default (for instance, Instead of reading Accession Number above all the PMIDs, it can be renamed PMID), follow this procedure:

- Click the Edit Menu at the top of EndNote
- Select Preferences ...
- In the Preferences window, click on Display Fields
- In the Display Fields dialogue make any changes and click Apply, then OK.



B. Duplicates

- Uncheck everything and then check "Label" and click "OK"



C. Find Full Text

- Uncheck Web of Science

D. Folder Locations

- Change these only if the Style/Filter/Connections folders are to be shared

E. Libraries




- This should always be checked to make sure it says "Open the most recently used library" or "Do Nothing"

F. Read / Unread

- Uncheck everything, it helps readability

G. Reference Types

- Click the Edit Menu
- Select Preferences ...
- Click on Reference Types
- Select Modify Reference Types
- Once the "Modify Reference Types ..." button is clicked, a new dialogue will appear similar to the one below. There the fields are listed and the name can be changed to appear differently.



- f) Once a name has been changed on the right hand side, the “Apply to all reference types” button will become available. When all changes have been made click this button, then click OK.
- H. Previously the accession number (PMID) was copied to the Label field ([step 9](#)). During that step it was explained why this is done. If one changes the Duplicates preference to only check the “Label” field, then only PMID’s are compared.
- a) Below is an image after the label field’s designation has been changed to “PMID Copy” to make that step clearer.

Modify Reference Types

Reference Type: Journal Article

To hide an unwanted reference type, add a period before the name (e.g., ".Map") in the column heading below.

Generic	Journal Article
Custom 6	NIHMSID
Custom 7	Collaboration
Custom 8	
Accession Number	PubMedID
Call Number	Rec#
Label	PMID Copy
Keywords	Keywords
Abstract	Abstract
Notes	Notes
Research Notes	Multi
URL	URL
File Attachments	File Attachments
Author Address	Author Address
Figure	Figure

EndNote Defaults Apply to All Ref Types

OK Cancel

Modify Reference Types

Reference Type: Journal Article

To hide an unwanted reference type, add a period before the name (e.g., ".Map") in the column heading below.

Generic	Journal Article
Author	Author
Year	Year
Title	Title
Secondary Author	
Secondary Title	Journal
Place Published	
Publisher	
Volume	Volume
Number of Volumes	Shared Resource Usage
Number	Issue
Pages	Pages
Section	Start Page
Tertiary Author	
Tertiary Title	Programs

EndNote Defaults Apply to All Ref Types

OK Cancel