EVRYN 20-Paper Benchmark Partition and Strict Zero-Leakage Evaluation Protocol

DEVELOPMENT & TUNING ZONE (Permitted Tuning)

Train Split (4 Papers)

PMC2651894, PMC2682197
PMC2714965, PMC2774163

- Grammar Discovery
- Regex Rule Formulation
- Zero Test Access

Dev Split (8 Papers)

PMC1804205, PMC1874608
PMC1913099, PMC1974823
PMC2242835, PMC2266911
PMC2358977, PMC2430206

- Error Diagnosis & Census
- Hyperparameter Calibration

STRICT ZERO-LEAKAGE RELEASE GATE
(Code & Hyperparameters Frozen Prior to Confirmatory Evaluation)

CONFIRMATORY EVALUATION ZONE (Strictly Blind)

Locked Test (4 Papers)

PMC2565068, PMC2581603
PMC2593050, PMC2639726

- Confirmatory Evaluation
- Frozen Model Checkpoint
- In-Domain Generalization

External Unseen (4 Papers)

PMC2816692, PMC2829055
PMC2858072, PMC2885601

- Unseen Biological Systems
- V1/V2 Provenance Audit
- Out-of-Domain Verification

Benchmark Integri Annotation Audit Gate

Benchmark V1 (Legacy Unaligned): Contained documented PMC 92 Anthrax LF vs Salmonella SrcA title mismatch (54 False Positives)
Benchmark V2 (Authenticated Domain Ground Truth): 100% nance Coverage Verified Across All 20 Papers (15 False Positives)