

REQUIREMENTS AND DESIGN SPECIFICATION Mobile Monitoring App Emilio Mumba

The 5 Concurrent Nodes

Khathutshelo Shaun Matidza Sylvester Sandile Mpangane Thabang Michael Letageng Aluwani Augustine Simetsi Matthew Nel

Department of Computer Science, University of Pretoria

May 2015

Contents

1	Visi	ion and Scope	3
	1.1	Project Vision	3
	1.2	Project Scope	4
2	App	plication Requirements and Design	4
	2.1	Modular System	4
	2.2	MobileMonitoringApp - Accounts module	5
		2.2.1 Scope	5
		2.2.2 Use-Cases	5
	2.3	MobileMonitoringApp - Data module	7
		2.3.1 Scope	7
		2.3.2 Use-Cases	7
		2.3.3 Domain Model	11
	2.4	MobileMonitoringApp - Reports module	12
		~	12
		2.4.2 Use-Cases	13
		2.4.3 Domain Model	17

1 Vision and Scope

1.1 Project Vision

Digital forensics is defined as the use of scientifically derived and proven methods towards the preservation, collection, validation, identification, analysis, interpretation and presentation of digital evidence derived from digital sources for the sole purpose of facilitating or furthering the reconstruction of events found to be criminal or helping to anticipate the unauthorized actions shown to be disruptive to planned operations [3]. Readiness is considered as the process of being prepared for a digital investigation before an incident has occurred [2].

The proposal of a mobile monitoring application will promote readiness in digital forensics and protect mobile users from malicious entities and activities. It aims to provide a proactive measure that is undertaking by the mobile device user or mobile device owner. Having this application installed on mobile devices will proactively ensure that relevant digital evidence is made ready and available before an incident occurs. The mobile monitoring application is expected to monitor user activities on a mobile device and report application data/logs to a dashboard on a desktop computer. It will generate reports giving the investigator quick and comprehensive data/logs that provide a starting point during a mobile device investigation.

The objective of the mobile monitoring application is to collect data/logs and assist in understanding the activities performed by a mobile user as well as shedding more light into the behaviour of the mobile user. Combining activities from the various applications promotes a proactive approach which in turn enforces proactive (readiness) measures.

1.2 Project Scope




Figure 1: High level system modules

The high level modules of the Mobile Monitoring App is as indicated on figure 1 above. The responsibilities of each module are also noted.

2 Application Requirements and Design

The following section will explain each module in the Mobile Monitoring App. It will discuss the use-case design and functional requirements extracted from the use-case; along with the selected service contracts.

2.1 Modular System

The application is going to use a modular design. This will allow the following:

- add new functionality in the future
- decouple the system

2.2 MobileMonitoringApp - Accounts module

2.2.1 Scope




Figure: Scope of mmaAccounts module

2.2.2 Use-Cases

This section provides details on the use-case requirements for the use-cases offered by this module.

- **2.2.2.1** registerUser priority: important This use-case registers a user on initial installation after user accepts terms and conditions of use.
- **2.2.2.2 loginUser priority: important** This use-case logins a user on initial installation after user accepts terms and conditions of use.

Service Contract The service contract for registerUser is shown in the figure below. The pre-conditions are enforced (raises an exception if not met) and on success the user is registered and the device and user data is persisted through the local database.





Figure : The service contract for registering a new user on the app



 $\label{eq:Figure:The functional requirements} Figure: The functional requirements for register User$

2.3 MobileMonitoringApp - Data module

2.3.1 Scope




Figure: Scope of MMA dataModule

2.3.2 Use-Cases

This section provides details on the use-case requirements for the use-cases offered by this module.

2.3.2.1 retrieveDeviceInfo - priority: important The retrieveDeviceInfo use case retrieves all the relevant device information from the device.

Service Contract The service contract for retrieveDeviceInfo is shown in the figure below. The retrieveDeviceInfo recieves a retrieveDeviceInfoRequest object that specifies the type of data to be retrieved and stored locally on to a database.




Figure: The service contract for retrieveDeviceInfo on the device




Figure : The functional requirements for retrieveDeviceInfo

2.3.2.2 Process specification When a request is made for device data to be retrieve. The service checks for the type of data to be retrieved and follows the required channels to retrieve the data. If the service is not suc-

cessful then an exeption is raised. If the service is successful then an object with the required data is returned as a result of the query.




Figure: The process specification for the retrieveDeviceInfo use case.

2.3.2.3 retrieveCommunicationActivities - priority: important The retrieveCommunicationAcitivites use-case retrieves all the users communication activities from the various apps on the device.

Service Contract The service contract for retrieveCommunicationActivities is shown in the figure below. The retrieveCommunicationActivitiesRequest requests the data regardless of the data type and retrieveCommunicationActivitiesRequest retrieves the data where it packages the data and stores it on the database locally.




Figure :The service contract for retrieveCommunicationAcitivites on the device




Figure : The functional requirements for retrieveCommunicationActivities

2.3.2.4 Process specification The service recieves a request that specifies the type of activity the service needs to collect data from. The service

will retrieve the data from that activity and if it fails then an exption will be raised. The result from the function will be an object that wraps the required data.




Figure: The process specification for the retrieveDeviceInfo use case.

2.3.3 Domain Model

The domain model for this module is very simple and straight foward. It only requires a vailed service request.




Figure : The domain model for the Data module.

${\bf 2.4}\quad {\bf Mobile Monitoring App\ -\ Reports\ module}$

2.4.1 Scope




Figure : Scope of mmaReporting module

2.4.2 Use-Cases

This section provides details on the use-case requirements for the use-cases offered by this module.

2.4.2.1 createReport - priority: important This use-case retrieves logs from the device and creates a report from those specific logs.

Service Contract The service create report is shown in the figure below. The pre-condition is enforced.





Figure : The service contract for createReport



 $\label{eq:Figure:The functional requirements} Figure: The functional requirements for createReport$




Figure : The Process Specification for createReport

 ${\bf 2.4.2.2}$ sendReportToDashboard - priority: important This module sends the report onto a server where they will be saved on a database to de displayed later on a dashboard .

Service Contract The service contract for sendReportToDashboard is shown in the figure below. The pre-condition is not enforced i.e. If the app fails to establish a connection with the server, the report will be saved temoparily on the device until a connection is established.




Figure: The service contract for sendReportToDashboard




Figure : The functional requirements for sendReportToDashboard




Figure: The Process Specification for sendReportToDashboard

2.4.2.3 Domain Model This section contains the domain model for the reporting module. This module retrieves logs from the data module.




Figure : The domain model for the reporting module.