
```
PS C:\Users\HP\Desktop\C programming> gcc l5p36.c
PS C:\Users\HP\Desktop\C programming> a.exe l5p36.c
enter n 70
  A
  A  B
  A  B  C
  A  B  C  D
  A  B  C  D  E
  A  B  C  D  E  F
PS C:\Users\HP\Desktop\C programming>
```


PS C:\Users\HP\Desktop\C programming> gcc l5p37.c
PS C:\Users\HP\Desktop\C programming> a.exe l5p37.c
enter n 5
1
1 2
1 2 3
1 2 3 4
1 2 3 4 5
PS C:\Users\HP\Desktop\C programming>

```
PS C:\Users\HP\Desktop\C programming> gcc 15p38.c
PS C:\Users\HP\Desktop\C programming> a.exe 15p38.c
enter valude n 5
    *
   ***
  *****
 *******
*********
PS C:\Users\HP\Desktop\C programming>
```

```
PS C:\Users\HP\Desktop\C programming> gcc 15p39.c
PS C:\Users\HP\Desktop\C programming> a.exe 15p39.c
enter n 70
   A
   B  B
   C  C  C
   D  D  D  D
   E  E  E  E  E
   F  F  F  F  F  F
PS C:\Users\HP\Desktop\C programming>
```

```
PS C:\Users\HP\Desktop\C programming> gcc l5p40.c
PS C:\Users\HP\Desktop\C programming> a.exe l5p40.c
enter n 5
 1  0  0  0  0
 0  1  0  0  0
 0  0  1  0  0
 0  0  0  1  0
 0  0  0  0  1
PS C:\Users\HP\Desktop\C programming>
```

```
PS C:\Users\HP\Desktop\C programming> gcc l5p41.c
PS C:\Users\HP\Desktop\C programming> a.exe l5p41.c
enter value n 5
    1
   121
  12321
 1234321
123454321
PS C:\Users\HP\Desktop\C programming>
```

```
PS C:\Users\HP\Desktop\C programming> gcc l5p42.c
PS C:\Users\HP\Desktop\C programming> a.exe l5p42.c
enter value n 4
    *
   ***
  *****
*******
  *****
   ***
    *
PS C:\Users\HP\Desktop\C programming>
```

```
PS C:\Users\HP\Desktop\C programming> gcc l5p43.c
PS C:\Users\HP\Desktop\C programming> a.exe l5p43.c
enter integer numbers 9
8
7
6
5
4
3
2
1
10
sum of numbers = 55
PS C:\Users\HP\Desktop\C programming>
```

```
PS C:\Users\HP\Desktop\C programming> gcc l5p44.c
PS C:\Users\HP\Desktop\C programming> a.exe l5p44.c
enter 10 numbers9
6
58
42
35
19
68
7
15
37
number of even numbers = 4
number of odd numbers = 6
PS C:\Users\HP\Desktop\C programming>
```

```
PS C:\Users\HP\Desktop\C programming> gcc l5p45.c
PS C:\Users\HP\Desktop\C programming> a.exe l5p45.c
enter 10 numbers9
0
6
-5
-48
0
6
49
-3
2
number of negative numbers = 3
number of zeros = 2
number of positive numbers = 5
PS C:\Users\HP\Desktop\C programming>
```

```
PS C:\Users\HP\Desktop\C programming> gcc l5p46.c
PS C:\Users\HP\Desktop\C programming> a.exe l5p46.c
enter size of array6
enter numbers9
5
8
2
6
7
maximum num=9
2nd maximum num=8
PS C:\Users\HP\Desktop\C programming>
```

```
PS C:\Users\HP\Desktop\C programming> gcc l5p47.c
PS C:\Users\HP\Desktop\C programming> a.exe l5p47.c
enter values of 1st array
1
2
3
4
5
6
7
8
9
10
enter values of 2st array
11
12
13
14
15
16
17
18
19
20

array 1:     1    2    3    4    5    6    7    8    9   10
array 2:    11   12   13   14   15   16   17   18   19   20
sum of two arrays :    12   14   16   18   20   22   24   26   28   30
PS C:\Users\HP\Desktop\C programming>
```

```
PS C:\Users\HP\Desktop\C programming> gcc l5p48.c
PS C:\Users\HP\Desktop\C programming> a.exe l5p48.c
enter array 1
1
2
3
4
5
6
7
8
9
10
enter array 2
11
12
13
14
15
16
17
18
19
20

Before swap
array 1 :     1    2    3    4    5    6    7    8    9   10
array 2 :    11   12   13   14   15   16   17   18   19   20
After swap
array 1 :    11   12   13   14   15   16   17   18   19   20
array 2 :     1    2    3    4    5    6    7    8    9   10
PS C:\Users\HP\Desktop\C programming>
```

```
PS C:\Users\HP\Desktop\C programming> gcc l5p49.c
PS C:\Users\HP\Desktop\C programming> a.exe l5p49.c
Enter the number of elements: 7
Enter the array elements:
9
5
8
6
7
3
2
Sorted array:
2 3 5 6 7 8 9
PS C:\Users\HP\Desktop\C programming>
```

```
PS C:\Users\HP\Desktop\C programming> gcc l5p50.c
PS C:\Users\HP\Desktop\C programming> a.exe l5p50.c
enter size of array 9
enter elements
6
8
2
5
9
7
1
3
4
initial array :     6    8    2    5    9    7    1    3    4
array after bubble sort :     1    2    3    4    5    6    7    8    9
PS C:\Users\HP\Desktop\C programming>
```