

4

Explorer

...

Untitled (Workspace)

c language

.vscode

C language

ASSIGNMENT_1.c

ASSIGNMENT_1.e...

CodeForces.c

CodeForces.exe

Demo.c

> Outline

Timeline

ASSIGNMENT...

All timeline sources have been filtered out. Source Control has not been configured.

File Edit Selection View Go ...

← →

Untitled (Workspace)

Update

itprogramme.py

Demo.c

ASSIGNMENT_1.c

CodeForces.c

First Lab.c

Apna Colleg

c language > C language > C ASSIGNMENT_1.c > main()

200

201

202 // 12. PROGRAM TO PRINT ASCII CODE OF ANY CHARACTER.

203 char ch;

204 printf("Enter any character to get its ASCII value: ");

205 scanf("%c", &ch);

206

207 printf("The ASCII value of %c is %d", ch, ch);

208

209 // 13. PROGRAM TO CHECK WHETHER A NO. IS EVEN OR ODD.

210

211

212 // int num;

Output

Debug Console

Terminal

Ports

PS C:\TURBOC3\Projects\c language> cd "c:\TURBOC3\Projects\c language\C language\" ; if (\$?) { gcc ASSIGNMENT_1.c -o ASSIGNMENT_1 } ; if (\$?) { .\ASSIGNMENT_1 }
Enter any character to get its ASCII value: H
The ASCII value of H is 72
PS C:\TURBOC3\Projects\c language\C language>

+ v ... | [] X

powersh...

Code

Code

Code

Code

Code

Code

Code

< > 0 0

Ln 208, Col 1 Spaces: 4 UTF-8 CRLF {} C Win32

File Edit Selection View Go Run Terminal Help

← → Untitled (Workspace)

Update

Explorer

▼ Untitled (Workspace)

- ▼ c language
 - > .vscode
 - ▼ C language
 - ASSIGNMENT_1.c
 - ASSIGNMENT_1.e...
 - CodeForces.c
 - CodeForces.exe
 - Demo.c
 - Demo.exe
 - First Lab.c
 - tempCodeRunner...
 - tempCodeRunner...
- ▼ Python
 - Apna College.py
 - Firstprogramme.py

> Outline

▼ Timeline ASSIGNMENT...

All timeline sources have been filtered out. Source Control has not been configured.

c language > C language > C ASSIGNMENT_1.c > main()

222
223 // 14. PROGRAM TO CHECK WHETHER A GIVEN CHARACTER IS CAPITAL, LETTER, SMALL CASE LETTER, A DIGIT OR A SPECIAL SYMBOL.
224 char ch;
225 printf("Enter any character: ");
226 scanf("%c", &ch);
227
228 if (ch >= 'a' && ch <= 'z')
229 {
230 printf("It is Small Case letter");
231 }
232 else if (ch >= 'A' && ch <= 'Z')
233 {
234 printf("It is an Upper Case letter");
235 }
236
237 else if (ch >= '0' && ch <= '9')
238 {
239 printf("This is a digit.");
240 }
241
242 else
243 {
244 printf("It is a Special Character");
245 }
246

Output Debug Console Terminal Ports

Enter any character: b
It is Small Case letter
PS C:\TURBOC3\Projects\c language\C language> cd "c:\TURBOC3\Projects\c language\C language\" ; if (\$?) { gcc ASSIGNMENT_1.c -o ASSIGNMENT_1 } ; if (\$?) { .\ASSIGNMENT_1 }
Enter any character: K
It is an Upper Case letter
PS C:\TURBOC3\Projects\c language\C language> cd "c:\TURBOC3\Projects\c language\C language\" ; if (\$?) { gcc ASSIGNMENT_1.c -o ASSIGNMENT_1 } ; if (\$?) { .\ASSIGNMENT_1 }
Enter any character: 6
This is a digit.
PS C:\TURBOC3\Projects\c language\C language> cd "c:\TURBOC3\Projects\c language\C language\" ; if (\$?) { gcc ASSIGNMENT_1.c -o ASSIGNMENT_1 } ; if (\$?) { .\ASSIGNMENT_1 }
Enter any character: %
It is a Special Character
PS C:\TURBOC3\Projects\c language\C language>

+ v ... |

powersh...
Code
Code
Code
Code
Code
Code
Code

Ln 246, Col 9 Spaces: 4 UTF-8 CRLF {} c Win32

File Edit Selection View Go Run Terminal Help

← → Untitled (Workspace)

Update

Explorer

Untitled (Workspace)

- c language
 - .vscode
 - C language
 - ASSIGNMENT_1.c
 - ASSIGNMENT_1.e...
 - CodeForces.c
 - CodeForces.exe
 - Demo.c
 - Demo.exe
 - First Lab.c
 - tempCodeRunner...
 - tempCodeRunner...
 - Python
 - Apna College.py
 - Firstprogramme.py
- > Outline
- > Timeline ASSIGNMENT...

All timeline sources have been filtered out. Source Control has not been configured.

c language > C language > C ASSIGNMENT_1.c > main()

```
248 // 15. PROGRAM TO READ MARKS OF FIVE SUBJECT AND PRINT DIVISION.
249
250 float sub1, sub2, sub3, sub4, sub5, total_marks, percentage;
251 printf("Enter your marks out of 100:\n");
252 scanf("%f\n%f\n%f\n%f\n%f", &sub1, &sub2, &sub3, &sub4, &sub5);
253
254 total_marks= sub1 + sub2 + sub3 + sub4 + sub5;
255 percentage = total_marks / 5 ;
256
257 printf("\nTotal: %.2f", total_marks);
258 printf("\nPerenatge: %.2f", percentage);
259
260 if (percentage >= 60)
261 {
262     printf("\nDivision: First Dvision");
263 }
264
265 else if (percentage >= 60)
266 {
267     printf("\nDivision: Second Dvision");
268 }
269
270 else if (percentage >= 60)
271 {
272     printf("\nDivision: Third Dvision");
273 }
274
275 else
276 {
277     printf("\nDivision: Fail");
278 }
279
```

Output Debug Console Terminal Ports

```
PS C:\TURBOC3\Projects\c language\C language> cd "c:\TURBOC3\Projects\c language\C language\" ; if ($?) { gcc ASSIGNMENT_1.c -o ASSIGNMENT_1 } ; if ($?) { .\ASSIGNMENT_1 }
Enter your marks out of 100:
98 76 75 65 54

Total: 368.00
Perenatge: 73.60
Division: First Dvision
PS C:\TURBOC3\Projects\c language\C language>
```

powersh...

Code

Code

Code

Code

Code

Code

Code

Ln 258, Col 33 Spaces: 4 UTF-8 CRLF {} C Win32

File Edit Selection View Go Run Terminal Help

← → Untitled (Workspace)

Update

4

Explorer

...

▼ Untitled (Workspace)

▼ c language

▼ .vscode

▼ C language

ASSIGNMENT_1.c

ASSIGNMENT_1.e...

CodeForces.c

CodeForces.exe

Demo.c

Demo.exe

First Lab.c

tempCodeRunner...

tempCodeRunner...

> Outline

▼ Timeline ASSIGNMENT...

All timeline sources have been filtered out. Source Control has not been configured.

c language > C language > C ASSIGNMENT_1.c > main()

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

299

300

301

302

303

304

// 16. PROGRAM TO READ THREE NOS. AND PRINT MAX.

int a, b, c;

printf("Enter three numbers a b and c :\n");

scanf("%d %d %d", &a, &b, &c);

if (a > b)

{

if (a > c)

{

printf("Big number is %d", a);

}

else

{

printf("Big number is %d", c);

}

}

else if (b > c)

{

printf("Big number is %d", b);

}

else

{

printf("Big number is %d", c);

}

Output Debug Console Terminal Ports

PS C:\TURBOC3\Projects\c language\C language> cd "c:\TURBOC3\Projects\c language\C language\" ; if (\$?) { gcc ASSIGNMENT_1.c -o ASSIGNMENT_1 } ; if (\$?) { .\ASSIGNMENT_1 }

Enter three numbers a b and c :

1 2 3

Big number is 3

PS C:\TURBOC3\Projects\c language\C language> |

powersh...

Code

Code

Code

Code

Code

Code

Code

< 0 0 0

Ln 303, Col 47 Spaces: 4 UTF-8 CRLF { } C Win32

File Edit Selection View Go Run Terminal Help

← → Untitled (Workspace)

Update

4

Explorer

...

▼ Untitled (Workspace)

▼ c language

▼ .vscode

▼ C language

ASSIGNMENT_1.c

ASSIGNMENT_1.e...

CodeForces.c

CodeForces.exe

Demo.c

Demo.exe

First Lab.c

tempCodeRunner...

tempCodeRunner...

> Outline

▼ Timeline ASSIGNMENT...

All timeline sources have been filtered out. Source Control has not been configured.

c language > C language > C ASSIGNMENT_1.c > main()

308

309 // 17. PROGRAM TO READ THREE NOS. AND PRINT MAX USING LOGICAL OPERATOR.(&&)

310

311 int a, b, c;

312 printf("Would you like to know the biggest number from the three number you enter?\nEnter the numbers:\n");

313 scanf("%d", &a);

314 scanf("%d", &b);

315 scanf("%d", &c);

316

317 if(a>b && a>c)

318 {

319 | printf("Here is your biggest number %d", a);

320 }

321

322 else if (b>c)

323 {

324 | printf("Here is your biggest number %d", b);

325 }

326

327 else

328 {

329 | printf("Here is your biggest number %d", c);

330 }

331

332

333

Output Debug Console Terminal Ports

PS C:\TURBOC3\Projects\c language\C language> cd "c:\TURBOC3\Projects\c language\C language\" ; if (\$?) { gcc ASSIGNMENT_1.c -o ASSIGNMENT_1 } ; if (\$?) { .\ASSIGNMENT_1 }

Would you like to know the biggest number from the three number you enter?

Enter the numbers:

34 32 277

Here is your biggest number 277

PS C:\TURBOC3\Projects\c language\C language> |

+ ~ ... |

powersh... ⚠

Code ⚠

Code ⚠

Code ⚠

Code ⚠

Code ⚠

Code ⚠

Code ⚠

< 0 0 0

Ln 319, Col 61 Spaces: 4 UTF-8 CRLF { } C Win32

4

VS Code

File

Edit

Selection

View

Go

Run

...

←

→

Untitled (Workspace)

🔍

⌵

Update

🔧

📄

📁

⌵

✕

📄

Explorer

...

▼ Untitled (Workspace)

▼ c language

> .vscode

▼ C language

C ASSIGNMENT_1.c

≡ ASSIGNMENT_1.e...

C CodeForces.c

≡ CodeForces.exe

C Demo.c

≡ Demo.exe

C First Lab.c

> Outline

▼ Timeline ASSIGNMENT...

All timeline sources have been filtered out. Source Control has not been configured.

🔍

🔗

🔧

📁

🧪

🐍

👤

⚙️

🔗

Firstprogramme.py

●

C Demo.c

●

≡ ASSIGNMENT_1.exe

✕

C ASSIGNMENT_1.c

✕

C CodeForces.c

●

C First Lab.c

✕

🔗

Apna Colleg

▶

⌵

⚙️

📄

...

c language > C language > C ASSIGNMENT_1.c > main()

338 // printf("Enter three numbers to compare which is the biggest.\nEnter a b c: ");

339 // scanf("%d %d %d", &a, &b, &c);

340 // d = a>b ? (a>c ? a:c):(b>c ? b:c);

341

342 // printf("The biggest number is %d", d);

343

344 // 19. PROGRAM TO READ A CHARACTER AND CHECK WHETHER IT IS A SMALL CASE LETTER OR NOT USING CONDITIONAL OPERATOR.

345

346 char ch;

347 printf("Enter a character: ");

348 scanf("%c", &ch);

349 printf("Your character is %s", (ch >= 'a' && ch <= 'z') ? "a Small Case letter.":"Not a Small Case letter.");

350

351

352 // 20. PROGRAM WHICH WILL WORK LIKE A SIMPLE CALCULATOR USING SWITCH-CASE.

353

354

355 // 21. PROGRAM TO READ TWO NOS. AND PERFORM SPECIFIC TASK (USING ARITHMETIC OPERATOR)AND THIS PERFORM USING SWITCH-CASE. (CAS

Output

Debug Console

Terminal

Ports

PS C:\TURBOC3\Projects\c language\C language> cd "c:\TURBOC3\Projects\c language\C language\" ; if (\$?) { gcc ASSIGNMENT_1.c -o ASSIGNMENT_1 } ; if (\$?) { .\ASSIGNMENT_1 }

Enter a character: a

Your character is a Small Case letter.

PS C:\TURBOC3\Projects\c language\C language> cd "c:\TURBOC3\Projects\c language\C language\" ; if (\$?) { gcc ASSIGNMENT_1.c -o ASSIGNMENT_1 } ; if (\$?) { .\ASSIGNMENT_1 }

Enter a character: B

Your character is Not a Small Case letter.

PS C:\TURBOC3\Projects\c language\C language>

+

⌵

...

⌵

✕

📄 powersh...

📄 Code

📄 Code

📄 Code

📄 Code

📄 Code

📄 Code

📄 Code

📄 Code

<

>

0

0

0

🔍

Ln 345, Col 1

Spaces: 4

UTF-8

CRLF

{ }

C

🔧

Win32

🔔

File Edit Selection View Go Run Terminal Help

← → Untitled (Workspace)

Update

Explorer

Untitled (Workspace)

- c language
 - .vscode
 - C language
 - ASSIGNMENT_1.c
 - ASSIGNMENT_1.e...
 - CodeForces.c
 - CodeForces.exe
 - Demo.c
 - Demo.exe
 - First Lab.c
 - tempCodeRunner...
 - tempCodeRunner...
 - Python
 - Apna College.py
 - Firstprogramme.py
- Outline
- Timeline ASSIGNMENT...

All timeline sources have been filtered out. Source Control has not been configured.

c language > C language > C language > main()

```
351
352 // 20. PROGRAM WHICH WILL WORK LIKE A SIMPLE CALCULATOR USING SWITCH-CASE.
353
354 char operator;
355
356 float result, a, b;
357 printf("Enter a operator from +, -, *, / : \n");
358 scanf("%c", &operator);
359 printf("Enter two numbers:\n");
360 scanf("\n%f", &a);
361 scanf("\n%f", &b);
362
363 switch (operator)
364 {
365 case '+':
366     result = a + b;
367     printf("Here is your answer: %.2f", result);
368     break;
369
370 case '-':
371     result = a - b;
372     printf("Here is your answer: %.2f", result);
373     break;
374
375 case '*':
376     result = a * b;
377     printf("Here is your answer: %.2f", result);
378     break;
379
380 case '/':
381     result = a / b;
382     printf("Here is your answer: %.2f", result);
383     break;
384
385 default:
386     printf("ERROR : Invalid Operator.");
387     break;
388 }
```

Output Debug Console Terminal Ports

PS C:\TURBOC3\Projects\c language\C language> cd "c:\TURBOC3\Projects\c language\C language\" ; if (\$?) { gcc ASSIGNMENT_1.c -o ASSIGNMENT_1 } ; if (\$?) { .\ASSIGNMENT_1 }
Enter a operator from +, -, *, / :

powerh...
Code
Code
Code
Code
Code

Ln 361, Col 16 Spaces: 4 UTF-8 CRLF {} C Win32

FileEditSelectionViewGoRunTerminalHelp<=>Untitled (Workspace)

Firstprogramme.py • Demo.c • ASSIGNMENT_1.exe × C ASSIGNMENT_1.c × CodeForces.c • First Lab.c × Apna College.py •

c language > C language > C ASSIGNMENT_1.c > main()

```
390 // 21. PROGRAM TO READ TWO NOS. AND PERFORM SPECIFIC TASK (USING ARITHMETIC OPERATOR)AND THIS PERFORM USING SWITCH-CASE.(CASE IN CHAR FORM).
391
392     char operator;
393     float result, a, b;
394     printf("Enter a operator from +, -, *, / : \n");
395     scanf(" %c", &operator);
396     printf("Enter two numbers:\n");
397     scanf("\n%f", &a);
398     scanf("\n%f", &b);
399
400     switch (operator)
401     {
402     case '+':
403         result = a + b;
404         printf("Here is your answer: %.2f", result);
405         break;
406
407     case '-':
408         result = a - b;
409         printf("Here is your answer: %.2f", result);
410         break;
411
412     case '*':
413         result = a * b;
414         printf("Here is your answer: %.2f", result);
415         break;
416
417     case '/':
418         result = a / b;
419         printf("Here is your answer: %.2f", result);
420         break;
421
422     default:
423         printf("ERROR : Invalid Operator.");
424         break;
425     }
```

OutputDebug ConsoleTerminalPorts

```
PS C:\TURBOC3\Projects\c language\C language> cd "c:\TURBOC3\Projects\c language\C language\" ; if ($?) { gcc ASSIGNMENT_1.c -o ASSIGNMENT_1 } ; if ($?) { .\ASSIGNMENT_1 }
Enter a operator from +, -, *, / :
/
Enter two numbers:
12
24
Here is your answer: 0.50
PS C:\TURBOC3\Projects\c language\C language> |
```

powerh...
Code
Code
Code
Code
Code
Code
Code

Ln 411, Col 1 Spaces: 4 UTF-8 CRLF {} C Win32



- powerh...
- Code
- Code
- Code
- Code
- Code
- Code
- Code
- Code



Ln 436, Col 24 Spaces: 4 UTF-8 CRLF { } C Win32

5

File

Edit

Selection

View

Go

...

←

→

Untitled (Workspace)

Update

Firstprogramme.py

Demo.c

ASSIGNMENT_1.exe

ASSIGNMENT_1.c

CodeForces.c

First Lab.c

Apn

c language > C language > ASSIGNMENT_1.c > main()

437

438

439

440

441

442

443

444

445

446

447

448

449

450

// 23. PROGRAM TO READ TWO NOS. AND CALCULATE POWER WITHOUT USING HEADER FILE(<MATH.H>).

int a, b, c, i;

c=1;

printf("Enter two numbers a and b: ");

scanf("%d %d", &a, &b);

for (i=0; i<b; i++)

{

c=c*a;

}

printf("%d^%d = %d", a,b,c);

return 0;

Output

Debug Console

Terminal

Ports

PS C:\TURBOC3\Projects\c language\C language> cd "c:\TURBOC3\Projects\c language\C language\" ; if (\$?) { gcc ASSIGNMENT_1.c -o ASSIGNMENT_1 } ; if (\$?) { .\ASSIGNMENT_1 }

Enter two numbers a and b: 4 5

4^5 = 1024

PS C:\TURBOC3\Projects\c language\C language>

powersh...

Code

Code

Code

Code

Code

Code

Code

<

⊗ 0

⚠ 0

Ln 444, Col 32


Spaces: 4

UTF-8

CRLF

{ } C

Win32



4

File Edit Selection View Go Run ...

Search

Source Control

Run and Debug

Extensions

Python

Account

1

Explorer

▼ Untitled (Workspace)

▼ c language

▼ .vscode

▼ C language

ASSIGNMENT_1.c

ASSIGNMENT_1.e...

CodeForces.c

CodeForces.exe

Demo.c

Demo.exe

First Lab.c

> Outline

▼ Timeline ASSIGNMENT...

All timeline sources have been filtered out. Source Control has not been configured.

Firstprogramme.py

Demo.c

ASSIGNMENT_1.exe

ASSIGNMENT_1.c

CodeForces.c

First Lab.c

Apna Colleg

Update

Icons

Untitled (Workspace)

Icons

c language > C language > C ASSIGNMENT_1.c > main()

476 // 25. PROGRAM TO PRINT TABLE OF ANY NO.

477 int num, ans;

478

479 printf("Enter a number: ");

480 scanf("%d", &num);

481

482 for (int i=1; i<=10; i++)

483 {

484 ans = num * i;

485 printf("%d * %d = %d\n", num, i, ans);

486 }

487 return 0;

488 }

Output

Debug Console

Terminal

Ports

PS C:\TURBOC3\Projects\c language\C language> cd "c:\TURBOC3\Projects\c language\C language\" ; if (\$?) { gcc ASSIGNMENT_1.c -o ASSIGNMENT_1 } ; if (\$?) { .\ASSIGNMENT_1 }

Enter a number: 8

8 * 1 = 8

8 * 2 = 16

8 * 3 = 24

8 * 4 = 32

8 * 5 = 40

8 * 6 = 48

8 * 7 = 56

8 * 8 = 64

8 * 9 = 72

8 * 10 = 80

PS C:\TURBOC3\Projects\c language\C language>

powersh...

Code

Code

Code

Code

Code

Code

Code

Code

< 0 0

Ln 483, Col 10 Spaces: 4 UTF-8 CRLF Win32

File Edit Selection View Go Run

5

Explorer

▼ Untitled (Workspace)

▼ c language

> .vscode

▼ C language

C ASSIGNMENT_1.c

ASSIGNMENT_1.e...

CodeForces.c

CodeForces.exe

Demo.c

Demo.exe

First Lab.c

> Outline

▼ Timeline ASSIGNMENT...

All timeline sources have been filtered out. Source Control has not been configured.

1

Firstprogramme.py • C Demo.c • ASSIGNMENT_1.exe X C ASSIGNMENT_1.c • C CodeForces.c • C First Lab.c X Apna Colleg

Untitled (Workspace)

Update

08 0 0 0 - 0

c language > C language > C ASSIGNMENT_1.c > main()

488 // 26. PROGRAM TO PRINT SUM OF ALL ODD AND EVEN NO B/W 1 TO N.

489 int n, even_sum, odd_sum, i;

490 even_sum = 0;

491 odd_sum = 0;

492 printf("Enter a number: ");

493 scanf("%d", &n);

494

495 for (i = 0; i <=n; i++)

496 {

497 if(i%2 == 0)

498 {

499 even_sum = even_sum+i;

500 }

501 else

502 {

503 odd_sum = odd_sum+i;

504 }

505 }

506

507 printf("Sum of even numbers is %d\nSum of odd numbers is %d", even_sum, odd_sum);

508 return 0;

Output Debug Console Terminal Ports

PS C:\TURBOC3\Projects\c language\C language> cd "c:\TURBOC3\Projects\c language\C language\" ; if (\$?) { gcc ASSIGNMENT_1.c -o ASSIGNMENT_1 } ; if (\$?) { .\ASSIGNMENT_1 }
Enter a number: 10
Sum of even numbers is 30
Sum of odd numbers is 25
PS C:\TURBOC3\Projects\c language\C language> |

powerh...
Code
Code
Code
Code
Code
Code

< 0 0 0

Ln 488, Col 76 Spaces: 4 UTF-8 CRLF { } C Win32