

C Program_1.c X

C Program_1.c > main()

```
1 // PROGRAM TO CALCULATE SIMPLE INTEREST
2
3 #include <stdio.h>
4
5 int main()
6 {
7     float p, r, t, si;
8
9     printf("Enter the value of principal amount:");
10    scanf("%f", &p);
11
12    printf("Enter the value of rate of interest:");
13    scanf("%f", &r);
14
15    printf("Enter the value of time :");
16    scanf("%f", &t);
17
18    si = p * r * t / 100;
```

Problems Output Debug Console Terminal Ports

```
● PS C:\CCC lab solutions> cd "c:\CCC lab solutions\" ; if ($?) { gcc Program_1.c -o Program_1 } ; if ($?) { .\Program_1 }
Enter the value of principal amount:10000
Enter the value of rate of interest:2
Enter the value of time :2
The simple interest is 400.000000
The total amount is: 10400.000000
○ PS C:\CCC lab solutions>
```

C Program_2.c X

C Program_2.c > main()

```
1 // PROGRAM TO READ MARKS OF FIVE SUBJECT OF A STUDENT AND CALCULATE TOTAL AND PERCENTAGE.
2
3 #include <stdio.h>
4
5 int main(){
6     float a,b,c,d,e, total, percentage;
7
8     printf("Enter the marks of Subject 1: ");
9     scanf("%f",&a);
10
11     printf("\nEnter the marks of Subject 2: ");
12     scanf("%f",&b);
13
14     printf("\nEnter the marks of Subject 3: ");
15     scanf("%f",&c);
16
17     printf("\nEnter the marks of Subject 4: ");
18     scanf("%f",&d);
```

Problems Output Debug Console Terminal Ports

```
● PS C:\CCC lab solutions> cd "c:\CCC lab solutions\" ; if ($?) { gcc Program_2.c -o Program_2 } ; if ($?) { .\Program_2 }
Enter the marks of Subject 1: 90

Enter the marks of Subject 2: 89

Enter the marks of Subject 3: 95

Enter the marks of Subject 4: 79

Enter the marks of Subject 5: 98

Total Marks = 451.00
Percentage Obtained = 90.20%
○ PS C:\CCC lab solutions> 
```

C Program_3.c X

C Program_3.c > main()

```
1 // PROGRAM TO CALCULATE GROSS SALARY.
2
3 #include <stdio.h>
4
5 int main()
6 {
7     float salary, hra, da, gross;
8
9     printf("Enter the value of Basic Salary: ", salary);
10    scanf("%f", &salary);
11
12    // hra = House Rent Allowance (20% of basic salary)
13    hra = salary * 0.2;
14
15    // da = Daily Allowance (10% of basic salary)
16    da = salary * 0.1;
17
18    gross = salary + hra + da;
```

Problems Output Debug Console Terminal Ports

```
● PS C:\CCC lab solutions> cd "c:\CCC lab solutions\" ; if ($?) { gcc Program_3.c -o Program_3 } ; if ($?) { .\Program_3 }
Enter the value of Basic Salary: 20000
Gross Salary = 26000.000000
○ PS C:\CCC lab solutions> 
```

C Program_4.c X

C Program_4.c > main()

```
1 // PROGRAM TO CONVERT TEMPERATURE FROM FAHRENHEIT TO CENTIGRADE DEGREES.
2
3 #include <stdio.h>
4
5 int main()
6 {
7
8     float f, c;
9
10    printf("Enter temperature in Fahrenheit: ", f);
11    scanf("%f", &f);
12
13    c = (f - 32) * 5 / 9;
14
15    printf("The temperature in Centigrade is: %f ", c);
16
17    return 0;
18 }
```

...

Problems Output Debug Console Terminal Ports

```
● PS C:\CCC lab solutions> cd "c:\CCC lab solutions\" ; if ($?) { gcc Program_4.c -o Program_4 } ; if ($?) { .\Program_4 }
Enter temperature in Fahrenheit: 98
The temperature in Centigrade is: 36.666668
○ PS C:\CCC lab solutions> 
```

C Program_5.c X

C Program_5.c > main()

```
1 // PROGRAM TO SWAP TWO VARIABLES USING THIRD VARIABLE.
2
3 #include <stdio.h>
4
5 int main()
6 {
7
8     int A, B, C;
9
10    printf("Enter the value of A: ", A);
11    scanf("%d", &A);
12
13    printf("Enter the value of B: ", B);
14    scanf("%d", &B);
15
16    C = A;
17    A = B;
18    B = C;
```

Problems Output Debug Console Terminal Ports

- PS C:\CCC lab solutions> cd "c:\CCC lab solutions\" ; if (\$?) { gcc Program_5.c -o Program_5 } ; if (\$?) { .\Program_5 }
Enter the value of A: 45
Enter the value of B: 34
After swapping: A = 34, B = 45
- PS C:\CCC lab solutions> █

Program_6.c X

Program_6.c > main()

```
1 // PROGRAM TO SWAP TWO VARIABLES WITHOUT USING THIRD VARIABLE.
2
3 #include <stdio.h>
4
5 int main()
6 {
7     int A, B;
8
9     printf("Enter the value of A: ", A);
10    scanf("%d", &A);
11
12    printf("Enter the value of B: ", B);
13    scanf("%d", &B);
14
15    A = A + B;
16    B = A - B;
17    A = A - B;
18
```

Problems Output Debug Console Terminal Ports

- PS C:\CCC lab solutions> cd "c:\CCC lab solutions\" ; if (\$?) { gcc Program_6.c -o Program_6 } ; if (\$?) { .\Program_6 }
Enter the value of A: 45
Enter the value of B: 34
After Swapping, A = 34, B = 45
- PS C:\CCC lab solutions>

C Program_7.c X

C Program_7.c > main()

```
1 // PROGRAM TO CALCULATE AREA OF A TRIANGLE.
2
3 #include <stdio.h>
4
5 int main()
6 {
7
8     int l, b, area;
9
10    printf("Enter the value of length of triangle: ", l);
11    scanf("%d", &l);
12
13    printf("Enter the value of breadth of triangle: ", b);
14    scanf("%d", &b);
15
16    area = l * b;
17
18    printf("The area of triangle is: %d", area);
```

Problems Output Debug Console Terminal Ports

```
PS C:\CCC lab solutions> cd "c:\CCC lab solutions\" ; if ($?) { gcc Program_7.c -o Program_7 } ; if ($?) { .\Program_7 }
Enter the value of length of triangle: 4
Enter the value of breadth of triangle: 8
The area of triangle is: 32
PS C:\CCC lab solutions>
```

C Program_8.c X

C Program_8.c > main()

```
1  /*EARTH TAKES A PERIOD OF REVOLUTION OF 31558150 SECONDS .WRITE A C PROGRAM TO CONVERT THIS INTO
2  NUMBER OF DAY,HOURS AND MINUTES */
3
4  #include <stdio.h>
5
6  int main()
7  {
8
9      int sec = 31558150;
10     int day, hr, min;
11
12     /*1 day = 86400 seconds
13     1 hour = 3600 seconds
14     1 minute = 60 seconds*/
15
16     day = sec / 86400;
17     sec = sec % 86400;
18
```

Problems Output Debug Console Terminal Ports

● PS C:\CCC lab solutions> cd "c:\CCC lab solutions\" ; if (\$?) { gcc Program_8.c -o Program_8 } ; if (\$?) { .\Program_8 }

Days = 365
Hours = 6
Minutes = 9
Seconds = 9

○ PS C:\CCC lab solutions>

C Program_9.c X

C Program_9.c > main()

```
1 // PROGRAM TO READ TIME IN HR,MIN,SEC AND CONVERT IT INTO TOTAL SECOND.
2
3 #include <stdio.h>
4
5 int main()
6 {
7
8     int hr, min, sec;
9
10    printf("Enter number of hours: ", hr);
11    scanf("%d", &hr);
12
13    printf("Enter the number of minutes: ", min);
14    scanf("%d", &min);
15
16    printf("Enter the number of seconds: ", sec);
17    scanf("%d", &sec);
18
```

Problems Output Debug Console Terminal Ports

- PS C:\CCC lab solutions> cd "c:\CCC lab solutions\" ; if (\$?) { gcc Program_9.c -o Program_9 } ; if (\$?) { .\Program_9 }
Enter number of hours: 5
Enter the number of minutes: 45
Enter the number of seconds: 56
Number of seconds are: 20756
- PS C:\CCC lab solutions> █

C Program_10.c X

C Program_10.c > main()

```
1  /* WRITE A C PROGRAM TO CALCULATE THE CUT OFF MARK OF A STUDENT USING THE FORMULA.
2  |      CM = M/2+P/2+C/2+E
3  WHERE CM = Cut of mark
4  M = Marks in Mathematics out of 200
5  P = Marks in Physics out of 200
6  C = Marks in Chemistry out of 200
7  E = Marks in entrance examination out of 100 */
8
9  #include <stdio.h>
10
11  int main()
12  {
13
14      int m, p, c, e, cm;
15
16      printf("Enter your marks in Mathematics out of 200: ", m);
17      scanf("%d", &m);
18
```

Problems Output Debug Console Terminal Ports

```
● PS C:\CCC lab solutions> cd "c:\CCC lab solutions\" ; if ($?) { gcc Program_10.c -o Program_10 } ; if ($?) { .\Program_10 }
Enter your marks in Mathematics out of 200: 180
Enter your marks in Physics out of 200: 190
Enter your marks in Chemistry out of 200: 179
Enter your marks in Entrance Examination out of 100: 70
Your Cut off marks are: 344
○ PS C:\CCC lab solutions> 
```

C Program_11.c X

C Program_11.c > main()

```
1 // PROGRAM TO READ TOTAL SECOND AND CONVERT IT INTO TIME.
2
3 #include <stdio.h>
4
5 int main()
6 {
7     int day, hr, min, sec;
8
9     printf("Enter number of seconds: ", sec);
10    scanf("%d", &sec);
11
12    day = sec / 86400;
13    sec = sec % 86400;
14
15    hr = sec / 3600;
16    sec = sec % 3600;
17
18    min = sec / 60;
```

Problems Output Debug Console Terminal Ports

● PS C:\CCC lab solutions> cd "c:\CCC lab solutions\" ; if (\$?) { gcc Program_11.c -o Program_11 } ; if (\$?) { .\Program_11 }
Enter number of seconds: 678457

```
Days = 7
Hours = 20
Minutes = 27
Seconds = 37
```

○ PS C:\CCC lab solutions> █

C Program_12.c X

C Program_12.c > main()

```
1 //PROGRAM TO PRINT ASCII CODE OF ANY CHARACTER.
2
3 #include <stdio.h>
4
5 int main()
6 {
7     char ch;
8
9     printf("Enter any character: ");
10    scanf("%c", &ch);
11
12    printf("ASCII code of %c = %d", ch, ch);
13
14    return 0;
15 }
```

Problems Output Debug Console Terminal Ports

```
● PS C:\CCC lab solutions> cd "c:\CCC lab solutions\" ; if ($?) { gcc Program_12.c -o Program_12 } ; if ($?) { .\Program_12 }
Enter any character: A
ASCII code of A = 65
○ PS C:\CCC lab solutions> 
```

C Program_13.c X

C Program_13.c > main()

```
4
5  int main()
6  {
7      int a;
8
9      printf("Enter your number: ", a);
10     scanf("%d", &a);
11
12     if (a % 2 == 0)
13     {
14         printf("The number %d is even", a);
15     }
16     else
17         printf("The number %d is odd", a);
18
19     return 0;
20 }
```

Problems Output Debug Console Terminal Ports

```
● PS C:\CCC lab solutions> cd "c:\CCC lab solutions\" ; if ($?) { gcc Program_13.c -o Program_13 } ; if ($?) { .\Program_13 }
Enter your number: 256
The number 256 is even
○ PS C:\CCC lab solutions> 
```