

System Information report written at: 06/16/26 13:33:54

System Name: OFFICE

[System Summary]

Item	Value
------	-------

OS Name	Microsoft Windows 11 Pro
---------	--------------------------

Version	10.0.26200 Build 26200
---------	------------------------

Other OS Description	Not Available
----------------------	---------------

OS Manufacturer	Microsoft Corporation
-----------------	-----------------------

System Name	OFFICE
-------------	--------

System Manufacturer	Gigabyte Technology Co., Ltd.
---------------------	-------------------------------

System Model	Z790 UD AC
--------------	------------

System Type	x64-based PC
-------------	--------------

System SKU	Default string
------------	----------------

Processor	Intel(R) Core(TM) i7-14700KF, 3400 Mhz, 20 Core(s), 28 Logical Processor(s)
-----------	---

BIOS Version/Date	American Megatrends International, LLC. F15, 12/1/2025
-------------------	--

SMBIOS Version	3.6
----------------	-----

Embedded Controller Version	255.255
-----------------------------	---------

BIOS Mode	UEFI
-----------	------

BaseBoard Manufacturer	Gigabyte Technology Co., Ltd.
------------------------	-------------------------------

BaseBoard Product	Z790 UD AC
-------------------	------------

BaseBoard Version	x.x
-------------------	-----

Platform Role	Desktop
---------------	---------

Secure Boot State	On
-------------------	----

PCR7 Configuration	Elevation Required to View
--------------------	----------------------------

Windows Directory	C:\Windows
-------------------	------------

System Directory	C:\Windows\system32
------------------	---------------------

Boot Device	\Device\HarddiskVolume2
-------------	-------------------------

Locale	United States
--------	---------------

Hardware Abstraction Layer	Version = "10.0.26100.1"
----------------------------	--------------------------

User Name	Office\duane
-----------	--------------

Time Zone	Eastern Daylight Time
-----------	-----------------------

Installed Physical Memory (RAM)	32.0 GB
---------------------------------	---------

Total Physical Memory	31.8 GB
-----------------------	---------

Available Physical Memory	9.42 GB
---------------------------	---------

Total Virtual Memory	61.8 GB
----------------------	---------

Available Virtual Memory	27.3 GB
--------------------------	---------

Page File Space	30.0 GB
-----------------	---------

Page File	C:\pagefile.sys
-----------	-----------------

Kernel DMA Protection	On
-----------------------	----

Virtualization-based security	Running
-------------------------------	---------

Virtualization-based security Required Security Properties	Base Virtualization Support
--	-----------------------------

Virtualization-based security Available Security Properties	Base Virtualization Support, Secure Boot, DMA Protection, UEFI Code Readonly, SMM Security Mitigations 1.0, Mode Based Execution Control, Advanced
---	--

PIC Virtualization	
--------------------	--

Virtualization-based security Services Configured	
---	--

Virtualization-based security Services Running	
--	--

App Control for Business policy	Enforced
---------------------------------	----------

App Control for Business user mode policy	Off
---	-----

Automatic Device Encryption Support	Elevation Required to View
-------------------------------------	----------------------------

A hypervisor has been detected. Features required for Hyper-V will not be displayed.

[Hardware Resources]

[Conflicts/Sharing]

Resource	Device
----------	--------

Memory Address	0x00000000055300000-0x00000000055303FFF	Standard NVM Express Controller
Memory Address	0x00000000055300000-0x00000000055303FFF	Intel(R) PCIe RC 060 (x4) G4 - A74D
Memory Address	0x00000000053000000-0x000000000541FFFFF	Intel(R) PCIe RC 010 G5 - A70D
Memory Address	0x00000000053000000-0x000000000541FFFFF	NVIDIA GeForce RTX 4070 SUPER
Memory Address	0x00000000055100000-0x00000000055103FFF	Standard NVM Express Controller
Memory Address	0x00000000055100000-0x00000000055103FFF	Intel(R) PCI Express Root Port #25 - 7A48
Memory Address	0x00000000054D00000-0x00000000054D0FFFF	Realtek Gaming 2.5GbE Family Controller
Memory Address	0x00000000054D00000-0x00000000054D0FFFF	Intel(R) PCI Express Root Port #3 - 7A3A
I/O Port	0x00005000-0x00005FFF	Intel(R) PCIe RC 010 G5 - A70D
I/O Port	0x00005000-0x00005FFF	NVIDIA GeForce RTX 4070 SUPER

IRQ 17 High Definition Audio Controller
IRQ 17 High Definition Audio Controller

Memory Address	0x00000000040000000-0x000000000BFFFFFFF	PCI Express Root Complex
Memory Address	0x00000000040000000-0x000000000BFFFFFFF	Intel(R) PCIe RC 010 G5 - A70D
Memory Address	0x00000000040000000-0x000000000BFFFFFFF	NVIDIA GeForce RTX 4070 SUPER
Memory Address	0x00000000054F00000-0x00000000054F03FFF	Standard NVM Express Controller
Memory Address	0x00000000054F00000-0x00000000054F03FFF	Intel(R) PCI Express Root Port #21 - 7A44

[DMA]

Resource	Device	Status
----------	--------	--------

[Forced Hardware]

Device	PNP Device ID
--------	---------------

[I/O]

Resource	Device	Status
0x000000A00-0x000000A2F	Motherboard resources	OK
0x000000A30-0x000000A3F	Motherboard resources	OK
0x000000A40-0x000000A4F	Motherboard resources	OK
0x00000002E-0x00000002F	Motherboard resources	OK
0x00000004E-0x00000004F	Motherboard resources	OK
0x000000061-0x000000061	Motherboard resources	OK
0x000000063-0x000000063	Motherboard resources	OK
0x000000065-0x000000065	Motherboard resources	OK
0x000000067-0x000000067	Motherboard resources	OK
0x000000070-0x000000070	Motherboard resources	OK
0x000000080-0x000000080	Motherboard resources	OK
0x000000092-0x000000092	Motherboard resources	OK
0x0000000B2-0x0000000B3	Motherboard resources	OK
0x000000680-0x00000069F	Motherboard resources	OK
0x00000164E-0x00000164F	Motherboard resources	OK
0x00004000-0x00004FFF	Intel(R) PCI Express Root Port #1 - 7A38	OK
0x000000020-0x000000021	Programmable interrupt controller	OK
0x000000024-0x000000025	Programmable interrupt controller	OK
0x000000028-0x000000029	Programmable interrupt controller	OK
0x00000002C-0x00000002D	Programmable interrupt controller	OK
0x000000030-0x000000031	Programmable interrupt controller	OK
0x000000034-0x000000035	Programmable interrupt controller	OK
0x000000038-0x000000039	Programmable interrupt controller	OK

0x0000003C-0x0000003D	Programmable interrupt controller	OK
0x000000A0-0x000000A1	Programmable interrupt controller	OK
0x000000A4-0x000000A5	Programmable interrupt controller	OK
0x000000A8-0x000000A9	Programmable interrupt controller	OK
0x000000AC-0x000000AD	Programmable interrupt controller	OK
0x000000B0-0x000000B1	Programmable interrupt controller	OK
0x000000B4-0x000000B5	Programmable interrupt controller	OK
0x000000B8-0x000000B9	Programmable interrupt controller	OK
0x000000BC-0x000000BD	Programmable interrupt controller	OK
0x0000004D0-0x0000004D1	Programmable interrupt controller	OK
0x0000003F8-0x0000003FF	Communications Port (COM1)	OK
0x000000040-0x000000043	System timer	OK
0x000000050-0x000000053	System timer	OK
0x000000000-0x000000CF7	PCI Express Root Complex	OK
0x000000D00-0x0000FFFF	PCI Express Root Complex	OK
0x00005000-0x00005FFF	Intel(R) PCIe RC 010 G5 - A70D	OK
0x00005000-0x00005FFF	NVIDIA GeForce RTX 4070 SUPER	OK
0x0000EFA0-0x0000EFBF	Intel(R) SMBus - 7A23	OK
0x00002000-0x000020FE	Motherboard resources	OK
0x00001854-0x00001857	Intel(R) Watchdog Timer Driver (Intel(R) WDT)	OK
0x00003000-0x00003FFF	Intel(R) PCI Express Root Port #3 - 7A3A	OK
0x00006050-0x00006057	Standard SATA AHCI Controller	OK
0x00006040-0x00006043	Standard SATA AHCI Controller	OK
0x00006020-0x0000603F	Standard SATA AHCI Controller	OK

[IRQs]

Resource	Device	Status
IRQ 40	Intel(R) Serial IO I2C Host Controller - 7A4D	OK
IRQ 4294967289	Intel(R) PCI Express Root Port #1 - 7A38	OK
IRQ 4294967232	Intel(R) Wireless-AC 9461	OK
IRQ 4294967231	Intel(R) Wireless-AC 9461	OK
IRQ 4294967230	Intel(R) Wireless-AC 9461	OK
IRQ 4294967269	Standard NVM Express Controller	OK
IRQ 4294967268	Standard NVM Express Controller	OK
IRQ 4294967267	Standard NVM Express Controller	OK
IRQ 4294967266	Standard NVM Express Controller	OK
IRQ 4294967265	Standard NVM Express Controller	OK
IRQ 4294967264	Standard NVM Express Controller	OK
IRQ 4294967263	Standard NVM Express Controller	OK
IRQ 4294967262	Standard NVM Express Controller	OK
IRQ 4294967261	Standard NVM Express Controller	OK
IRQ 4294967260	Standard NVM Express Controller	OK
IRQ 4294967259	Standard NVM Express Controller	OK
IRQ 4294967258	Standard NVM Express Controller	OK
IRQ 4294967257	Standard NVM Express Controller	OK
IRQ 4294967256	Standard NVM Express Controller	OK
IRQ 4294967255	Standard NVM Express Controller	OK
IRQ 4294967254	Standard NVM Express Controller	OK
IRQ 4294967253	Standard NVM Express Controller	OK
IRQ 32	Intel(R) Serial IO I2C Host Controller - 7A7D	OK
IRQ 43	Intel(R) Serial IO I2C Host Controller - 7A4F	OK
IRQ 4	Communications Port (COM1)	OK
IRQ 17	High Definition Audio Controller	OK
IRQ 17	High Definition Audio Controller	OK
IRQ 27	Intel(R) Serial IO I2C Host Controller - 7A4C	OK
IRQ 4294967288	Intel(R) PCI Express Root Port #17 - 7A40	OK
IRQ 0	System timer	OK
IRQ 4294967252	Standard NVM Express Controller	OK
IRQ 4294967251	Standard NVM Express Controller	OK

IRQ 4294967250	Standard NVM Express Controller	OK
IRQ 4294967249	Standard NVM Express Controller	OK
IRQ 4294967248	Standard NVM Express Controller	OK
IRQ 4294967247	Standard NVM Express Controller	OK
IRQ 4294967246	Standard NVM Express Controller	OK
IRQ 4294967245	Standard NVM Express Controller	OK
IRQ 4294967244	Standard NVM Express Controller	OK
IRQ 4294967243	Standard NVM Express Controller	OK
IRQ 4294967242	Standard NVM Express Controller	OK
IRQ 4294967241	Standard NVM Express Controller	OK
IRQ 4294967240	Standard NVM Express Controller	OK
IRQ 4294967239	Standard NVM Express Controller	OK
IRQ 4294967238	Standard NVM Express Controller	OK
IRQ 4294967237	Standard NVM Express Controller	OK
IRQ 4294967236	Standard NVM Express Controller	OK
IRQ 4294967292	Intel(R) PCI Express Root Port #25 - 7A48	OK
IRQ 14	Intel(R) Serial IO GPIO Host Controller - INTC1085	OK
IRQ 4294967235	Realtek Gaming 2.5GbE Family Controller	OK
IRQ 55	Microsoft ACPI-Compliant System	OK
IRQ 56	Microsoft ACPI-Compliant System	OK
IRQ 57	Microsoft ACPI-Compliant System	OK
IRQ 58	Microsoft ACPI-Compliant System	OK
IRQ 59	Microsoft ACPI-Compliant System	OK
IRQ 60	Microsoft ACPI-Compliant System	OK
IRQ 61	Microsoft ACPI-Compliant System	OK
IRQ 62	Microsoft ACPI-Compliant System	OK
IRQ 63	Microsoft ACPI-Compliant System	OK
IRQ 64	Microsoft ACPI-Compliant System	OK
IRQ 65	Microsoft ACPI-Compliant System	OK
IRQ 66	Microsoft ACPI-Compliant System	OK
IRQ 67	Microsoft ACPI-Compliant System	OK
IRQ 68	Microsoft ACPI-Compliant System	OK
IRQ 69	Microsoft ACPI-Compliant System	OK
IRQ 70	Microsoft ACPI-Compliant System	OK
IRQ 71	Microsoft ACPI-Compliant System	OK
IRQ 72	Microsoft ACPI-Compliant System	OK
IRQ 73	Microsoft ACPI-Compliant System	OK
IRQ 74	Microsoft ACPI-Compliant System	OK
IRQ 75	Microsoft ACPI-Compliant System	OK
IRQ 76	Microsoft ACPI-Compliant System	OK
IRQ 77	Microsoft ACPI-Compliant System	OK
IRQ 78	Microsoft ACPI-Compliant System	OK
IRQ 79	Microsoft ACPI-Compliant System	OK
IRQ 80	Microsoft ACPI-Compliant System	OK
IRQ 81	Microsoft ACPI-Compliant System	OK
IRQ 82	Microsoft ACPI-Compliant System	OK
IRQ 83	Microsoft ACPI-Compliant System	OK
IRQ 84	Microsoft ACPI-Compliant System	OK
IRQ 85	Microsoft ACPI-Compliant System	OK
IRQ 86	Microsoft ACPI-Compliant System	OK
IRQ 87	Microsoft ACPI-Compliant System	OK
IRQ 88	Microsoft ACPI-Compliant System	OK
IRQ 89	Microsoft ACPI-Compliant System	OK
IRQ 90	Microsoft ACPI-Compliant System	OK
IRQ 91	Microsoft ACPI-Compliant System	OK
IRQ 92	Microsoft ACPI-Compliant System	OK
IRQ 93	Microsoft ACPI-Compliant System	OK
IRQ 94	Microsoft ACPI-Compliant System	OK
IRQ 95	Microsoft ACPI-Compliant System	OK
IRQ 96	Microsoft ACPI-Compliant System	OK

IRQ 508	Microsoft ACPI-Compliant System	OK	
IRQ 509	Microsoft ACPI-Compliant System	OK	
IRQ 510	Microsoft ACPI-Compliant System	OK	
IRQ 511	Microsoft ACPI-Compliant System	OK	
IRQ 4294967294	Intel(R) PCIe RC 010 G5 - A70D	OK	
IRQ 4294967234	NVIDIA GeForce RTX 4070 SUPER	OK	
IRQ 31	Intel(R) Serial IO I2C Host Controller - 7A7C	OK	
IRQ 4294967286	Standard NVM Express Controller	OK	
IRQ 4294967285	Standard NVM Express Controller	OK	
IRQ 4294967284	Standard NVM Express Controller	OK	
IRQ 4294967283	Standard NVM Express Controller	OK	
IRQ 4294967282	Standard NVM Express Controller	OK	
IRQ 4294967281	Standard NVM Express Controller	OK	
IRQ 4294967280	Standard NVM Express Controller	OK	
IRQ 4294967279	Standard NVM Express Controller	OK	
IRQ 4294967278	Standard NVM Express Controller	OK	
IRQ 4294967277	Standard NVM Express Controller	OK	
IRQ 4294967276	Standard NVM Express Controller	OK	
IRQ 4294967275	Standard NVM Express Controller	OK	
IRQ 4294967274	Standard NVM Express Controller	OK	
IRQ 4294967273	Standard NVM Express Controller	OK	
IRQ 4294967272	Standard NVM Express Controller	OK	
IRQ 4294967271	Standard NVM Express Controller	OK	
IRQ 4294967270	Standard NVM Express Controller	OK	
IRQ 4294967233	Intel(R) USB 3.20 eXtensible Host Controller - 1.20 (Microsoft)	OK	
IRQ 29	Intel(R) Serial IO I2C Host Controller - 7A4E	OK	
IRQ 4294967229	Intel(R) Management Engine Interface #1	OK	
IRQ 4294967291	Intel(R) PCI Express Root Port #3 - 7A3A	OK	
IRQ 4294967287	Standard SATA AHCI Controller	OK	
IRQ 4294967290	Intel(R) PCI Express Root Port #21 - 7A44	OK	
IRQ 4294967293	Intel(R) PCIe RC 060 (x4) G4 - A74D	OK	

[Memory]

Resource	Device	Status	
0x00000000BFFFD000-0x00000000BFFFDFFF	Intel(R) Serial IO I2C Host Controller - 7A4D	OK	
0x00000000FEDC0000-0x00000000FEDC7FFF	Motherboard resources	OK	
0x00000000FEDA0000-0x00000000FEDA0FFF	Motherboard resources	OK	
0x00000000FEDA1000-0x00000000FEDA1FFF	Motherboard resources	OK	
0x00000000C0000000-0x00000000CFFFFFFF	Motherboard resources	OK	
0x00000000FED20000-0x00000000FED7FFFF	Motherboard resources	OK	
0x00000000FED90000-0x00000000FED93FFF	Motherboard resources	OK	
0x00000000FED45000-0x00000000FED8FFFF	Motherboard resources	OK	
0x00000000FEE00000-0x00000000FEEFFFFF	Motherboard resources	OK	
0x0000000054300000-0x0000000054CFFFFF	Intel(R) PCI Express Root Port #1 - 7A38	OK	
0x0000000052100000-0x0000000052AFFFFF	Intel(R) PCI Express Root Port #1 - 7A38	OK	
0x00000000FE010000-0x00000000FE010FFF	Intel(R) SPI (flash) Controller - 7A24	OK	
0x00000000BFFF8000-0x00000000BFFF8FFF	Intel(R) Wireless-AC 9461	OK	
0x0000000055100000-0x0000000055103FFF	Standard NVM Express Controller	OK	
0x0000000055100000-0x0000000055103FFF	Intel(R) PCI Express Root Port #25 - 7A48	OK	
0x000000005551F000-0x000000005551FFFF	Intel(R) Serial IO I2C Host Controller - 7A7D	OK	
0x00000000FED00000-0x00000000FED003FF	High precision event timer	OK	
0x00000000BFFFF000-0x00000000BFFFFFFF	Intel(R) Serial IO I2C Host Controller - 7A4F	OK	
0x00000000BFFF4000-0x00000000BFFF7FFF	High Definition Audio Controller	OK	
0x00000000BFE00000-0x00000000BFEFFFFF	High Definition Audio Controller	OK	
0x00000000BFFFC000-0x00000000BFFFCFFF	Intel(R) Serial IO I2C Host Controller - 7A4C	OK	
0x0000000054F00000-0x0000000054F03FFF	Standard NVM Express Controller	OK	
0x0000000054F00000-0x0000000054F03FFF	Intel(R) PCI Express Root Port #21 - 7A44	OK	
0x00000000E06E0000-0x00000000E06EFFFF	Intel(R) Serial IO GPIO Host Controller - INTC1085	OK	
0x00000000E06D0000-0x00000000E06DFFFF	Intel(R) Serial IO GPIO Host Controller - INTC1085	OK	

0x00000000E06B0000-0x00000000E06BFFFF	Intel(R) Serial IO GPIO Host Controller - INTC1085	OK
0x00000000E06A0000-0x00000000E06AFFFF	Intel(R) Serial IO GPIO Host Controller - INTC1085	OK
0x00000000E0690000-0x00000000E069FFFF	Intel(R) Serial IO GPIO Host Controller - INTC1085	OK
0x00000000FC000000-0x00000000FC00FFFF	Motherboard resources	OK
0x000000000000A0000-0x000000000000BFFFF	PCI Express Root Complex	OK
0x000000000000E0000-0x000000000000E3FFF	PCI Express Root Complex	OK
0x000000000000E4000-0x000000000000E7FFF	PCI Express Root Complex	OK
0x000000000000E8000-0x000000000000EBFFF	PCI Express Root Complex	OK
0x000000000000EC000-0x000000000000EFFFF	PCI Express Root Complex	OK
0x000000000000F0000-0x000000000000FFFFFF	PCI Express Root Complex	OK
0x0000000040000000-0x00000000BFFFFFFF	PCI Express Root Complex	OK
0x0000000040000000-0x00000000BFFFFFFF	Intel(R) PCIe RC 010 G5 - A70D	OK
0x0000000040000000-0x00000000BFFFFFFF	NVIDIA GeForce RTX 4070 SUPER	OK
0x0000000054D00000-0x0000000054D0FFFF	Realtek Gaming 2.5GbE Family Controller	OK
0x0000000054D00000-0x0000000054D0FFFF	Intel(R) PCI Express Root Port #3 - 7A3A	OK
0x0000000054D10000-0x0000000054D13FFF	Realtek Gaming 2.5GbE Family Controller	OK
0x0000000053000000-0x00000000541FFFFF	Intel(R) PCIe RC 010 G5 - A70D	OK
0x0000000053000000-0x00000000541FFFFF	NVIDIA GeForce RTX 4070 SUPER	OK
0x000000005551E000-0x000000005551E0FF	Intel(R) SMBus - 7A23	OK
0x0000000050000000-0x0000000051FFFFFF	NVIDIA GeForce RTX 4070 SUPER	OK
0x0000000055520000-0x0000000055520FFF	Intel(R) Serial IO I2C Host Controller - 7A7C	OK
0x0000000055300000-0x0000000055303FFF	Standard NVM Express Controller	OK
0x0000000055300000-0x0000000055303FFF	Intel(R) PCIe RC 060 (x4) G4 - A74D	OK
0x0000000055500000-0x000000005550FFFF	Intel(R) USB 3.20 eXtensible Host Controller - 1.20 (Microso	ft) OK
0x00000000FED40000-0x00000000FED44FFF	Trusted Platform Module 2.0	OK
0x00000000BFFFE000-0x00000000BFFFEFFF	Intel(R) Serial IO I2C Host Controller - 7A4E	OK
0x00000000BFFF3000-0x00000000BFFF3FFF	Intel(R) Management Engine Interface #1	OK
0x00000000541FC000-0x00000000541FFFFF	High Definition Audio Controller	OK
0x000000005551C000-0x000000005551DFFF	Standard SATA AHCI Controller	OK
0x0000000055522000-0x00000000555220FF	Standard SATA AHCI Controller	OK
0x0000000055521000-0x00000000555217FF	Standard SATA AHCI Controller	OK

[Components]

[Multimedia]

[Audio Codecs]

CODEC	Manufacturer	Description	Status	File	Version	Size	Creation Date
c:\windows\system32\msadp32.acm	Microsoft Corporation		OK			C:\Windows\system32\MSADP32.ACM	
10.0.26100.1150	61.96 KB (63,448 bytes)	3/4/2026 7:35 PM					
c:\windows\system32\msgsm32.acm	Microsoft Corporation		OK			C:\Windows\system32\MSGSM32.ACM	
10.0.26100.1882	70.03 KB (71,712 bytes)	3/4/2026 7:35 PM					
c:\windows\system32\imaadp32.acm	Microsoft Corporation		OK			C:\Windows\system32\IMAADP32.ACM	
10.0.26100.1150	66.01 KB (67,592 bytes)	3/4/2026 7:35 PM					
c:\windows\system32\msg711.acm	Microsoft Corporation		OK			C:\Windows\system32\MSG711.ACM	
10.0.26100.1150	53.89 KB (55,184 bytes)	3/4/2026 7:35 PM					
c:\windows\system32\l3codeca.acm	Fraunhofer Institut Integrierte Schaltungen IIS	Fraunhofer IIS					
MPEG Layer-3 Codec	OK	C:\Windows\system32\L3CODECA.ACM	1.9.0.401	116.00 KB (118,784 byte	s)	3/4/2026 7:35 PM	

[Video Codecs]

CODEC	Manufacturer	Description	Status	File	Version	Size	Creation Date
c:\windows\system32\iyuv_32.dll	Microsoft Corporation		OK			C:\Windows\system32\IYUV_32.DLL	
10.0.26100.1150	80.00 KB (81,920 bytes)	3/4/2026 7:35 PM					
c:\windows\system32\msrle32.dll	Microsoft Corporation		OK			C:\Windows\system32\MSRLE32.DLL	

10.0.26100.1882	44.00 KB (45,056 bytes)	3/4/2026 7:35 PM	
c:\windows\system32\msvidc32.dll	Microsoft Corporation	OK	C:\Windows\system32\MSVIDC32.DLL
10.0.26100.1882	64.00 KB (65,536 bytes)	3/4/2026 7:35 PM	
c:\windows\system32\msyuv.dll	Microsoft Corporation	OK	C:\Windows\system32\MSYUV.DLL
10.0.26100.1150	52.00 KB (53,248 bytes)	3/4/2026 7:35 PM	
c:\windows\system32\tsbyuv.dll	Microsoft Corporation	OK	C:\Windows\system32\TSBYUV.DLL
10.0.26100.1150	44.00 KB (45,056 bytes)	3/4/2026 7:35 PM	

[CD-ROM]

Item	Value
------	-------

[Sound Device]

Item	Value
------	-------

Name	USB Audio Device
Manufacturer	(Generic USB Audio)
Status	OK
PNP Device ID	USB\VID_1C75&PID_0219&MI_00\6&1D2A7058&0&0000
Driver	C:\WINDOWS\SYSTEM32\DRIVERS\USBAUDIO.SYS (10.0.26100.8521, 284.00 KB (290,816 bytes), 5/28/2026 12:35 PM)

Name	USB Audio Device
Manufacturer	(Generic USB Audio)
Status	OK
PNP Device ID	USB\VID_0BDA&PID_49FE&MI_00\7&1BA10F0E&0&0000
Driver	C:\WINDOWS\SYSTEM32\DRIVERS\USBAUDIO.SYS (10.0.26100.8521, 284.00 KB (290,816 bytes), 5/28/2026 12:35 PM)

Name	Focusrite USB Audio
Manufacturer	Focusrite Audio Engineering, Ltd.
Status	OK
PNP Device ID	FOCUSRITEUSB\AUDIO&ADAPTER\1&2C3F869&1&
Driver	C:\WINDOWS\SYSTEM32\DRIVERS\FOCUSRITEUSBAUDIO.SYS (4.143.0.0, 110.75 KB (113,408 bytes), 3/15/2026 6:38 PM)

Name	Realtek High Definition Audio
Manufacturer	Realtek
Status	OK
PNP Device ID	HDAUDIO\FUNC_01&VEN_10EC&DEV_0897&SUBSYS_1458A194&REV_1004\4&51DC071&0&0001
Driver	C:\WINDOWS\SYSTEM32\DRIVERSTORE\FILEREPPOSITORY\HDXGIGABYTE.INF_AMD64_509485904082D63D\RTKVHD64.SYS (6.0.9927.1, 6.52 MB (6,841,896 bytes), 1/16/2026 12:05 PM)

Name	NVIDIA High Definition Audio
Manufacturer	NVIDIA
Status	OK
PNP Device ID	HDAUDIO\FUNC_01&VEN_10DE&DEV_00A5&SUBSYS_1043896E&REV_1001\5&39F5BE89&0&0001
Driver	C:\WINDOWS\SYSTEM32\DRIVERS\NVHDA64V.SYS (1.4.5.7, 133.83 KB (137,040 bytes), 3/20/2026 6:07 AM)

Name	AVerMedia H837 USB Hybrid ATSC/QAM
Manufacturer	AVerMedia TECHNOLOGIES, Inc.
Status	OK
PNP Device ID	USB\VID_07CA&PID_0837&MI_01\7&219C40E5&0&0001
Driver	C:\WINDOWS\SYSTEM32\DRIVERS\AVERPOLA.SYS (10.2.64.103, 842.13 KB (862,336 bytes), 3/5/2026 9:55 AM)

[Display]

Item	Value
------	-------

Name NVIDIA GeForce RTX 4070 SUPER
PNP Device ID PCI\VEN_10DE&DEV_2783&SUBSYS_896E1043&REV_A1\4&8BD6E8D&0&0008
Adapter Type NVIDIA GeForce RTX 4070 SUPER, NVIDIA compatible
Adapter Description NVIDIA GeForce RTX 4070 SUPER
Adapter RAM (1,048,576) bytes
Installed Drivers C:\Windows\System32\DriverStore\FileRepository\nv_dispig.inf_amd64_f4c7a2fd13e0f763\nvldumdx.dll,C:\Windows\System32\DriverStore\FileRepository\nv_dispig.inf_amd64_f4c7a2fd13e0f763\nvldumdx.dll,C:\Windows\System32\DriverStore\FileRepository\nv_dispig.inf_amd64_f4c7a2fd13e0f763\nvldumdx.dll,C:\Windows\System32\DriverStore\FileRepository\nv_dispig.inf_amd64_f4c7a2fd13e0f763\nvldumdx.dll
Driver Version 32.0.15.9186
INF File oem75.inf (Section030 section)
Color Planes Not Available
Color Table Entries 4294967296
Resolution 1920 x 1080 x 74 hertz
Bits/Pixel 32
Memory Address 0x00000000053000000-0x000000000541FFFFFF
Memory Address 0x00000000040000000-0x000000000BFFFFFFF
Memory Address 0x00000000050000000-0x00000000051FFFFFFF
I/O Port 0x00005000-0x00005FFF
IRQ Channel IRQ 4294967234
Driver C:\WINDOWS\SYSTEM32\DRIVERSTORE\FILEREPPOSITORY\NV_DISPIG.INF_AMD64_F4C7A2FD13E0F763\NVLDDMK.M.SYS (32.0.15.9186, 100.45 MB (105,330,920 bytes), 3/20/2026 6:07 AM)

[Infrared]

Item Value

[Input]

[Keyboard]

Item Value

Description HID Keyboard Device
Name Enhanced (101- or 102-key)
Layout 00000409
PNP Device ID HID\VID_046D&PID_C54D&MI_01&COL01\7&126B68A3&0&0000
Number of Function Keys 12
Driver C:\WINDOWS\SYSTEM32\DRIVERS\KBDHID.SYS (10.0.26100.8521, 80.00 KB (81,920 bytes), 5/28/2026 12:35 PM)

Description HID Keyboard Device
Name Enhanced (101- or 102-key)
Layout 00000409
PNP Device ID HID\INTC816&COL01\3&1535A34C&0&0000
Number of Function Keys 12
Driver C:\WINDOWS\SYSTEM32\DRIVERS\KBDHID.SYS (10.0.26100.8521, 80.00 KB (81,920 bytes), 5/28/2026 12:35 PM)

Description HID Keyboard Device
Name Enhanced (101- or 102-key)
Layout 00000409
PNP Device ID HID\VID_046D&PID_C232\2&2FB645F0&0&0000
Number of Function Keys 12
Driver C:\WINDOWS\SYSTEM32\DRIVERS\KBDHID.SYS (10.0.26100.8521, 80.00 KB (81,920 bytes), 5/28/2026 12:35 PM)

Description HID Keyboard Device
Name Enhanced (101- or 102-key)

Layout 00000409
PNP Device ID HID\CONVERTEDDEVICE&COL01\5&27CFA2AF&0&0000
Number of Function Keys 12
Driver C:\WINDOWS\SYSTEM32\DRIVERS\KBDHID.SYS (10.0.26100.8521, 80.00 KB (81,920 bytes), 5/28/2026 12:35 PM)

Description HID Keyboard Device
Name Enhanced (101- or 102-key)
Layout 00000409
PNP Device ID HID\VID_0483&PID_5232&MI_02&COL03\7&17D84121&0&0002
Number of Function Keys 12
Driver C:\WINDOWS\SYSTEM32\DRIVERS\KBDHID.SYS (10.0.26100.8521, 80.00 KB (81,920 bytes), 5/28/2026 12:35 PM)

Description USB Input Device
Name Enhanced (101- or 102-key)
Layout 00000409
PNP Device ID USB\VID_0483&PID_5232&MI_00\6&12522559&0&0000
Number of Function Keys 12
Driver C:\WINDOWS\SYSTEM32\DRIVERS\HIDUSB.SYS (10.0.26100.8521, 80.00 KB (81,920 bytes), 5/28/2026 12:35 PM)

[Pointing Device]

Item Value
Hardware Type HID-compliant mouse
Number of Buttons 0
Status OK
PNP Device ID HID\{00001812-0000-1000-8000-00805F9B34FB}_DEV_VID&02046D_PID&B036_REV&0007_D59A566E4ACB&COL01\9&1D77CE32&0&0000
Power Management Supported No
Double Click Threshold Not Available
Handedness Not Available
Driver C:\WINDOWS\SYSTEM32\DRIVERS\MOUHID.SYS (10.0.26100.1150, 68.00 KB (69,632 bytes), 3/4/2026 7:35 PM)

Hardware Type USB Input Device
Number of Buttons 0
Status OK
PNP Device ID USB\VID_046D&PID_C54D&MI_00\6&1DAE910C&0&0000
Power Management Supported No
Double Click Threshold Not Available
Handedness Not Available
Driver C:\WINDOWS\SYSTEM32\DRIVERS\HIDUSB.SYS (10.0.26100.8521, 80.00 KB (81,920 bytes), 5/28/2026 12:35 PM)

Hardware Type HID-compliant mouse
Number of Buttons 0
Status OK
PNP Device ID HID\VID_0483&PID_5232&MI_02&COL04\7&17D84121&0&0003
Power Management Supported No
Double Click Threshold Not Available
Handedness Not Available
Driver C:\WINDOWS\SYSTEM32\DRIVERS\MOUHID.SYS (10.0.26100.1150, 68.00 KB (69,632 bytes), 3/4/2026 7:35 PM)

[Modem]

Item Value

[Network]

[Adapter]

Item Value

Name [00000000] Realtek Gaming 2.5GbE Family Controller
 Adapter Type Ethernet 802.3
 Product Type Realtek Gaming 2.5GbE Family Controller
 Installed Yes
 PNP Device ID PCI\VEN_10EC&DEV_8125&SUBSYS_E0001458&REV_05\010000000684CE00000
 Last Reset 6/15/2026 6:25 AM
 Index 0
 Service Name rt25cx21
 IP Address 192.168.1.100, fe80::8e35:ec09:6b51:3395
 IP Subnet 255.255.255.0, 64
 Default IP Gateway 192.168.1.1
 DHCP Enabled Yes
 DHCP Server 192.168.1.1
 DHCP Lease Expires 6/17/2026 5:38 AM
 DHCP Lease Obtained 6/16/2026 5:38 AM
 MAC Address 74:56:3C:BB:A9:FB
 Memory Address 0x00000000054D00000-0x00000000054D0FFFF
 Memory Address 0x00000000054D10000-0x00000000054D13FFF
 IRQ Channel IRQ 4294967235
 Driver C:\WINDOWS\SYSTEM32\DRIVERSTORE\FILEREPPOSITORY\RT25CX21X64.INF_AMD64_7AC7D413A2DBC3D4\RT25CX21X64.SYS (1125.27.919.2025, 899.54 KB (921,128 bytes), 1/16/2026 12:06 PM)

Name [00000001] Intel(R) Wireless-AC 9461
 Adapter Type Ethernet 802.3
 Product Type Intel(R) Wireless-AC 9461
 Installed Yes
 PNP Device ID PCI\VEN_8086&DEV_7A70&SUBSYS_02648086&REV_11\3&11583659&0&A3
 Last Reset 6/15/2026 6:25 AM
 Index 1
 Service Name Netwtw10.
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled Yes
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address 58:CE:2A:2E:41:04
 Memory Address 0x000000000BFFF8000-0x000000000BFFFBFFF
 IRQ Channel IRQ 4294967232
 IRQ Channel IRQ 4294967231
 IRQ Channel IRQ 4294967230
 Driver C:\WINDOWS\SYSTEM32\DRIVERS\NETWTW10.SYS (22.180.39.1, 5.04 MB (5,288,872 bytes), 5/25/2026 4:28 AM)

Name [00000002] Microsoft Kernel Debug Network Adapter
 Adapter Type Not Available
 Product Type Microsoft Kernel Debug Network Adapter
 Installed Yes
 PNP Device ID ROOT\KDNIC\0000
 Last Reset 6/15/2026 6:25 AM
 Index 2
 Service Name kdnic
 IP Address Not Available

IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled Yes
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available
Driver C:\WINDOWS\SYSTEM32\DRIVERS\KDNIC.SYS (6.2.1.0, 77.48 KB (79,336 bytes), 5/28/2026 12:35 PM)

Name [00000003] Bluetooth Device (Personal Area Network)

Adapter Type Not Available
Product Type Bluetooth Device (Personal Area Network)
Installed Yes
PNP Device ID Not Available
Last Reset 6/15/2026 6:25 AM
Index 3
Service Name BthPan
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled Yes
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available

Name [00000004] Microsoft Wi-Fi Direct Virtual Adapter

Adapter Type Ethernet 802.3
Product Type Microsoft Wi-Fi Direct Virtual Adapter
Installed Yes
PNP Device ID {5D624F94-8850-40C3-A3FA-A4FD2080BAF3}\VWIFIMP_WFD\4&114F8544&0&11
Last Reset 6/15/2026 6:25 AM
Index 4
Service Name vwifimp
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled Yes
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address 58:CE:2A:2E:41:05
Driver C:\WINDOWS\SYSTEM32\DRIVERSTORE\FILEREPPOSITORY\NETVWIFIMP.INF_AMD64_D5D60E62DE4BBA77\VWIFIMP.SYS (10.0.26100.8521, 88.00 KB (90,112 bytes), 5/28/2026 12:35 PM)

Name [00000005] Microsoft Wi-Fi Direct Virtual Adapter

Adapter Type Ethernet 802.3
Product Type Microsoft Wi-Fi Direct Virtual Adapter
Installed Yes
PNP Device ID {5D624F94-8850-40C3-A3FA-A4FD2080BAF3}\VWIFIMP_WFD\4&114F8544&0&12
Last Reset 6/15/2026 6:25 AM
Index 5
Service Name vwifimp
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available

MAC Address 5A:CE:2A:2E:41:04
Driver C:\WINDOWS\SYSTEM32\DRIVERSTORE\FILEREPOSITORY\NETWIFIMP.INF_AMD64_D5D60E62DE4BBA77\VWIFIMP.SYS (10.0.26100.8521, 88.00 KB (90,112 bytes), 5/28/2026 12:35 PM)

Name [00000006] WAN Miniport (SSTP)
Adapter Type Not Available
Product Type WAN Miniport (SSTP)
Installed Yes
PNP Device ID SWD\MSRRAS\MS_SSTPMINIPORT
Last Reset 6/15/2026 6:25 AM
Index 6
Service Name RasSstp
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available
Driver C:\WINDOWS\SYSTEM32\DRIVERS\RASSSTP.SYS (10.0.26100.1882, 120.00 KB (122,880 bytes), 3/4/2026 7:35 PM)

Name [00000007] WAN Miniport (IKEv2)
Adapter Type Not Available
Product Type WAN Miniport (IKEv2)
Installed Yes
PNP Device ID SWD\MSRRAS\MS_AGILEVPNMINIPORT
Last Reset 6/15/2026 6:25 AM
Index 7
Service Name RasAgileVpn
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available
Driver C:\WINDOWS\SYSTEM32\DRIVERS\AGILEVPN.SYS (10.0.26100.8521, 144.00 KB (147,456 bytes), 5/28/2026 12:35 PM)

Name [00000008] WAN Miniport (L2TP)
Adapter Type Not Available
Product Type WAN Miniport (L2TP)
Installed Yes
PNP Device ID SWD\MSRRAS\MS_L2TPMINIPORT
Last Reset 6/15/2026 6:25 AM
Index 8
Service Name Rasl2tp
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available
Driver C:\WINDOWS\SYSTEM32\DRIVERS\RASL2TP.SYS (10.0.26100.8328, 144.00 KB (147,456 bytes), 5/1/2026 9:04 AM)

Name [00000009] WAN Miniport (PPTP)
Adapter Type Not Available
Product Type WAN Miniport (PPTP)
Installed Yes
PNP Device ID SWD\MSRRAS\MS_PPTPMINIPORT
Last Reset 6/15/2026 6:25 AM
Index 9
Service Name PptpMiniport
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available
Driver C:\WINDOWS\SYSTEM32\DRIVERS\RASPPTP.SYS (10.0.26100.8328, 144.00 KB (147,456 bytes), 5/1/2026 9:04 AM)

Name [00000010] WAN Miniport (PPPOE)
Adapter Type Not Available
Product Type WAN Miniport (PPPOE)
Installed Yes
PNP Device ID SWD\MSRRAS\MS_PPPOEMINIPORT
Last Reset 6/15/2026 6:25 AM
Index 10
Service Name RasPppoe
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available
Driver C:\WINDOWS\SYSTEM32\DRIVERS\RASPPPOE.SYS (10.0.26100.1882, 120.00 KB (122,880 bytes), 3/4/2026 7:35 PM)

Name [00000011] WAN Miniport (IP)
Adapter Type Ethernet 802.3
Product Type WAN Miniport (IP)
Installed Yes
PNP Device ID SWD\MSRRAS\MS_NDISWANIP
Last Reset 6/15/2026 6:25 AM
Index 11
Service Name NdisWan
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address 30:97:20:52:41:53
Driver C:\WINDOWS\SYSTEM32\DRIVERS\NDISWAN.SYS (10.0.26100.8521, 252.00 KB (258,048 bytes), 5/28/2026 12:35 PM)

Name [00000012] WAN Miniport (IPv6)
Adapter Type Ethernet 802.3
Product Type WAN Miniport (IPv6)

Installed Yes
PNP Device ID SWD\MSRRAS\MS_NDISWANIPV6
Last Reset 6/15/2026 6:25 AM
Index 12
Service Name NdisWan
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address 30:2A:20:52:41:53
Driver C:\WINDOWS\SYSTEM32\DRIVERS\NDISWAN.SYS (10.0.26100.8521, 252.00 KB (258,048 bytes), 5/28/2026 12:35 PM)

Name [00000013] WAN Miniport (Network Monitor)
Adapter Type Ethernet 802.3
Product Type WAN Miniport (Network Monitor)
Installed Yes

PNP Device ID SWD\MSRRAS\MS_NDISWANBH
Last Reset 6/15/2026 6:25 AM
Index 13

Service Name NdisWan
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address 30:A1:20:52:41:53
Driver C:\WINDOWS\SYSTEM32\DRIVERS\NDISWAN.SYS (10.0.26100.8521, 252.00 KB (258,048 bytes), 5/28/2026 12:35 PM)

Name [00000014] Bluetooth Device (Personal Area Network)
Adapter Type Ethernet 802.3
Product Type Bluetooth Device (Personal Area Network)
Installed Yes

PNP Device ID BTH\MS_BTHPAN\6&2C8DA693&1&2
Last Reset 6/15/2026 6:25 AM
Index 14

Service Name BthPan
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled Yes
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address 58:CE:2A:2E:41:08
Driver C:\WINDOWS\SYSTEM32\DRIVERS\BTHPAN.SYS (10.0.26100.8655, 164.00 KB (167,936 bytes), 6/9/2026 7:57 PM)

[Protocol]

Item	Value
Name	Hyper-V RAW
Connectionless Service	No
Guarantees Delivery	Yes

Guarantees Sequencing Yes
 Maximum Address Size 36 bytes
 Maximum Message Size 0 bytes
 Message Oriented No
 Minimum Address Size 36 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting No
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption No
 Supports Expedited Data No
 Supports Graceful Closing Yes
 Supports Guaranteed Bandwidth No
 Supports Multicasting No

Name AF_UNIX
 Connectionless Service No
 Guarantees Delivery Yes
 Guarantees Sequencing Yes
 Maximum Address Size 110 bytes
 Maximum Message Size 0 bytes
 Message Oriented No
 Minimum Address Size 2 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting No
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption No
 Supports Expedited Data No
 Supports Graceful Closing Yes
 Supports Guaranteed Bandwidth No
 Supports Multicasting No

Name MSAFD Tcpip [TCP/IPv6]
 Connectionless Service No
 Guarantees Delivery Yes
 Guarantees Sequencing Yes
 Maximum Address Size 28 bytes
 Maximum Message Size 0 bytes
 Message Oriented No
 Minimum Address Size 28 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting No
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption No
 Supports Expedited Data Yes
 Supports Graceful Closing Yes
 Supports Guaranteed Bandwidth No
 Supports Multicasting No

Name MSAFD Tcpip [UDP/IPv6]
 Connectionless Service Yes
 Guarantees Delivery No
 Guarantees Sequencing No
 Maximum Address Size 28 bytes
 Maximum Message Size 63.99 KB (65,527 bytes)
 Message Oriented Yes
 Minimum Address Size 28 bytes
 Pseudo Stream Oriented No

Supports Broadcasting Yes
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption No
 Supports Expedited Data No
 Supports Graceful Closing No
 Supports Guaranteed Bandwidth No
 Supports Multicasting Yes

Name MSAFD Tcpip [TCP/IP]
 Connectionless Service No
 Guarantees Delivery Yes
 Guarantees Sequencing Yes
 Maximum Address Size 16 bytes
 Maximum Message Size 0 bytes
 Message Oriented No
 Minimum Address Size 16 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting No
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption No
 Supports Expedited Data Yes
 Supports Graceful Closing Yes
 Supports Guaranteed Bandwidth No
 Supports Multicasting No

Name MSAFD Tcpip [UDP/IP]
 Connectionless Service Yes
 Guarantees Delivery No
 Guarantees Sequencing No
 Maximum Address Size 16 bytes
 Maximum Message Size 63.99 KB (65,527 bytes)
 Message Oriented Yes
 Minimum Address Size 16 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting Yes
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption No
 Supports Expedited Data No
 Supports Graceful Closing No
 Supports Guaranteed Bandwidth No
 Supports Multicasting Yes

Name RSVP TCPv6 Service Provider
 Connectionless Service No
 Guarantees Delivery Yes
 Guarantees Sequencing Yes
 Maximum Address Size 28 bytes
 Maximum Message Size 0 bytes
 Message Oriented No
 Minimum Address Size 28 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting No
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption Yes
 Supports Expedited Data Yes
 Supports Graceful Closing Yes

Supports Guaranteed Bandwidth No
 Supports Multicasting No

Name RSVP TCP Service Provider
 Connectionless Service No
 Guarantees Delivery Yes
 Guarantees Sequencing Yes
 Maximum Address Size 16 bytes
 Maximum Message Size 0 bytes
 Message Oriented No
 Minimum Address Size 16 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting No
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption Yes
 Supports Expedited Data Yes
 Supports Graceful Closing Yes
 Supports Guaranteed Bandwidth No
 Supports Multicasting No

Name RSVP UDPv6 Service Provider
 Connectionless Service Yes
 Guarantees Delivery No
 Guarantees Sequencing No
 Maximum Address Size 28 bytes
 Maximum Message Size 63.99 KB (65,527 bytes)
 Message Oriented Yes
 Minimum Address Size 28 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting Yes
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption Yes
 Supports Expedited Data No
 Supports Graceful Closing No
 Supports Guaranteed Bandwidth No
 Supports Multicasting Yes

Name RSVP UDP Service Provider
 Connectionless Service Yes
 Guarantees Delivery No
 Guarantees Sequencing No
 Maximum Address Size 16 bytes
 Maximum Message Size 63.99 KB (65,527 bytes)
 Message Oriented Yes
 Minimum Address Size 16 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting Yes
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption Yes
 Supports Expedited Data No
 Supports Graceful Closing No
 Supports Guaranteed Bandwidth No
 Supports Multicasting Yes

Name MSAFD L2CAP [Bluetooth]
 Connectionless Service No
 Guarantees Delivery Yes

Guarantees Sequencing Yes
 Maximum Address Size 30 bytes
 Maximum Message Size 0 bytes
 Message Oriented No
 Minimum Address Size 30 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting No
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption No
 Supports Expedited Data No
 Supports Graceful Closing No
 Supports Guaranteed Bandwidth No
 Supports Multicasting No

Name MSAFD RfComm [Bluetooth]
 Connectionless Service No
 Guarantees Delivery Yes
 Guarantees Sequencing Yes
 Maximum Address Size 30 bytes
 Maximum Message Size 0 bytes
 Message Oriented No
 Minimum Address Size 30 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting No
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption No
 Supports Expedited Data No
 Supports Graceful Closing Yes
 Supports Guaranteed Bandwidth No
 Supports Multicasting No

[WinSock]

Item Value
 File C:\Windows\SysWOW64\wssock32.dll
 Size 16.00 KB (16,384 bytes)
 Version 10.0.26100.1

File C:\Windows\system32\wssock32.dll
 Size 40.00 KB (40,960 bytes)
 Version 10.0.26100.1

[Ports]

[Serial]

Item Value
 Name Communications Port (COM1)
 Status OK
 PNP Device ID ACPI\PNP0501\0
 Maximum Input Buffer Size 0
 Maximum Output Buffer Size No
 Settable Baud Rate Yes
 Settable Data Bits Yes
 Settable Flow Control Yes
 Settable Parity Yes
 Settable Parity Check Yes

```

Settable Stop Bits      Yes
Settable RLSD           Yes
Supports RLSD           Yes
Supports 16 Bit Mode    No
Supports Special Characters  No
Baud Rate               9600
Bits/Byte               8
Stop Bits               1
Parity                  None
Busy                    No
Abort Read/Write on Error  No
Binary Mode Enabled     Yes
Continue XMit on XOff    No
CTS Outflow Control     No
Discard NULL Bytes      No
DSR Outflow Control     0
DSR Sensitivity         0
DTR Flow Control Type   Enable
EOF Character           0
Error Replace Character  0
Error Replacement Enabled  No
Event Character         0
Parity Check Enabled    No
RTS Flow Control Type   Enable
XOff Character          19
XOffXMit Threshold      512
XOn Character           17
XOnXMit Threshold       2048
XOnXOff InFlow Control  0
XOnXOff OutFlow Control 0
I/O Port                0x0000003F8-0x0000003FF
IRQ Channel             IRQ 4
Driver                  C:\WINDOWS\SYSTEM32\DRIVERS\SERIAL.SYS (10.0.26100.1150, 120.00 KB (122,880 bytes), 3/4/202
6 7:35 PM)

```

[Parallel]

Item Value

[Storage]

[Drives]

```

Item Value
Drive C:
Description Local Fixed Disk
Compressed No
File System NTFS
Size 930.39 GB (999,000,371,200 bytes)
Free Space 368.50 GB (395,677,052,928 bytes)
Volume Name Win Pro
Volume Serial Number 549C65C3

```

```

Drive D:
Description Local Fixed Disk
Compressed No
File System NTFS
Size 931.40 GB (1,000,081,453,056 bytes)
Free Space 931.27 GB (999,943,442,432 bytes)

```

Volume Name Audio
Volume Serial Number 88554A44

Drive E:
Description Local Fixed Disk
Compressed No
File System NTFS
Size 931.50 GB (1,000,186,310,656 bytes)
Free Space 931.37 GB (1,000,048,295,936 bytes)
Volume Name Samples
Volume Serial Number ACE209EB

Drive Z:
Description Network Connection
Provider Name \\Synology_RS818\home

[Disks]

Item Value
Description Disk drive
Manufacturer (Standard disk drives)
Model Samsung SSD 990 PRO with Heatsink 1TB
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus 0
SCSI Logical Unit 0
SCSI Port 2
SCSI Target ID 0
Sectors/Track 63
Size 931.51 GB (1,000,202,273,280 bytes)
Total Cylinders 121,601
Total Sectors 1,953,520,065
Total Tracks 31,008,255
Tracks/Cylinder 255
Partition Disk #1, Partition #0
Partition Size 931.50 GB (1,000,186,314,752 bytes)
Partition Starting Offset 16,777,216 bytes

Description Disk drive
Manufacturer (Standard disk drives)
Model Samsung SSD 990 PRO 1TB
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 2
SCSI Bus 0
SCSI Logical Unit 0
SCSI Port 3
SCSI Target ID 0
Sectors/Track 63
Size 931.51 GB (1,000,202,273,280 bytes)
Total Cylinders 121,601
Total Sectors 1,953,520,065
Total Tracks 31,008,255
Tracks/Cylinder 255
Partition Disk #2, Partition #0
Partition Size 100.00 MB (104,857,600 bytes)
Partition Starting Offset 1,048,576 bytes

Partition Disk #2, Partition #1
Partition Size 931.40 GB (1,000,081,457,152 bytes)
Partition Starting Offset 122,683,392 bytes

Description Disk drive
Manufacturer (Standard disk drives)
Model Samsung SSD 990 PRO with Heatsink 1TB
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 3
SCSI Bus 0
SCSI Logical Unit 0
SCSI Port 1
SCSI Target ID 0
Sectors/Track 63
Size 931.51 GB (1,000,202,273,280 bytes)

Total Cylinders 121,601
Total Sectors 1,953,520,065
Total Tracks 31,008,255
Tracks/Cylinder 255

Partition Disk #0, Partition #0
Partition Size 100.00 MB (104,857,600 bytes)
Partition Starting Offset 135,266,304 bytes
Partition Disk #0, Partition #1
Partition Size 930.39 GB (999,000,375,296 bytes)
Partition Starting Offset 240,123,904 bytes
Partition Disk #0, Partition #2
Partition Size 919.00 MB (963,641,344 bytes)
Partition Starting Offset 999,240,499,200 bytes

[SCSI]

Item Value
Name Standard NVM Express Controller
Manufacturer Standard NVM Express Controller
Status OK
PNP Device ID PCI\VEN_144D&DEV_A80C&SUBSYS_A801144D&REV_00\4&1F001AAF&0&00D0
Memory Address 0x00000000055100000-0x00000000055103FFF
IRQ Channel IRQ 4294967269
IRQ Channel IRQ 4294967268
IRQ Channel IRQ 4294967267
IRQ Channel IRQ 4294967266
IRQ Channel IRQ 4294967265
IRQ Channel IRQ 4294967264
IRQ Channel IRQ 4294967263
IRQ Channel IRQ 4294967262
IRQ Channel IRQ 4294967261
IRQ Channel IRQ 4294967260
IRQ Channel IRQ 4294967259
IRQ Channel IRQ 4294967258
IRQ Channel IRQ 4294967257
IRQ Channel IRQ 4294967256
IRQ Channel IRQ 4294967255
IRQ Channel IRQ 4294967254
IRQ Channel IRQ 4294967253

Driver C:\WINDOWS\SYSTEM32\DRIVERS\STORNVME.SYS (10.0.26100.8521, 321.48 KB (329,192 bytes), 5/28/2026 12:35 PM)

Name Microsoft Storage Spaces Controller

Manufacturer Microsoft
Status OK
PNP Device ID ROOT\SPACEPORT\0000
Driver C:\WINDOWS\SYSTEM32\DRIVERS\SPACEPORT.SYS (10.0.26100.8521, 1,001.45 KB (1,025,488 bytes),
5/28/2026 12:35 PM)

Name Standard NVM Express Controller
Manufacturer Standard NVM Express Controller
Status OK
PNP Device ID PCI\VEN_144D&DEV_A80C&SUBSYS_A801144D&REV_00\4&11D7436A&0&00DC
Memory Address 0x0000000054F00000-0x0000000054F03FFF
IRQ Channel IRQ 4294967252
IRQ Channel IRQ 4294967251
IRQ Channel IRQ 4294967250
IRQ Channel IRQ 4294967249
IRQ Channel IRQ 4294967248
IRQ Channel IRQ 4294967247
IRQ Channel IRQ 4294967246
IRQ Channel IRQ 4294967245
IRQ Channel IRQ 4294967244
IRQ Channel IRQ 4294967243
IRQ Channel IRQ 4294967242
IRQ Channel IRQ 4294967241
IRQ Channel IRQ 4294967240
IRQ Channel IRQ 4294967239
IRQ Channel IRQ 4294967238
IRQ Channel IRQ 4294967237
IRQ Channel IRQ 4294967236

Driver C:\WINDOWS\SYSTEM32\DRIVERS\STORNVME.SYS (10.0.26100.8521, 321.48 KB (329,192 bytes), 5/28/
2026 12:35 PM)

Name Standard NVM Express Controller
Manufacturer Standard NVM Express Controller
Status OK
PNP Device ID PCI\VEN_144D&DEV_A80C&SUBSYS_A801144D&REV_00\4&31B1139F&0&0030
Memory Address 0x0000000055300000-0x0000000055303FFF
IRQ Channel IRQ 4294967286
IRQ Channel IRQ 4294967285
IRQ Channel IRQ 4294967284
IRQ Channel IRQ 4294967283
IRQ Channel IRQ 4294967282
IRQ Channel IRQ 4294967281
IRQ Channel IRQ 4294967280
IRQ Channel IRQ 4294967279
IRQ Channel IRQ 4294967278
IRQ Channel IRQ 4294967277
IRQ Channel IRQ 4294967276
IRQ Channel IRQ 4294967275
IRQ Channel IRQ 4294967274
IRQ Channel IRQ 4294967273
IRQ Channel IRQ 4294967272
IRQ Channel IRQ 4294967271
IRQ Channel IRQ 4294967270

Driver C:\WINDOWS\SYSTEM32\DRIVERS\STORNVME.SYS (10.0.26100.8521, 321.48 KB (329,192 bytes), 5/28/
2026 12:35 PM)

[IDE]

Item Value
Name Standard SATA AHCI Controller

Manufacturer Standard SATA AHCI Controller
 Status OK
 PNP Device ID PCI\VEN_8086&DEV_7A62&SUBSYS_B0051458&REV_11\3&11583659&0&B8
 Memory Address 0x000000005551C000-0x000000005551DFFF
 Memory Address 0x0000000055522000-0x00000000555220FF
 I/O Port 0x00006050-0x00006057
 I/O Port 0x00006040-0x00006043
 I/O Port 0x00006020-0x0000603F
 Memory Address 0x0000000055521000-0x00000000555217FF
 IRQ Channel IRQ 4294967287
 Driver C:\WINDOWS\SYSTEM32\DRIVERS\STORAHCI.SYS (10.0.26100.8521, 229.46 KB (234,968 bytes), 5/28/2026 12:35 PM)

[Printing]

Name	Driver	Port Name	Server Name
Microsoft Print to PDF	Microsoft Print To PDF	PORTPROMPT:	Not Available
DYMO LabelWriter 450 Twin Turbo	DYMO LabelWriter 450 Twin Turbo	USB001	Not Available
Brother MFC-9560CDW Printer	Brother MFC-9560CDW Printer	IP_192.168.1.6	Not Available
Adobe PDF	Adobe PDF Converter	Documents*.pdf	Not Available

[Problem Devices]

Device	PNP Device ID	Error Code
--------	---------------	------------

[USB]

Device	PNP Device ID
Intel(R) USB 3.20 eXtensible Host Controller - 1.20 (Microsoft)	PCI\VEN_8086&DEV_7A60&SUBSYS_50071458&REV_11\3&11583659&0&A0

[Software Environment]

[System Drivers]

Name	Description	File	Type	Started	Start Mode	State	Status	Error Control	A
Accept Pause	Accept Stop								
1394ohci	1394 OHCI Compliant Host Controller	c:\windows\system32\drivers\1394ohci.sys	Kernel Driver	No	Manual	Stopped	OK	Normal	No
3ware	3ware	c:\windows\system32\drivers\3ware.sys	Kernel Driver	No	Manual	Stopped	OK	Normal	No
acpi	Microsoft ACPI Driver	c:\windows\system32\drivers\acpi.sys	Kernel Driver	Yes	Running	OK	Critical	No	Yes
acpiaudiocompositorinbox	ACPI Audio Compositor Driver	c:\windows\system32\driverstore\filerepository\acpiaudiocompositor.inf_amd64_047f553a6f70b169\acpiaudiocompositor.sys	Kernel Driver	No	Manual	Stopped	OK	Normal	No
acpidev	ACPI Devices driver	c:\windows\system32\drivers\acpidev.sys	Kernel Driver	No	Manual	Stopped	OK	Normal	No
acpiex	Microsoft ACPIEx Driver	c:\windows\system32\drivers\acpiex.sys	Kernel Driver	Yes	Running	OK	Critical	No	Yes
acpipagr	ACPI Processor Aggregator Driver	c:\windows\system32\driverstore\filerepository\acpipagr.inf_amd64_d1093347a27ff89c\acpipagr.sys	Kernel Driver	Yes	Manual	Running	OK	Normal	No
acpipmi	ACPI Power Meter Driver	c:\windows\system32\driverstore\filerepository\acpipmi.inf_amd64_3ced06eb61dcc792\acpipmi.sys	Kernel Driver	No	Manual	Stopped	OK	Normal	No
acpitime	ACPI Wake Alarm Driver	c:\windows\system32\drivers\acpitime.sys	Kernel Driver	Yes	Running	OK	Normal	No	Yes
acx01000	Acx01000	c:\windows\system32\drivers\acx01000.sys	Kernel Driver	No	Manual	Stopped	OK	Normal	No