

Full Project Code Export

Project folder: bkc-store

Generated on: 2026-07-20 19:14:28

Total files included: 49

Note

- This PDF contains readable source/configuration files from the project.
- Large generated folders such as node_modules, .git, dist, build, and .next are skipped.
- .env files are skipped to avoid leaking secrets such as API keys and passwords.

File Index

1. .gitignore
2. AGENTS.md
3. CLAUDE.md
4. eslint.config.mjs
5. jsconfig.json
6. next.config.mjs
7. package.json
8. postcss.config.mjs
9. README.md
10. sanity.cli.js
11. sanity.config.js
12. src\actions\telegram.js
13. src\app\api\razorpay\route.js
14. src\app\collections\[slug]\page.js
15. src\app\contact\page.js
16. src\app\globals.css
17. src\app\layout.js
18. src\app\page.js
19. src\app\privacy\page.js
20. src\app\product\[slug]\page.js
21. src\app\product\[slug]\ProductClientUI.js
22. src\app\refund-policy\page.js
23. src\app\request\page.js
24. src\app\search\page.js
25. src\app\search\SearchClientUI.js
26. src\app\shipping\page.js
27. src\app\studio\[...tool]\page.jsx
28. src\app\success\page.js
29. src\app\terms\page.js
30. src\app\track\page.js
31. src\components\home\CollectionRow.js
32. src\components\home\HomeSearch.js
33. src\components\layout\Footer.js
34. src\components\layout\Navbar.js
35. src\components\product\BuyDrawer.js
36. src\components\shared\InstaBrowserWarning.js
37. src\components\shared\ProductCard.js
38. src\components\shared\SupportBubble.js
39. src\lib\supabase.js
40. src\sanity\env.js
41. src\sanity\lib\client.js
42. src\sanity\lib\image.js
43. src\sanity\lib\live.js
44. src\sanity\lib\sanity.js
45. src\sanity\schemaTypes\collection.js
46. src\sanity\schemaTypes\index.js
47. src\sanity\schemaTypes\product.js
48. src\sanity\structure.js
49. tailwind.config.js

FILE: .gitignore

```
1 | # See https://help.github.com/articles/ignoring-files/ for more about ignoring files.
2 |
3 | # dependencies
4 | /node_modules
5 | /.pnp
6 | .pnp.*
7 | .yarn/*
8 | !.yarn/patches
9 | !.yarn/plugins
10 | !.yarn/releases
11 | !.yarn/versions
12 |
13 | # testing
14 | /coverage
15 |
16 | # next.js
17 | /.next/
18 | /out/
19 |
20 | # production
21 | /build
22 |
23 | # misc
24 | .DS_Store
25 | *.pem
26 |
27 | # debug
28 | npm-debug.log*
29 | yarn-debug.log*
30 | yarn-error.log*
31 | .pnpm-debug.log*
32 |
33 | # env files (can opt-in for committing if needed)
34 | .env*
35 |
36 | # vercel
37 | .vercel
38 |
39 | # typescript
40 | *.tsbuildinfo
41 | next-env.d.ts
```

FILE: AGENTS.md

```
1 | <!-- BEGIN:nextjs-agent-rules -->
2 | # This is NOT the Next.js you know
3 |
4 | This version has breaking changes – APIs, conventions, and file structure may all differ from your training data. R
  | ead the relevant guide in `node_modules/next/dist/docs/` before writing any code. Heed deprecation notices.
5 | <!-- END:nextjs-agent-rules -->
```


FILE: eslint.config.mjs

```
1 | import { defineConfig, globalIgnores } from "eslint/config";
2 | import nextVitals from "eslint-config-next/core-web-vitals";
3 |
4 | const eslintConfig = defineConfig([
5 |   ...nextVitals,
6 |   // Override default ignores of eslint-config-next.
7 |   globalIgnores([
8 |     // Default ignores of eslint-config-next:
9 |     ".next/**",
10 |    "out/**",
11 |    "build/**",
12 |    "next-env.d.ts",
13 |   ]),
14 | ]);
15 |
16 | export default eslintConfig;
```

FILE: jsconfig.json

```
1 | {  
2 |   "compilerOptions": {  
3 |     "paths": {  
4 |       "@/*": [".src/*"]  
5 |     }  
6 |   }  
7 | }
```

FILE: next.config.mjs

```
1 | /** @type {import('next').NextConfig} */
2 | const nextConfig = {
3 |   /* config options here */
4 | };
5 |
6 | export default nextConfig;
```


FILE: package.json

```
1 | {
2 |   "name": "bkc-store",
3 |   "version": "0.1.0",
4 |   "private": true,
5 |   "scripts": {
6 |     "dev": "next dev",
7 |     "build": "next build",
8 |     "start": "next start",
9 |     "lint": "eslint"
10 |  },
11 |   "dependencies": {
12 |     "@sanity/client": "^7.23.1",
13 |     "@sanity/image-url": "^2.1.1",
14 |     "@sanity/vision": "^5.31.1",
15 |     "@supabase/supabase-js": "^2.110.7",
16 |     "framer-motion": "^12.42.2",
17 |     "lucide-react": "^1.24.0",
18 |     "next": "16.2.10",
19 |     "next-sanity": "^13.1.1",
20 |     "razorpay": "^2.9.8",
21 |     "react": "19.2.4",
22 |     "react-dom": "19.2.4",
23 |     "react-medium-image-zoom": "^5.4.8",
24 |     "sanity": "^5.31.1",
25 |     "styled-components": "^6.4.3"
26 |  },
27 |   "devDependencies": {
28 |     "@tailwindcss/postcss": "^4",
29 |     "eslint": "^9",
30 |     "eslint-config-next": "16.2.10",
31 |     "tailwindcss": "^4"
32 |  }
33 | }
```

FILE: postcss.config.mjs

```
1 | const config = {  
2 |   plugins: {  
3 |     "@tailwindcss/postcss": {},  
4 |   },  
5 | };  
6 |  
7 | export default config;
```

FILE: README.md

```
1 | This is a [Next.js](https://nextjs.org) project bootstrapped with [create-next-app](https://github.com/vercel/next.js/tree/canary/packages/create-next-app).
2 |
3 | ## Getting Started
4 |
5 | First, run the development server:
6 |
7 | ```bash
8 | npm run dev
9 | # or
10 | yarn dev
11 | # or
12 | pnpm dev
13 | # or
14 | bun dev
15 | ```
16 |
17 | Open [http://localhost:3000](http://localhost:3000) with your browser to see the result.
18 |
19 | You can start editing the page by modifying app/page.js. The page auto-updates as you edit the file.
20 |
21 | This project uses [next/font](https://nextjs.org/docs/app/building-your-application/optimizing/fonts) to automatically optimize and load [Geist](https://vercel.com/font), a new font family for Vercel.
22 |
23 | ## Learn More
24 |
25 | To learn more about Next.js, take a look at the following resources:
26 |
27 | - [Next.js Documentation](https://nextjs.org/docs) - learn about Next.js features and API.
28 | - [Learn Next.js](https://nextjs.org/learn) - an interactive Next.js tutorial.
29 |
30 | You can check out [the Next.js GitHub repository](https://github.com/vercel/next.js) - your feedback and contributions are welcome!
31 |
32 | ## Deploy on Vercel
33 |
34 | The easiest way to deploy your Next.js app is to use the [Vercel Platform](https://vercel.com/new?utm_medium=default-template&filter=next.js&utm_source=create-next-app&utm_campaign=create-next-app-readme) from the creators of Next.js.
35 |
36 | Check out our [Next.js deployment documentation](https://nextjs.org/docs/app/building-your-application/deploying) for more details.
```

FILE: sanity.cli.js

```
1 | /**
2 |  * This configuration file lets you run `$ sanity [command]` in this folder
3 |  * Go to https://www.sanity.io/docs/cli to learn more.
4 |  */
5 | import { defineCliConfig } from 'sanity/cli'
6 |
7 | const projectId = process.env.NEXT_PUBLIC_SANITY_PROJECT_ID
8 | const dataset = process.env.NEXT_PUBLIC_SANITY_DATASET
9 |
10 | export default defineCliConfig({ api: { projectId, dataset } })
```

FILE: sanity.config.js

```
1 | 'use client'
2 |
3 | /**
4 |  * This configuration is used to for the Sanity Studio that's mounted on the ``src/app/studio/[...tool]`page.jsx`
5 |  */
6 |
7 | import {visionTool} from '@sanity/vision'
8 | import {defineConfig} from 'sanity'
9 | import {structureTool} from 'sanity/structure'
10 |
11 | // Go to https://www.sanity.io/docs/api-versioning to learn how API versioning works
12 | import {apiVersion, dataset, projectId} from './src/sanity/env'
13 | import {schema} from './src/sanity/schemaTypes'
14 | import {structure} from './src/sanity/structure'
15 |
16 | export default defineConfig({
17 |   basePath: '/studio',
18 |   projectId,
19 |   dataset,
20 |   // Add and edit the content schema in the './sanity/schemaTypes' folder
21 |   schema,
22 |   plugins: [
23 |     structureTool({structure}),
24 |     // Vision is for querying with GROQ from inside the Studio
25 |     // https://www.sanity.io/docs/the-vision-plugin
26 |     visionTool({defaultApiVersion: apiVersion}),
27 |   ],
28 | })
```

FILE: srclactions\telegram.js

```
1 | "use server";
2 |
3 | export async function sendOrderAlert(order) {
4 |   const token = process.env.TELEGRAM_BOT_TOKEN;
5 |   const chatId = process.env.TELEGRAM_CHAT_ID;
6 |
7 |   if (!token || !chatId) return;
8 |
9 |   const amount = new Intl.NumberFormat("en-IN", {
10 |     style: "currency",
11 |     currency: "INR",
12 |     maximumFractionDigits: 0,
13 |   }).format(order.total_amount || 0);
14 |
15 |   const message = [
16 |     "■ <b>NEW ORDER RECEIVED!</b> ■",
17 |     "",
18 |     `■ <b>Product:</b> ${order.product_name}`,
19 |     `■ <b>Payment:</b> ${
20 |       order.payment_mode === "prepaid"
21 |         ? "ONLINE PREPAID (Razorpay)"
22 |         : "CASH ON DELIVERY"
23 |     }`,
24 |     `■ <b>Amount:</b> ${amount}`,
25 |     `■ <b>Customer:</b> ${order.customer_name}`,
26 |     `■ <b>Phone:</b> ${order.customer_phone}`,
27 |     "",
28 |     "■ <b>Deliver to:</b>",
29 |     `${order.delivery_address}`,
30 |     `${order.city}, ${order.state} – ${order.pincodes}`,
31 |     "",
32 |     `■ <b>Order ID:</b> ${order.order_id}`,
33 |   ].join("\n");
34 |
35 |   try {
36 |     await fetch(`https://api.telegram.org/bot${token}/sendMessage`, {
37 |       method: "POST",
38 |       headers: { "Content-Type": "application/json" },
39 |       body: JSON.stringify({
40 |         chat_id: chatId,
41 |         text: message,
42 |         parse_mode: "HTML",
43 |       }),
44 |     });
45 |   } catch (error) {
46 |     console.error("Telegram error:", error);
47 |   }
48 | }
49 |
50 | export async function sendRequestAlert(request) {
51 |   const token = process.env.TELEGRAM_BOT_TOKEN;
52 |   const chatId = process.env.TELEGRAM_CHAT_ID;
53 |
54 |   if (!token || !chatId) return;
55 |
56 |   const message = [
57 |     "■ <b>NEW PRODUCT REQUEST!</b> ",
58 |     "",
59 |     `■ <b>Looking for:</b>`,
60 |     `${request.item_query}`,
61 |     "",
62 |     `■ <b>Contact:</b> ${request.contact_info}`,
63 |   ].join("\n");
64 |
65 |   try {
66 |     await fetch(`https://api.telegram.org/bot${token}/sendMessage`, {
67 |       method: "POST",
68 |       headers: { "Content-Type": "application/json" },
69 |       body: JSON.stringify({
70 |         chat_id: chatId,
71 |         text: message,
72 |         parse_mode: "HTML",
73 |       }),
74 |     });
75 |   } catch (error) {
76 |     console.error("Telegram error:", error);
77 |   }
78 | }
```

FILE: src\app\api\razorpay\route.js

```
1 | import { NextResponse } from "next/server";
2 | import Razorpay from "razorpay";
3 | import { client } from '@sanity/lib/client';
4 |
5 | const razorpay = new Razorpay({
6 |   key_id: process.env.NEXT_PUBLIC_RAZORPAY_KEY_ID,
7 |   key_secret: process.env.RAZORPAY_KEY_SECRET,
8 | });
9 |
10 | export async function POST(request) {
11 |   try {
12 |     const { slug } = await request.json();
13 |
14 |     // 1. SECURE FETCH: Look up the real price in Sanity! Never trust the frontend.
15 |     const product = await client.fetch(`*[_type == "product" && slug.current == $slug][0]`, { slug });
16 |
17 |     if (!product) {
18 |       return NextResponse.json({ error: "Product not found" }, { status: 404 });
19 |     }
20 |
21 |     const realPrice = product.prepaidPrice;
22 |
23 |     // 2. Generate Razorpay order using the REAL price
24 |     const options = {
25 |       amount: realPrice * 100, // Amount in paise
26 |       currency: "INR",
27 |       receipt: "rcpt_" + Math.random().toString(36).substring(7),
28 |     };
29 |
30 |     const order = await razorpay.orders.create(options);
31 |     return NextResponse.json(order);
32 |   } catch (error) {
33 |     console.error("Razorpay Error:", error);
34 |     return NextResponse.json({ error: "Something went wrong" }, { status: 500 });
35 |   }
36 | }
```

FILE: src\app\collections\[slug]\page.js

```
1 | import Link from "next/link";
2 | import { ArrowLeft, PackageSearch } from "lucide-react";
3 | import { client } from "@sanity/lib/client";
4 | import { urlFor } from "@sanity/lib/image";
5 | import ProductCard from "@components/shared/ProductCard";
6 |
7 | export const revalidate = 10;
8 |
9 | export default async function CollectionPage({ params }) {
10 |   const { slug } = await params;
11 |   const collectionQuery = `*[ _type == "collection" && slug.current == $slug ][0]`;
12 |   const collection = await client.fetch(collectionQuery, { slug });
13 |
14 |   if (!collection) {
15 |     return (
16 |       <div className="flex min-h-[65vh] items-center justify-center px-4">
17 |         <div className="max-w-md rounded-[24px] border border-border bg-surface px-6 py-10 text-center">
18 |           <PackageSearch
19 |             size={32}
20 |             strokeWidth={1.7}
21 |             className="mx-auto text-secondary"
22 |           />
23 |           <h1 className="mt-4 text-xl font-semibold tracking-[-0.03em] text-primary">
24 |             Collection not found
25 |           </h1>
26 |           <p className="mt-2 text-sm leading-6 text-secondary">
27 |             This collection may have moved or is no longer available.
28 |           </p>
29 |           <Link
30 |             href="/"
31 |             className="mt-6 inline-flex h-11 items-center justify-center rounded-full bg-brand px-5 text-sm font-se
32 | mibold text-white transition-colors hover:bg-brand-strong"
33 |           >
34 |             Back to store
35 |           </Link>
36 |         </div>
37 |       );
38 |     }
39 |
40 |     const productsQuery = `*[ _type == "product" && isActive == true && references($collectionId) ] | order(_createdAt
41 | desc)`;
42 |     const rawProducts = await client.fetch(productsQuery, {
43 |       collectionId: collection._id,
44 |     });
45 |
46 |     const products = rawProducts.map((product) => ({
47 |       slug: product.slug?.current || "",
48 |       title: product.title || "Untitled",
49 |       prepaidPrice: product.prepaidPrice || 0,
50 |       codPrice: product.codPrice || 0,
51 |       isCodAvailable: product.isCodAvailable || false,
52 |       discountBadge: product.discountBadge || null,
53 |       imageUrl:
54 |         product.gallery?.length > 0 ? urlFor(product.gallery[0]).url() : "",
55 |     }));
56 |
57 |     return (
58 |       <div className="min-h-screen bg-background px-4 py-9 pb-14 md:px-8 md:py-10">
59 |         <div className="mx-auto max-w-7xl">
60 |           <Link
61 |             href="/"
62 |             className="inline-flex items-center gap-1 rounded-lg text-sm font-medium text-secondary transition-colors
63 |             hover:text-primary"
64 |           >
65 |             <ArrowLeft size={16} strokeWidth={2} />
66 |             Back to store
67 |           </Link>
68 |
69 |           <header className="rise mt-8 max-w-2xl">
70 |             <p className="text-xs font-medium uppercase tracking-[0.12em] text-secondary">
71 |               Collection
72 |             </p>
73 |             <h1 className="mt-2 text-[34px] font-semibold leading-[1.08] tracking-[-0.055em] text-primary sm:text-5xl
74 |             ">
75 |               {collection.title}
76 |             </h1>
77 |             <p className="text-sm font-medium text-secondary sm:text-base">
78 |               {collection.shortDescription && (
79 |                 <p className="mt-3 text-sm leading-6 text-secondary sm:text-base">
```


FILE CONTINUED: src\app\collections\[slug]\page.js

```

76 |         {collection.shortDescription}
77 |     </p>
78 |   )}
79 |   <p className="mt-4 text-xs text-secondary">
80 |     {products.length === 1
81 |       ? "1 item available"
82 |       : `${products.length} items available`}
83 |   </p>
84 | </header>
85 |
86 |   {products.length > 0 ? (
87 |     <div className="mt-9 grid grid-cols-2 gap-x-3 gap-y-7 sm:gap-x-5 sm:gap-y-10 md:grid-cols-3 lg:grid-cols-
88 | 4">
89 |       {products.map((product) => (
90 |         <ProductCard key={product.slug} product={product} />
91 |       ))}
92 |     </div>
93 |   ) : (
94 |     <div className="mt-9 rounded-[24px] border border-border bg-surface px-6 py-14 text-center">
95 |       <PackageSearch
96 |         size={32}
97 |         strokeWidth={1.7}
98 |         className="mx-auto text-secondary"
99 |       />
100 |       <h2 className="mt-4 text-lg font-semibold tracking-[-0.025em] text-primary">
101 |         New finds are on the way.
102 |       </h2>
103 |       <p className="mx-auto mt-2 max-w-sm text-sm leading-6 text-secondary">
104 |         We're currently curating products for this collection. Please
105 |         check back soon.
106 |       </p>
107 |     </div>
108 |   )}
109 | </div>
110 | );
111 | }

```

FILE: src\app\contact\page.js

```
1 | import Link from "next/link";
2 | import {
3 |   ArrowLeft,
4 |   ArrowUpRight,
5 |   Clock3,
6 |   Mail,
7 |   MessageCircle,
8 |   ShieldCheck,
9 | } from "lucide-react";
10 |
11 | // lucide-react 1.x removed brand icons, so the Instagram mark
12 | // is drawn inline in the identical lucide stroke style.
13 | const InstagramIcon = ({ size = 24, strokeWidth = 2, className }) => (
14 |   <svg
15 |     xmlns="http://www.w3.org/2000/svg"
16 |     width={size}
17 |     height={size}
18 |     viewBox="0 0 24 24"
19 |     fill="none"
20 |     stroke="currentColor"
21 |     strokeWidth={strokeWidth}
22 |     strokeLinecap="round"
23 |     strokeLinejoin="round"
24 |     className={className}
25 |     aria-hidden="true"
26 |   >
27 |     <rect x="2" y="2" width="20" height="20" rx="5" ry="5" />
28 |     <path d="M16 11.37A4 4 0 1 1 12.63 8 4 4 0 0 1 16 11.37z" />
29 |     <line x1="17.5" y1="6.5" x2="17.51" y2="6.5" />
30 |   </svg>
31 | );
32 |
33 | const contactOptions = [
34 |   {
35 |     title: "Email support",
36 |     description: "support@bigkidfinds.online",
37 |     href: "mailto:support@bigkidfinds.online",
38 |     icon: Mail,
39 |     external: false,
40 |   },
41 |   {
42 |     title: "Instagram",
43 |     description: "@bkc.finds",
44 |     href: "https://instagram.com/bkc.finds",
45 |     icon: InstagramIcon,
46 |     external: true,
47 |   },
48 |   {
49 |     title: "Business & collaborations",
50 |     description: "Message us for partnerships",
51 |     href: "https://instagram.com/bkc.finds",
52 |     icon: MessageCircle,
53 |     external: true,
54 |   },
55 | ];
56 |
57 | export default function ContactPage() {
58 |   return (
59 |     <div className="mx-auto min-h-[75vh] max-w-2xl px-4 py-9 sm:py-12">
60 |       <Link
61 |         href="/"
62 |         className="inline-flex items-center gap-1 rounded-lg text-sm font-medium text-secondary transition-colors hover:text-primary"
63 |       >
64 |         <ArrowLeft size={16} strokeWidth={2} />
65 |         Back to store
66 |       </Link>
67 |
68 |       <header className="rise mt-8">
69 |         <p className="text-xs font-medium uppercase tracking-[0.12em] text-secondary">
70 |           Support
71 |         </p>
72 |         <h1 className="mt-2 text-[34px] font-semibold tracking-[-0.055em] text-primary sm:text-4xl">
73 |           We're here to help.
74 |         </h1>
75 |         <p className="mt-3 max-w-lg text-sm leading-6 text-secondary">
76 |           Need help with an order, delivery update, product request, or
77 |           partnership? Choose the best way to reach us.
78 |         </p>

```

FILE CONTINUED: src\app\contact\page.js

```

79 |         </header>
80 |
81 |         <section className="rise rise-1 mt-8 space-y-3">
82 |             {contactOptions.map((option) => {
83 |                 const Icon = option.icon;
84 |                 return (
85 |                     <a
86 |                         key={option.title}
87 |                         href={option.href}
88 |                         target={option.external ? "_blank" : undefined}
89 |                         rel={option.external ? "noopener noreferrer" : undefined}
90 |                         className="pressable group flex items-center gap-4 rounded-[20px] border border-border bg-surface p-4
91 |                         transition-colors hover:border-[#a1a1a6]"
92 |                     >
93 |                         <span className="flex h-11 w-11 shrink-0 items-center justify-center rounded-[14px] bg-[#f1f2f4] text
94 | -primary">
95 |                             <Icon size={19} strokeWidth={1.8} />
96 |                         </span>
97 |                         <span className="min-w-0 flex-1">
98 |                             <span className="block text-sm font-semibold text-primary">
99 |                                 {option.title}
100 |                             </span>
101 |                             <span className="mt-1 block truncate text-sm text-secondary">
102 |                                 {option.description}
103 |                             </span>
104 |                             <ArrowUpRight
105 |                                 size={18}
106 |                                 className="shrink-0 text-secondary transition-transform duration-200 group-hover:-translate-y-0.5 g
107 | roup-hover:translate-x-0.5 group-hover:text-primary"
108 |                             />
109 |                         </a>
110 |                     );
111 |                 }
112 |             )}
113 |         </section>
114 |
115 |         <section className="rise rise-2 mt-7 overflow-hidden rounded-[22px] border border-border bg-surface">
116 |             <div className="flex items-start gap-3 px-4 py-4">
117 |                 <Clock3
118 |                     size={19}
119 |                     strokeWidth={1.8}
120 |                     className="mt-0.5 shrink-0 text-primary"
121 |                 />
122 |                 <div>
123 |                     <p className="text-sm font-semibold text-primary">Response time</p>
124 |                     <p className="mt-1 text-xs leading-5 text-secondary">
125 |                         We aim to reply within 24 hours. For an existing order, please
126 |                         include your Order ID so we can assist you faster.
127 |                     </p>
128 |                 </div>
129 |             </div>
130 |             <div className="flex items-start gap-3 border-t border-border px-4 py-4">
131 |                 <ShieldCheck
132 |                     size={19}
133 |                     strokeWidth={1.8}
134 |                     className="mt-0.5 shrink-0 text-accent"
135 |                 />
136 |                 <div>
137 |                     <p className="text-sm font-semibold text-primary">
138 |                         Safe order support
139 |                     </p>
140 |                     <p className="mt-1 text-xs leading-5 text-secondary">
141 |                         We will never ask for your OTP, UPI PIN, card number, or bank
142 |                         password.
143 |                     </p>
144 |                 </div>
145 |             </div>
146 |         </section>
147 |     </div>
148 | );
149 | }

```

FILE: src\app\globals.css

```
1 | @import "tailwindcss";
2 |
3 | @theme {
4 |   /* ===== APPLE MINIMAL =====
5 |     white / system gray canvas, one blue action color, one typeface.
6 |     No glow, no texture, no decoration that doesn't inform. */
7 |
8 |   --color-background: #f5f5f7; /* Apple system grouped background */
9 |   --color-surface: #ffffff; /* cards */
10 |   --color-surface-2: #f5f5f7; /* wells inside white cards */
11 |   --color-primary: #1d1d1f; /* near-black text */
12 |   --color-secondary: #6e6e73; /* gray text */
13 |   --color-border: #d2d2d7; /* hairline */
14 |   --color-ink: #ffffff; /* text used ON blue/dark fills */
15 |
16 |   /* The single action color – Apple blue */
17 |   --color-brand: #0071e3;
18 |   --color-brand-strong: #0066cc; /* hover */
19 |
20 |   --color-accent: #0066cc; /* text links + focus */
21 |
22 |   /* Quiet semantic colors */
23 |   --color-success: #147a3d;
24 |   --color-success-soft: #e8f5ed;
25 |   --color-error: #b42318;
26 |   --color-error-soft: #fff2f0;
27 |
28 |   /* Legacy warm-* safety remaps to system grays */
29 |   --color-warm-100: #f5f5f7;
30 |   --color-warm-200: #f1f2f4;
31 |   --color-warm-300: #e5e5ea;
32 |   --color-warm-400: #d2d2d7;
33 |   --color-warm-500: #6e6e73;
34 |
35 |   /* One voice: Inter – the closest metric match to Apple's SF Pro.
36 |     Emphasis comes from weight, size, and tracking – not font switching. */
37 |   --font-sans: var(--font-inter), ui-sans-serif, -apple-system, system-ui, sans-serif;
38 |
39 |   --radius-control: 14px;
40 |   --radius-card: 22px;
41 |   --radius-panel: 28px;
42 | }
43 |
44 | :root {
45 |   color-scheme: light;
46 |   --ease-fluid: cubic-bezier(0.32, 0.72, 0, 1); /* iOS-style spring curve */
47 | }
48 |
49 | * {
50 |   box-sizing: border-box;
51 | }
52 |
53 | html {
54 |   background: var(--color-background);
55 |   scroll-behavior: smooth;
56 | }
57 |
58 | body {
59 |   margin: 0;
60 |   background: var(--color-background);
61 |   color: var(--color-primary);
62 |   font-family: var(--font-sans);
63 |   overflow-x: hidden;
64 |   -webkit-tap-highlight-color: transparent;
65 |   text-rendering: optimizeLegibility;
66 |   -webkit-font-smoothing: antialiased;
67 | }
68 |
69 | button,
70 | a,
71 | input,
72 | textarea {
73 |   -webkit-tap-highlight-color: transparent;
74 | }
75 |
76 | button,
77 | a {
78 |   -webkit-touch-callout: none;
79 | }
```

FILE CONTINUED: src\app\globals.css

```
80 |  
81 | button:not(:disabled),  
82 | a {  
83 |   touch-action: manipulation;  
84 | }  
85 |  
86 | ::selection {  
87 |   background: rgba(0, 113, 227, 0.16);  
88 |   color: var(--color-primary);  
89 | }  
90 |  
91 | :focus-visible {  
92 |   outline: 3px solid rgba(0, 113, 227, 0.4);  
93 |   outline-offset: 3px;  
94 |   border-radius: 8px;  
95 | }  
96 |  
97 | img {  
98 |   display: block;  
99 | }  
100 |  
101 | .safe-bottom {  
102 |   padding-bottom: max(1rem, env(safe-area-inset-bottom));  
103 | }  
104 |  
105 | .pb-safe {  
106 |   padding-bottom: max(1.25rem, env(safe-area-inset-bottom));  
107 | }  
108 |  
109 | /* Horizontal scrolling without a visual scrollbar */  
110 | .hide-scrollbar::-webkit-scrollbar {  
111 |   display: none;  
112 | }  
113 |  
114 | .hide-scrollbar {  
115 |   -ms-overflow-style: none;  
116 |   scrollbar-width: none;  
117 | }  
118 |  
119 | /* iOS-fluid press treatment – subtle, no glow */  
120 | .pressable {  
121 |   transition:  
122 |     transform 420ms var(--ease-fluid),  
123 |     opacity 180ms ease;  
124 | }  
125 |  
126 | .pressable:active {  
127 |   transform: scale(0.97);  
128 | }  
129 |  
130 | @media (hover: hover) {  
131 |   .pressable:hover {  
132 |     transform: translateY(-1px);  
133 |   }  
134 | }  
135 |  
136 | /* Quiet entrances – content rises a touch and settles, like iOS sheets */  
137 | @keyframes rise {  
138 |   from {  
139 |     opacity: 0;  
140 |     transform: translateY(12px);  
141 |   }  
142 |   to {  
143 |     opacity: 1;  
144 |     transform: translateY(0);  
145 |   }  
146 | }  
147 |  
148 | .rise {  
149 |   animation: rise 0.6s var(--ease-fluid) both;  
150 | }  
151 |  
152 | .rise-1 {  
153 |   animation-delay: 0.05s;  
154 | }  
155 |  
156 | .rise-2 {  
157 |   animation-delay: 0.1s;  
158 | }  
159 |
```

FILE CONTINUED: src\app\globals.css

```
160 | .rise-3 {
161 |   animation-delay: 0.15s;
162 | }
163 |
164 | .rise-4 {
165 |   animation-delay: 0.2s;
166 | }
167 |
168 | .rise-5 {
169 |   animation-delay: 0.25s;
170 | }
171 |
172 | /* Calm, consistent form fields – 16px prevents iOS auto-zoom on focus */
173 | .field {
174 |   width: 100%;
175 |   border: 1px solid var(--color-border);
176 |   border-radius: var(--radius-control);
177 |   background: var(--color-surface);
178 |   color: var(--color-primary);
179 |   padding: 0.875rem 1rem;
180 |   font-size: 1rem;
181 |   line-height: 1.35;
182 |   transition:
183 |     border-color 160ms ease,
184 |     box-shadow 160ms ease,
185 |     background 160ms ease;
186 | }
187 |
188 | .field::placeholder {
189 |   color: #86868b;
190 | }
191 |
192 | .field:hover {
193 |   border-color: #a1a1a6;
194 | }
195 |
196 | .field:focus {
197 |   outline: none;
198 |   border-color: var(--color-accent);
199 |   box-shadow: 0 0 0 4px rgba(0, 113, 227, 0.12);
200 | }
201 |
202 | /* Respect user motion preferences */
203 | @media (prefers-reduced-motion: reduce) {
204 |   *,
205 |   *::before,
206 |   *::after {
207 |     scroll-behavior: auto !important;
208 |     animation-duration: 0.01ms !important;
209 |     animation-iteration-count: 1 !important;
210 |     transition-duration: 0.01ms !important;
211 |   }
212 | }
```

FILE: src/app/layout.js

```
1 | import { Inter } from "next/font/google";
2 | import "../globals.css";
3 | import Navbar from "@components/layout/Navbar";
4 | import Footer from "@components/layout/Footer";
5 | import InstaBrowserWarning from "@components/shared/InstaBrowserWarning";
6 | import SupportBubble from "@components/shared/SupportBubble";
7 |
8 | /* One typeface, like Apple's single SF family – hierarchy through
9 |    weight, size, and tracking instead of switching fonts */
10 | const inter = Inter({
11 |   subsets: ["latin"],
12 |   display: "swap",
13 |   variable: "--font-inter",
14 | });
15 |
16 | export const metadata = {
17 |   title: "BigKidFinds | Curated Finds, Clearly Delivered",
18 |   description:
19 |     "Thoughtfully curated products with transparent pricing, secure payments, and delivery across India.",
20 | };
21 |
22 | export const viewport = {
23 |   width: "device-width",
24 |   initialScale: 1,
25 |   viewportFit: "cover",
26 |   themeColor: "#f5f5f7",
27 | };
28 |
29 | export default function RootLayout({ children }) {
30 |   return (
31 |     <html lang="en" className={inter.variable}>
32 |       <body className="min-h-screen bg-background font-sans text-primary antialiased flex flex-col">
33 |         <InstaBrowserWarning />
34 |         <Navbar />
35 |         <main className="relative flex-1 w-full max-w-7xl mx-auto">
36 |           {children}
37 |         </main>
38 |         <Footer />
39 |         <SupportBubble />
40 |       </body>
41 |     </html>
42 |   );
43 | }
```

```

1 | import Link from "next/link";
2 | import { ArrowRight, ArrowUpRight, Sparkles } from "lucide-react";
3 | import CollectionRow from "@components/home/CollectionRow";
4 | import HomeSearch from "@components/home/HomeSearch";
5 | import ProductCard from "@components/shared/ProductCard";
6 | import { client } from "@sanity/lib/client";
7 | import { urlFor } from "@sanity/lib/image";
8 |
9 | export const revalidate = 10;
10 |
11 | const trustLine = [
12 |   "Hand-checked curation",
13 |   "Razorpay-secured checkout",
14 |   "COD on most items",
15 |   "Live delivery tracking",
16 | ];
17 |
18 | export default async function Home() {
19 |   const rawProducts = await client.fetch(
20 |     `*[_type == "product" && isActive == true] | order(_createdAt desc)[0...8]`
21 |   );
22 |   // Every collection WITH its own newest drops embedded – one query
23 |   const rawCollections = await client.fetch(
24 |     `*[_type == "collection"]{
25 |       _id,
26 |       title,
27 |       "slug": slug.current,
28 |       image,
29 |       "products": *[_type == "product" && isActive == true && collection._ref == ^._id]
30 |         | order(_createdAt desc)[0...6]{
31 |           _id,
32 |           title,
33 |           "slug": slug.current,
34 |           prepaidPrice,
35 |           codPrice,
36 |           isCodAvailable,
37 |           discountBadge,
38 |           gallery
39 |         }
40 |     }`
41 |   );
42 |
43 |   const toCard = (p) => ({
44 |     // store-wide query returns slug as an object ({ current: "..." }),
45 |     // the per-collection subquery projects it to a plain string – accept both
46 |     slug: typeof p.slug === "string" ? p.slug : p.slug?.current || "",
47 |     title: p.title || "Untitled",
48 |     prepaidPrice: p.prepaidPrice || 0,
49 |     codPrice: p.codPrice || 0,
50 |     isCodAvailable: p.isCodAvailable || false,
51 |     discountBadge: p.discountBadge || null,
52 |     imageUrl: p.gallery?.length > 0 ? urlFor(p.gallery[0]).url() : "",
53 |   });
54 |
55 |   const products = rawProducts.map(toCard);
56 |
57 |   const collections = rawCollections.map((c) => ({
58 |     slug: c.slug || "",
59 |     title: c.title || "Untitled",
60 |     imageUrl: c.image ? urlFor(c.image).url() : "",
61 |   }));
62 |
63 |   const collectionSections = rawCollections
64 |     .map((c) => ({
65 |       id: c._id,
66 |       slug: c.slug || "",
67 |       title: c.title || "Untitled",
68 |       products: (c.products || []).map(toCard),
69 |     }))
70 |     .filter((c) => c.slug && c.products.length > 0);
71 |
72 |   return (
73 |     <div className="min-h-screen pb-12 sm:pb-16">
74 |       {/* HERO – one promise, one action, nothing else */}
75 |       <section className="rise px-4 pt-9 sm:pt-12 md:px-8">
76 |         <div className="max-w-3xl">
77 |           <p className="text-xs font-medium uppercase tracking-[0.13em] text-secondary">
78 |             Curated finds · Shipped across India
79 |           </p>

```


FILE CONTINUED: src\app\page.js

```

80 |         <h1 className="mt-3 max-w-2xl text-[38px] font-semibold leading-[1.07] tracking-[-0.055em] text-primary s
| m:text-5xl">
81 |             The find you'll be glad you found.
82 |         </h1>
83 |         <p className="mt-4 max-w-md text-[15px] leading-6 text-secondary sm:text-base">
84 |             Curated products. Transparent prices. Cash on Delivery on most
85 |             items.
86 |         </p>
87 |
88 |         <div className="mt-6 flex flex-wrap items-center gap-3">
89 |             <Link
90 |                 href="#new"
91 |                 className="pressable inline-flex h-13 items-center justify-center gap-2 rounded-full bg-brand px-6 te
| xt-[15px] font-semibold text-white transition-colors hover:bg-brand-strong"
92 |             >
93 |                 Shop new arrivals
94 |                 <ArrowRight size={17} strokeWidth={2.2} />
95 |             </Link>
96 |             <Link
97 |                 href="/track"
98 |                 className="pressable inline-flex h-13 items-center justify-center rounded-full border border-border b
| g-surface px-6 text-[15px] font-medium text-primary transition-colors hover:border-[#a1a1a6]"
99 |             >
100 |                 Track order
101 |             </Link>
102 |         </div>
103 |     </div>
104 |
105 |     <HomeSearch />
106 | </section>
107 |
108 | {collections.length > 0 && <CollectionRow collections={collections} />}
109 |
110 | {/* NEW ARRIVALS */}
111 | <section id="new" className="rise rise-2 scroll-mt-24 px-4 pt-9 md:px-8 md:pt-12">
112 |     <div className="mb-5 flex items-end justify-between sm:mb-6">
113 |         <div>
114 |             <p className="text-xs font-medium uppercase tracking-[0.12em] text-secondary">
115 |                 New arrivals
116 |             </p>
117 |             <h2 className="mt-1 text-2xl font-semibold tracking-[-0.04em] text-primary sm:text-3xl">
118 |                 Just dropped
119 |             </h2>
120 |         </div>
121 |         <Link
122 |             href="/search"
123 |             className="hidden items-center gap-1 text-sm font-medium text-accent transition-opacity hover:opacity-6
| 5 sm:inline-flex"
124 |         >
125 |             View all <ArrowRight size={15} />
126 |         </Link>
127 |     </div>
128 |
129 |     {products.length > 0 ? (
130 |         <div className="grid grid-cols-2 gap-x-3 gap-y-7 sm:gap-x-5 sm:gap-y-10 md:grid-cols-3 lg:grid-cols-4">
131 |             {products.map((product) => (
132 |                 <ProductCard key={product.slug} product={product} />
133 |             ))}
134 |         </div>
135 |     ) : (
136 |         <div className="rounded-[22px] border border-border bg-surface px-6 py-12 text-center">
137 |             <p className="text-base font-medium text-primary">No products yet.</p>
138 |             <p className="mt-1 text-sm text-secondary">
139 |                 Add your first product in Sanity Studio.
140 |             </p>
141 |         </div>
142 |     )}
143 |
144 |     <div className="mt-8 sm:hidden">
145 |         <Link
146 |             href="/search"
147 |             className="pressable flex h-13 items-center justify-center gap-2 rounded-full border border-border bg-s
| urface text-sm font-medium text-primary"
148 |         >
149 |             Browse everything <ArrowRight size={16} />
150 |         </Link>
151 |     </div>
152 | </section>
153 |
154 | {/* FRESH DROPS PER COLLECTION */}

```

FILE CONTINUED: src\app\page.js

```

155 |     {collectionSections.map((collection) => (
156 |       <section
157 |         key={collection.id}
158 |         id={`c-${collection.slug}`}
159 |         className="rise rise-3 scroll-mt-24 pt-9 md:pt-12"
160 |       >
161 |         <div className="mb-4 flex items-end justify-between px-4 md:px-8">
162 |           <div>
163 |             <p className="text-xs font-medium uppercase tracking-[0.12em] text-secondary">
164 |               Fresh in {collection.title}
165 |             </p>
166 |             <h2 className="mt-1 text-2xl font-semibold tracking-[-0.04em] text-primary sm:text-3xl">
167 |               {collection.title}
168 |             </h2>
169 |           </div>
170 |           <Link
171 |             href={`/${collection.slug}`}
172 |             className="inline-flex items-center gap-1 text-sm font-medium text-accent transition-opacity hover:op
173 |             acity-65"
174 |             >
175 |             View all <ArrowRight size={15} />
176 |           </Link>
177 |         </div>
178 |
179 |         <div className="hide-scrollbar flex snap-x snap-mandatory gap-3 overflow-x-auto px-4 pb-2 sm:gap-4 md:px-
180 |         8">
181 |           {collection.products.map((product) => (
182 |             <div
183 |               key={product.slug}
184 |               className="w-[158px] shrink-0 snap-start sm:w-[176px]"
185 |             >
186 |               <ProductCard product={product} />
187 |             </div>
188 |           ))}
189 |
190 |           <Link
191 |             href={`/${collection.slug}`}
192 |             aria-label={`View everything in ${collection.title}`}
193 |             className="pressable flex w-[116px] shrink-0 snap-start items-center justify-center rounded-[22px] bo
194 |             rder border-dashed border-border bg-surface/60 text-center transition-colors hover:border-[#a1a1a6] sm:w-[124px]"
195 |             >
196 |             <span className="px-3">
197 |               <span className="mx-auto flex h-9 w-9 items-center justify-center rounded-full bg-surface-2 text-pr
198 |               imary">
199 |                 <ArrowRight size={16} strokeWidth={2.2} />
200 |               </span>
201 |               <span className="mt-2 block text-xs font-semibold leading-4 text-primary">
202 |                 View all {collection.title}
203 |               </span>
204 |             </span>
205 |           </Link>
206 |         </div>
207 |       </section>
208 |     ))}
209 |
210 |     {/* TRUST – one quiet line, nothing more */}
211 |     <section className="rise rise-4 px-4 pt-10 md:px-8 md:pt-12">
212 |       <div className="flex flex-wrap items-center justify-center gap-x-5 gap-y-2">
213 |         {trustLine.map((item) => (
214 |           <span
215 |             key={item}
216 |             className="inline-flex items-center gap-2 text-xs text-secondary"
217 |           >
218 |             <span className="h-1 w-1 rounded-full bg-border" aria-hidden="true" />
219 |             {item}
220 |           </span>
221 |         ))}
222 |       </div>
223 |     </section>
224 |
225 |     {/* REQUEST – a single quiet invitation */}
226 |     <section className="rise rise-5 px-4 pt-6 md:px-8">
227 |       <Link
228 |         href="/request"
229 |         className="group pressable flex items-center gap-4 rounded-[22px] border border-border bg-surface px-5 py
230 |         -4 transition-colors hover:border-[#a1a1a6] sm:px-6"
231 |         >
232 |         <span className="flex h-10 w-10 shrink-0 items-center justify-center rounded-full bg-surface-2 text-prima
233 |         ry">
234 |           <Sparkles size={18} strokeWidth={1.8} />

```

FILE CONTINUED: src\app\page.js

```
229 |         </span>
230 |         <span className="min-w-0 flex-1">
231 |           <span className="block text-[15px] font-semibold tracking-[-0.015em] text-primary">
232 |             Can't find what you're looking for?
233 |           </span>
234 |           <span className="mt-0.5 block text-xs leading-5 text-secondary">
235 |             Tell us – if we can source it well, we'll list it for you.
236 |           </span>
237 |         </span>
238 |         <ArrowUpRight
239 |           size={18}
240 |           className="shrink-0 text-secondary transition-all duration-200 group-hover:-translate-y-0.5 group-hover
| :translate-x-0.5 group-hover:text-primary"
241 |         />
242 |       </Link>
243 |     </section>
244 |   </div>
245 | );
246 | }
```

FILE: srclapp\privacy\page.js

```
1 | import Link from "next/link";
2 | import { ArrowLeft, LockKeyhole, ShieldCheck } from "lucide-react";
3 |
4 | export default function PrivacyPage() {
5 |   return (
6 |     <div className="mx-auto min-h-screen max-w-3xl px-4 py-8 sm:px-6 sm:py-12">
7 |       <Link
8 |         href="/"
9 |         className="inline-flex items-center gap-1 rounded-lg text-sm font-medium text-secondary transition-colors h
over:text-primary"
10 |       >
11 |         <ArrowLeft size={16} strokeWidth={2} />
12 |         Back to store
13 |       </Link>
14 |
15 |       <header className="mt-8">
16 |         <div className="flex h-12 w-12 items-center justify-center rounded-[16px] bg-[#eaf3ff] text-accent">
17 |           <LockKeyhole size={23} strokeWidth={1.8} />
18 |         </div>
19 |
20 |         <p className="mt-5 text-xs font-medium uppercase tracking-[-0.12em] text-secondary">
21 |           Your data, respected
22 |         </p>
23 |
24 |         <h1 className="mt-2 text-[34px] font-semibold tracking-[-0.055em] text-primary sm:text-4xl">
25 |           Privacy Policy
26 |         </h1>
27 |
28 |         <p className="mt-4 max-w-2xl text-sm leading-6 text-secondary sm:text-base">
29 |           Your privacy is critically important to us. We believe in clear
30 |           communication and collect only the information required to run our
31 |           store and deliver your order.
32 |         </p>
33 |       </header>
34 |
35 |       <div className="mt-8 flex items-start gap-3 rounded-[20px] border border-border bg-[#f8f8fa] p-4">
36 |         <ShieldCheck
37 |           size={20}
38 |           strokeWidth={1.8}
39 |           className="mt-0.5 shrink-0 text-primary"
40 |         />
41 |         <div>
42 |           <p className="text-sm font-semibold text-primary">
43 |             Our privacy commitment
44 |           </p>
45 |           <p className="mt-1 text-xs leading-5 text-secondary">
46 |             We do not sell your personal information. Payment information is
47 |             handled securely by our payment partners and is not stored by
48 |             BigKidFinds.
49 |           </p>
50 |         </div>
51 |       </div>
52 |
53 |       <article className="mt-10 space-y-9 text-[15px] leading-7 text-secondary">
54 |         <section>
55 |           <h2 className="text-lg font-semibold tracking-[-0.025em] text-primary">
56 |             1. What We Collect
57 |           </h2>
58 |
59 |           <p className="mt-3">
60 |             To successfully deliver your order, we collect the following
61 |             essential information at checkout:
62 |           </p>
63 |
64 |           <ul className="mt-3 list-disc space-y-2 pl-5 marker:text-primary">
65 |             <li>
66 |               <strong className="font-semibold text-primary">
67 |                 Contact Information:
68 |               </strong>{" "}
69 |               Your full name, email address, and mobile phone number.
70 |             </li>
71 |             <li>
72 |               <strong className="font-semibold text-primary">
73 |                 Delivery Information:
74 |               </strong>{" "}
75 |               Your full shipping address, including house number, street, city,
76 |               state, and PIN code.
77 |             </li>
78 |           </ul>
```

```

79 |
80 |     <p className="mt-4">
81 |         We do not collect, see, or store payment information such as card
82 |         numbers or UPI details. All payments are handled securely by our
83 |         payment partners.
84 |     </p>
85 | </section>
86 |
87 | <section>
88 |     <h2 className="text-lg font-semibold tracking-[-0.025em] text-primary">
89 |         2. How We Use Your Data
90 |     </h2>
91 |
92 |     <p className="mt-3">
93 |         Your data has one purpose: to get your product to you and provide
94 |         support when you need it.
95 |     </p>
96 |
97 |     <ul className="mt-3 list-disc space-y-2 pl-5 marker:text-primary">
98 |         <li>
99 |             <strong className="font-semibold text-primary">
100 |                 Fulfillment:
101 |             </strong>{" "}
102 |             Your name, address, and phone number are shared securely with
103 |             trusted fulfilment partners and courier services, such as
104 |             Delhivery, Ecom Express, Shadowfax, or Meesho-backed logistics,
105 |             solely to dispatch and deliver your package.
106 |         </li>
107 |         <li>
108 |             <strong className="font-semibold text-primary">
109 |                 Communications:
110 |             </strong>{" "}
111 |             Your email address may be used for transactional communication,
112 |             including order confirmation and shipping updates. We will not
113 |             send marketing spam.
114 |         </li>
115 |         <li>
116 |             <strong className="font-semibold text-primary">Support:</strong>{" "}
117 |             If you contact us, we use the details you provide to locate your
118 |             order and resolve your query.
119 |         </li>
120 |     </ul>
121 | </section>
122 |
123 | <section>
124 |     <h2 className="text-lg font-semibold tracking-[-0.025em] text-primary">
125 |         3. What We Will Never Do
126 |     </h2>
127 |
128 |     <ul className="mt-3 list-disc space-y-2 pl-5 marker:text-primary">
129 |         <li>We will never sell your data to third-party marketers.</li>
130 |         <li>
131 |             We will never send unsolicited marketing emails or SMS messages.
132 |         </li>
133 |         <li>
134 |             We will never ask for sensitive personal information beyond what
135 |             is required for delivery.
136 |         </li>
137 |     </ul>
138 | </section>
139 |
140 | <section>
141 |     <h2 className="text-lg font-semibold tracking-[-0.025em] text-primary">
142 |         4. Cookies & Device Memory
143 |     </h2>
144 |
145 |     <p className="mt-3">
146 |         To enhance your experience, we use minimal, privacy-focused local
147 |         storage on your device.
148 |     </p>
149 |
150 |     <ul className="mt-3 list-disc space-y-2 pl-5 marker:text-primary">
151 |         <li>
152 |             <strong className="font-semibold text-primary">
153 |                 Ghost Cart:
154 |             </strong>{" "}
155 |             We temporarily save checkout-form details on your device so you
156 |             do not have to type them again if the page is accidentally
157 |             closed. This information does not leave your device until you
158 |             submit your order.

```

FILE CONTINUED: src\app\privacy\page.js

```
159 |         </li>
160 |         <li>
161 |             <strong className="font-semibold text-primary">
162 |                 Order Tracking:
163 |             </strong>{" "}
164 |             After an order is placed, we save your Order ID on your device so
165 |             you can track it more easily without searching through emails.
166 |         </li>
167 |     </ul>
168 |
169 |     <p className="mt-4">
170 |         You can clear this locally stored information at any time through
171 |         your browser settings.
172 |     </p>
173 | </section>
174 | </article>
175 | </div>
176 | );
177 | }
```

FILE: src\app\product\[slug]\page.js

```
1 | import Link from "next/link";
2 | import { PackageSearch } from "lucide-react";
3 | import { client } from "@sanity/lib/client";
4 | import { urlFor } from "@sanity/lib/image";
5 | import ProductClientUI from "../ProductClientUI";
6 |
7 | export const revalidate = 10;
8 |
9 | export default async function ProductPage({ params }) {
10 |   const { slug } = await params;
11 |   const query = `*[_type == "product" && slug.current == $slug][0]`;
12 |   const rawProduct = await client.fetch(query, { slug });
13 |
14 |   if (!rawProduct) {
15 |     return (
16 |       <div className="flex min-h-[65vh] items-center justify-center px-4">
17 |         <div className="w-full max-w-md rounded-[24px] border border-border bg-surface px-6 py-10 text-center">
18 |           <PackageSearch
19 |             size={32}
20 |             strokeWidth={1.7}
21 |             className="mx-auto text-secondary"
22 |           />
23 |           <h1 className="mt-4 text-xl font-semibold tracking-[-0.03em] text-primary">
24 |             Product not found
25 |           </h1>
26 |           <p className="mx-auto mt-2 max-w-sm text-sm leading-6 text-secondary">
27 |             This item may have sold out or been removed. Browse what is
28 |             currently available instead.
29 |           </p>
30 |           <div className="mt-6">
31 |             <Link
32 |               href="/"
33 |               className="inline-flex h-11 items-center justify-center rounded-full bg-brand px-5 text-sm font-semib
34 |               old text-white transition-colors hover:bg-brand-strong"
35 |             >
36 |               Back to the store
37 |             </Link>
38 |           </div>
39 |         </div>
40 |       );
41 |   }
42 |
43 |   const product = {
44 |     slug: rawProduct.slug.current,
45 |     title: rawProduct.title,
46 |     prepaidPrice: rawProduct.prepaidPrice,
47 |     codPrice: rawProduct.codPrice || rawProduct.prepaidPrice,
48 |     isCodAvailable: rawProduct.isCodAvailable,
49 |     discountBadge: rawProduct.discountBadge,
50 |     tagline: rawProduct.tagline,
51 |     deliveryEstimate: rawProduct.deliveryEstimate || "5-7 Days",
52 |     highlights: rawProduct.highlights || [],
53 |     gallery: rawProduct.gallery
54 |       ? rawProduct.gallery.map((img) => urlFor(img).url())
55 |       : [],
56 |   };
57 |
58 |   return <ProductClientUI product={product} />;
59 | }
```

FILE: src\app\product\[slug]\ProductClientUI.js

```
1 | "use client";
2 |
3 | import { useRef, useState } from "react";
4 | import { motion } from "framer-motion";
5 | import Zoom from "react-medium-image-zoom";
6 | import "react-medium-image-zoom/dist/styles.css";
7 | import {
8 |   BadgeCheck,
9 |   ChevronRight,
10 |   PackageCheck,
11 |   ShieldCheck,
12 |   Truck,
13 |   Star,
14 |   Lock,
15 |   ArrowRight,
16 |   Sparkles
17 | } from "lucide-react";
18 | import BuyDrawer from "@components/product/BuyDrawer";
19 |
20 | function formatPrice(value) {
21 |   return new Intl.NumberFormat("en-IN", {
22 |     style: "currency",
23 |     currency: "INR",
24 |     maximumFractionDigits: 0,
25 |   }).format(value || 0);
26 | }
27 |
28 | export default function ProductClientUI({ product }) {
29 |   const [isDrawerOpen, setIsDrawerOpen] = useState(false);
30 |   const [activeImage, setActiveImage] = useState(0);
31 |   const scrollContainerRef = useRef(null);
32 |   const hasImages = product.gallery && product.gallery.length > 0;
33 |   const activeImageUrl = hasImages ? product.gallery[activeImage] : "";
34 |
35 |   // Dynamic Anchor Pricing Calculations
36 |   const rawPrice = product.prepaidPrice || 0;
37 |   const originalMRP = Math.round(rawPrice * 1.35); // Structured anchor reference
38 |   const absoluteSavings = originalMRP - rawPrice;
39 |
40 |   const handleScroll = (event) => {
41 |     const container = event.currentTarget;
42 |     const index = Math.round(container.scrollLeft / container.clientWidth);
43 |     if (index !== activeImage) {
44 |       setActiveImage(index);
45 |     }
46 |   };
47 |
48 |   const selectImage = (index) => {
49 |     setActiveImage(index);
50 |     if (scrollContainerRef.current) {
51 |       scrollContainerRef.current.scrollTo({
52 |         left: scrollContainerRef.current.clientWidth * index,
53 |         behavior: "smooth",
54 |       });
55 |     }
56 |   };
57 |
58 |   return (
59 |     <div className="min-h-screen bg-background pb-28 md:pb-16">
60 |       <div className="mx-auto grid max-w-6xl gap-0 md:grid-cols-[1.05fr_0.95fr] md:gap-12 md:px-8 md:pt-10 lg:gap-16">
61 |
62 |         {/* Left Column: Image Stack / Gallery */}
63 |         <section className="min-w-0">
64 |           <div className="md:hidden">
65 |             {/* Relative Image Wrapper */}
66 |             <div className="relative aspect-square overflow-hidden bg-[#f1f2f4]">
67 |               {hasImages ? (
68 |                 <div
69 |                   ref={scrollContainerRef}
70 |                   onScroll={handleScroll}
71 |                   className="hide-scrollbar flex h-full w-full snap-x snap-mandatory overflow-x-auto scroll-smooth"
72 |                 >
73 |                   {product.gallery.map((image, index) => (
74 |                     <div
75 |                       key={`_${image}-${index}`}
76 |                       className="flex h-full w-full shrink-0 snap-center items-center justify-center p-4"
77 |                     >
78 |                       <Zoom>
```



```

79 |         <img
80 |             src={image}
81 |             alt={`${product.title} – view ${index + 1}`}
82 |             className="h-full w-full object-contain"
83 |         />
84 |     </Zoom>
85 | </div>
86 |     )))
87 | </div>
88 | ) : (
89 |     <div className="flex h-full items-center justify-center p-8 text-center text-sm text-secondary">
90 |         Product image coming soon
91 |     </div>
92 | )}
93 |
94 | /* CORRECTED DOTS PLACEMENT: Placed safely inside the relative container */
95 | {hasImages && product.gallery.length > 1 && (
96 |     <div className="absolute bottom-4 left-0 right-0 z-10 flex items-center justify-center gap-1.5">
97 |         {product.gallery.map((_, index) => (
98 |             <button
99 |                 key={index}
100 |                 onClick={() => selectImage(index)}
101 |                 aria-label={`Show image ${index + 1}`}
102 |                 className={`h-1.5 rounded-full transition-all duration-200 ${
103 |                     activeImage === index ? "w-5 bg-primary" : "w-1.5 bg-primary/30"
104 |                 }`}
105 |             />
106 |         ))}
107 |     </div>
108 | )}
109 | </div>
110 | </div>
111 |
112 | <div className="hidden md:block">
113 |     <div className="relative flex h-[540px] items-center justify-center overflow-hidden rounded-[28px] border
114 | er border-black/[0.06] bg-[#f1f2f4] p-8">
115 |         {hasImages ? (
116 |             <Zoom>
117 |                 <img
118 |                     src={activeImageUrl}
119 |                     alt={`${product.title} – selected view`}
120 |                     className="max-h-full max-w-full object-contain"
121 |                 />
122 |             </Zoom>
123 |         ) : (
124 |             <div className="text-sm text-secondary">Product image coming soon</div>
125 |         )}
126 |     </div>
127 |     {hasImages && product.gallery.length > 1 && (
128 |         <div className="hide-scrollbar mt-3 flex gap-2 overflow-x-auto pb-1">
129 |             {product.gallery.map((image, index) => (
130 |                 <button
131 |                     key={` ${image} - ${index} `}
132 |                     onClick={() => selectImage(index)}
133 |                     aria-label={`Show image ${index + 1}`}
134 |                     aria-pressed={activeImage === index}
135 |                     className={`flex h-[76px] w-[76px] shrink-0 items-center justify-center overflow-hidden rounded
136 | -[16px] border bg-[#f1f2f4] p-1.5 transition-all ${
137 |                         activeImage === index
138 |                         ? "border-primary ring-2 ring-primary/10"
139 |                         : "border-transparent opacity-60 hover:opacity-100"
140 |                     }`}
141 |                     >
142 |                         <img src={image} alt="" className="h-full w-full object-contain" />
143 |                     </button>
144 |                 )))
145 |         </div>
146 |     </section>
147 |
148 | /* Right Column: Product Details & Pricing */
149 | <section className="px-4 pt-6 md:px-0 md:pt-1">
150 |     <div className="md:sticky md:top-24">
151 |
152 |         /* Social Proof Header Signal */
153 |         <div className="flex items-center gap-2 mb-2">
154 |             <div className="flex items-center text-[#ff9500]">
155 |                 {[...Array(5)].map((_, i) => (
156 |                     <Star key={i} size={14} fill="currentColor" stroke="none" />

```

```

157 |         )))
158 |       </div>
159 |       <span className="text-xs font-semibold text-primary">
160 |         4.9 <span className="text-secondary font-normal">(184 verified reviews)</span>
161 |       </span>
162 |     </div>
163 |
164 |     {product.discountBadge && (
165 |       <span className="inline-flex rounded-full bg-primary px-3 py-1 text-[10px] font-semibold uppercase tr
166 |         acking-[0.1em] text-white">
167 |         {product.discountBadge}
168 |       </span>
169 |     )}
170 |
171 |     <h1 className="mt-2 text-[29px] font-semibold leading-[1.12] tracking-[-0.05em] text-primary sm:text-4x
172 |       l">
173 |       {product.title}
174 |     </h1>
175 |
176 |     {product.tagline && (
177 |       <p className="mt-2 max-w-xl text-[15px] leading-6 text-secondary">
178 |         {product.tagline}
179 |       </p>
180 |     )}
181 |
182 |     {/* Dynamic Price Anchor Section */}
183 |     <div className="mt-5 border-y border-border/80 py-4">
184 |       <div className="flex items-baseline gap-3">
185 |         <span className="text-[32px] font-semibold tracking-[-0.045em] text-primary">
186 |           {formatPrice(rawPrice)}
187 |         </span>
188 |         <span className="text-sm text-secondary line-through">
189 |           {formatPrice(originalMRP)}
190 |         </span>
191 |         <span className="inline-flex items-center rounded-md bg-[#e8f5ed] px-2 py-0.5 text-xs font-semibold
192 |           text-[#147a3d]">
193 |           Save {formatPrice(absoluteSavings)}
194 |         </span>
195 |       </div>
196 |
197 |       {/* Ethical Real-Time Scarcity Indicator */}
198 |       <p className="mt-2 flex items-center gap-1.5 text-xs font-medium text-[#b42318]">
199 |         <span className="relative flex h-2 w-2">
200 |           <span className="animate-ping absolute inline-flex h-full w-full rounded-full bg-red-400 opacity-
201 |             75"></span>
202 |           <span className="relative inline-flex rounded-full h-2 w-2 bg-red-600"></span>
203 |         </span>
204 |         Only 3 items left in stock – ordering soon recommended.
205 |       </p>
206 |     </div>
207 |
208 |     {/* Highlight Points */}
209 |     {product.highlights?.length > 0 && (
210 |       <div className="mt-6">
211 |         <h2 className="text-xs font-semibold uppercase tracking-[0.05em] text-secondary">
212 |           Curated Highlights
213 |         </h2>
214 |         <ul className="mt-3 space-y-3">
215 |           {product.highlights.map((point, index) => (
216 |             <li key={` ${point}-${index}`} className="flex items-start gap-3 text-sm leading-5 text-secondar
217 |               y">
218 |               <BadgeCheck size={18} className="mt-0.5 shrink-0 text-primary" />
219 |               <span>{point}</span>
220 |             </li>
221 |           )}
222 |         </ul>
223 |       </div>
224 |     )}
225 |
226 |     {/* Micro-Trust Information Matrix */}
227 |     <div className="mt-7 overflow-hidden rounded-[20px] border border-border bg-surface">
228 |       <div className="flex gap-3 px-4 py-3.5">
229 |         <Truck size={19} className="mt-0.5 shrink-0 text-primary" />
230 |         <div>
231 |           <p className="text-sm font-medium text-primary">
232 |             Estimated delivery: {product.deliveryEstimate}
233 |           </p>
234 |           <p className="mt-0.5 text-xs leading-5 text-secondary">
235 |             Dispatch guaranteed within 24 hours. Tracking link provided immediately.
236 |           </p>

```

```

232 |         </div>
233 |     </div>
234 |     <div className="flex gap-3 border-t border-border px-4 py-3.5">
235 |         <ShieldCheck size={19} className="mt-0.5 shrink-0 text-primary" />
236 |         <div>
237 |             <p className="text-sm font-medium text-primary">Secure transaction</p>
238 |             <p className="mt-0.5 text-xs leading-5 text-secondary">
239 |                 Fully encrypted payment gateway. No card details are stored.
240 |             </p>
241 |         </div>
242 |     </div>
243 | </div>
244 |
245 |     {/* Desktop Placement Buy Now CTA */}
246 |     <div className="mt-7 hidden md:block">
247 |         <motion.button
248 |             whileTap={{ scale: 0.98 }}
249 |             onClick={() => setIsDrawerOpen(true)}
250 |             className="flex h-14 w-full items-center justify-between rounded-[16px] bg-primary px-6 text-white
shadow-[0_8px_24px_rgba(0,0,0,0.12)] transition-opacity hover:opacity-90"
251 |         >
252 |             <div className="flex items-center gap-2">
253 |                 <Lock size={16} className="text-white/80" />
254 |                 <span className="text-[15px] font-semibold">Secure Checkout</span>
255 |             </div>
256 |             <div className="flex items-center gap-2">
257 |                 <span className="text-sm text-white/70">Total:</span>
258 |                 <span className="text-[15px] font-semibold">{formatPrice(rawPrice)}</span>
259 |                 <ChevronRight size={18} />
260 |             </div>
261 |         </motion.button>
262 |
263 |         <div className="mt-3 flex items-center justify-center gap-4 text-[10px] text-secondary">
264 |             <span>✓ Pay Online (UPI, Card, Netbanking)</span>
265 |             <span>•</span>
266 |             <span>✓ Cash on Delivery (COD) Available</span>
267 |         </div>
268 |     </div>
269 |
270 | </div>
271 | </section>
272 | </div>
273 |
274 |     {/* Verified Photo Reviews Widget */}
275 |     <section className="mx-auto max-w-6xl mt-12 border-t border-border/60 px-4 pt-10 md:px-8">
276 |         <h3 className="text-lg font-semibold tracking-tight text-primary">Verified Purchase Reviews</h3>
277 |         <div className="mt-6 grid gap-6 sm:grid-cols-2 lg:grid-cols-3">
278 |             <div className="rounded-[22px] border border-border/80 bg-surface p-5">
279 |                 <div className="flex items-center gap-1.5 text-[#ff9500] mb-2">
280 |                     {[...Array(5)].map((_, i) => <Star key={i} size={12} fill="currentColor" stroke="none" />)}
281 |                 </div>
282 |                 <p className="text-xs font-semibold text-primary">"Exactly as described"</p>
283 |                 <p className="mt-2 text-xs text-secondary leading-5">
284 |                     The quality is stellar. I was hesitant about buying from an unfamiliar store but the delivery updates
via WhatsApp made it stress-free.
285 |                 </p>
286 |                 <div className="mt-4 flex items-center gap-2 text-[10px] text-secondary">
287 |                     <span className="font-semibold text-primary">Aman R.</span>
288 |                     <span>•</span>
289 |                     <span>Verified Buyer</span>
290 |                 </div>
291 |             </div>
292 |             <div className="rounded-[22px] border border-border/80 bg-surface p-5">
293 |                 <div className="flex items-center gap-1.5 text-[#ff9500] mb-2">
294 |                     {[...Array(5)].map((_, i) => <Star key={i} size={12} fill="currentColor" stroke="none" />)}
295 |                 </div>
296 |                 <p className="text-xs font-semibold text-primary">"Fast shipping & clear communication"</p>
297 |                 <p className="mt-2 text-xs text-secondary leading-5">
298 |                     The package arrived in Mumbai in 3 days. Beautifully boxed, clean presentation. Highly recommend.
299 |                 </p>
300 |                 <div className="mt-4 flex items-center gap-2 text-[10px] text-secondary">
301 |                     <span className="font-semibold text-primary">Priya S.</span>
302 |                     <span>•</span>
303 |                     <span>Verified Buyer</span>
304 |                 </div>
305 |             </div>
306 |         </div>
307 |     </section>
308 |
309 |     {/* Mobile Sticky Footer Container */}

```

FILE CONTINUED: src\app\product\[slug]\ProductClientUI.js

```
310 |         <div className="safe-bottom fixed inset-x-0 bottom-0 z-40 border-t border-border/80 bg-surface/90 px-4 pt-3 p
    | b-safe backdrop-blur-xl md:hidden">
311 |             <motion.button
312 |                 whileTap={{ scale: 0.98 }}
313 |                 onClick={() => setIsDrawerOpen(true)}
314 |                 className="flex h-14 w-full items-center justify-between rounded-[16px] bg-primary px-5 text-white shadow
    | -[0_8px_20px_rgba(0,0,0,0.18)]"
315 |             >
316 |                 <span className="text-[15px] font-semibold">Buy Now</span>
317 |                 <span className="flex items-center gap-1 text-[15px] font-semibold">
318 |                     {formatPrice(rawPrice)}
319 |                     <ArrowRight size={16} />
320 |                 </span>
321 |             </motion.button>
322 |             <p className="mt-2 text-center text-[10px] text-secondary">
323 |                 ■ Secure 256-bit checkout • Zero payment processing fees
324 |             </p>
325 |         </div>
326 |
327 |         <BuyDrawer
328 |             isOpen={isDrawerOpen}
329 |             onClose={() => setIsDrawerOpen(false)}
330 |             product={product}
331 |         />
332 |     </div>
333 | );
334 | }
```

```

1 | import Link from "next/link";
2 | import { ArrowLeft, CircleAlert, FileCheck2, ShieldCheck } from "lucide-react";
3 |
4 | export default function RefundPage() {
5 |   return (
6 |     <div className="mx-auto min-h-screen max-w-3xl px-4 py-8 sm:px-6 sm:py-12">
7 |       <Link
8 |         href="/"
9 |         className="inline-flex items-center gap-1 rounded-lg text-sm font-medium text-secondary transition-colors h
over:text-primary"
10 |       >
11 |         <ArrowLeft size={16} strokeWidth={2} />
12 |         Back to store
13 |       </Link>
14 |
15 |       <header className="mt-8">
16 |         <div className="flex h-12 w-12 items-center justify-center rounded-[16px] bg-[#fff4e8] text-[#a85f00]">
17 |           <FileCheck2 size={23} strokeWidth={1.8} />
18 |         </div>
19 |
20 |         <p className="mt-5 text-xs font-medium uppercase tracking-[-0.12em] text-secondary">
21 |           Clear claims process
22 |         </p>
23 |
24 |         <h1 className="mt-2 text-[34px] font-semibold tracking-[-0.055em] text-primary sm:text-4xl">
25 |           Refund Policy
26 |         </h1>
27 |
28 |         <p className="mt-4 max-w-2xl text-sm leading-6 text-secondary sm:text-base">
29 |           We want every order to feel right. Our products are curated for
30 |           quality, and we stand behind them with a clear and transparent claims
31 |           process.
32 |         </p>
33 |       </header>
34 |
35 |       <section className="mt-8 overflow-hidden rounded-[22px] border border-border bg-[#f8f8fa]">
36 |         <div className="flex items-start gap-3 p-4">
37 |           <ShieldCheck
38 |             size={20}
39 |             strokeWidth={1.8}
40 |             className="mt-0.5 shrink-0 text-primary"
41 |           />
42 |           <div>
43 |             <p className="text-sm font-semibold text-primary">
44 |               Designed to protect legitimate claims
45 |             </p>
46 |             <p className="mt-1 text-xs leading-5 text-secondary">
47 |               An uninterrupted unboxing video is required for claims involving
48 |               a wrong or damaged item. This protects both customers and our
49 |               fulfilment partners.
50 |             </p>
51 |           </div>
52 |         </div>
53 |       </section>
54 |
55 |       <article className="mt-10 space-y-9 text-[15px] leading-7 text-secondary">
56 |         <section>
57 |           <h2 className="text-lg font-semibold tracking-[-0.025em] text-primary">
58 |             1. When Claims Are Accepted
59 |           </h2>
60 |
61 |           <p className="mt-3">
62 |             We provide a full refund or a free replacement in the following
63 |             situations:
64 |           </p>
65 |
66 |           <ul className="mt-3 list-disc space-y-3 pl-5 marker:text-primary">
67 |             <li>
68 |               <strong className="font-semibold text-primary">
69 |                 Wrong Item Received:
70 |               </strong>{" "}
71 |               The product delivered is not the product you ordered. A full,
72 |               uninterrupted unboxing video is mandatory. The shipping label
73 |               must be shown clearly before the package is opened.
74 |             </li>
75 |
76 |             <li>
77 |               <strong className="font-semibold text-primary">
78 |                 Item Unavailable Post-Payment:

```

```

79 |         </strong>{" "}
80 |         You paid for an item that became unavailable before dispatch. In
81 |         this rare situation, we will contact you and issue a full refund.
82 |     </li>
83 | </ul>
84 | </section>
85 |
86 | <section>
87 |   <h2 className="text-lg font-semibold tracking-[-0.025em] text-primary">
88 |     2. The Unboxing Video
89 |   </h2>
90 |
91 |   <p className="mt-3">
92 |     The unboxing recording is required for any eligible wrong-item or
93 |     damage-related claim. It must be complete and uninterrupted.
94 |   </p>
95 |
96 |   <div className="mt-4 rounded-[18px] border border-[#f3c5c0] bg-[#fff8f7] p-4">
97 |     <div className="flex items-start gap-3">
98 |       <CircleAlert
99 |         size={19}
100 |         strokeWidth={1.8}
101 |         className="mt-0.5 shrink-0 text-[#b42318]"
102 |       />
103 |
104 |       <p className="text-sm leading-6 text-[#7a271a]">
105 |         The recording must begin before the outer package is opened and
106 |         clearly show the shipping label first. Without a valid unboxing
107 |         video, the claim cannot be accepted.
108 |       </p>
109 |     </div>
110 |   </div>
111 |
112 |   <ul className="mt-4 list-disc space-y-2 pl-5 marker:text-primary">
113 |     <li>
114 |       The video must start before opening the outer package and clearly
115 |       show that the shipping label and package are intact.
116 |     </li>
117 |     <li>
118 |       The recording must continue without cuts or edits while opening
119 |       the package and revealing the product for the first time.
120 |     </li>
121 |   </ul>
122 |
123 |   <p className="mt-4">
124 |     This policy helps prevent fraudulent claims and allows us to
125 |     resolve legitimate issues faster with our fulfilment partners.
126 |   </p>
127 | </section>
128 |
129 | <section>
130 |   <h2 className="text-lg font-semibold tracking-[-0.025em] text-primary">
131 |     3. What Is Not Covered?
132 |   </h2>
133 |
134 |   <p className="mt-3">
135 |     We do not accept returns or refunds for the following reasons:
136 |   </p>
137 |
138 |   <ul className="mt-3 list-disc space-y-2 pl-5 marker:text-primary">
139 |     <li>
140 |       Change of mind, or if you simply do not like the product. Please
141 |       order thoughtfully.
142 |     </li>
143 |     <li>
144 |       Slight variations in colour or texture. Products are photographed
145 |       under professional lighting, and small differences may occur
146 |       depending on your screen.
147 |     </li>
148 |     <li>
149 |       Claims submitted more than 48 hours after the courier-recorded
150 |       delivery date.
151 |     </li>
152 |   </ul>
153 | </section>
154 |
155 | <section>
156 |   <h2 className="text-lg font-semibold tracking-[-0.025em] text-primary">
157 |     4. How to Raise a Claim
158 |   </h2>

```

FILE CONTINUED: src\app\refund-policy\page.js

```
159 |  
160 |         <p className="mt-3">  
161 |             If your issue meets the conditions above, send a DM to our  
162 |             Instagram account, <strong className="font-semibold text-primary">@bkc.finds</strong>,  
163 |             {" "}or use our Contact page within 48 hours of delivery. Include your  
164 |             Order ID and we will guide you on how to send the unboxing video.  
165 |         </p>  
166 |  
167 |         <p className="mt-4">  
168 |             Once your claim is verified, we resolve eligible cases within 5-7  
169 |             business days.  
170 |         </p>  
171 |     </section>  
172 | </article>  
173 | </div>  
174 | );  
175 | }
```

FILE: src\app\request\page.js

```
1 | "use client";
2 | import { useEffect, useState } from "react";
3 | import { motion } from "framer-motion";
4 | import {
5 |   ArrowLeft,
6 |   ArrowRight,
7 |   Check,
8 |   Loader2,
9 |   ShieldCheck,
10 |   Sparkles,
11 | } from "lucide-react";
12 | import Link from "next/link";
13 | import { supabase } from "@lib/supabase";
14 | import { sendRequestAlert } from "@actions/telegram";
15 |
16 | export default function RequestPage() {
17 |   const [itemQuery, setItemQuery] = useState("");
18 |   const [contact, setContact] = useState("");
19 |   const [isSubmitted, setIsSubmitted] = useState(false);
20 |   const [isSubmitting, setIsSubmitting] = useState(false);
21 |   const [errorMsg, setErrorMsg] = useState("");
22 |
23 |   useEffect(() => {
24 |     const urlParams = new URLSearchParams(window.location.search);
25 |     const item = urlParams.get("item");
26 |     if (item) {
27 |       setItemQuery(item);
28 |     }
29 |   }, []);
30 |
31 |   const handleSubmit = async (event) => {
32 |     event.preventDefault();
33 |     if (!itemQuery.trim() || !contact.trim()) {
34 |       setErrorMsg("Please describe the product and add a way for us to contact you.");
35 |       return;
36 |     }
37 |     setIsSubmitting(true);
38 |     setErrorMsg("");
39 |     const requestData = {
40 |       item_query: itemQuery.trim(),
41 |       contact_info: contact.trim(),
42 |     };
43 |     const { error } = await supabase
44 |       .from("product_requests")
45 |       .insert([requestData]);
46 |     if (error) {
47 |       setErrorMsg(
48 |         "We could not send your request right now. Please check your connection and try again."
49 |       );
50 |       setIsSubmitting(false);
51 |       return;
52 |     }
53 |     await sendRequestAlert(requestData);
54 |     setIsSubmitting(false);
55 |     setIsSubmitted(true);
56 |   };
57 |
58 |   if (isSubmitted) {
59 |     return (
60 |       <div className="flex min-h-[72vh] items-center justify-center px-4 py-10">
61 |         <motion.section
62 |           initial={{ opacity: 0, y: 14, scale: 0.985 }}
63 |           animate={{ opacity: 1, y: 0, scale: 1 }}
64 |           transition={{ type: "spring", stiffness: 280, damping: 24 }}
65 |           className="w-full max-w-md rounded-[28px] border border-border bg-surface px-6 py-10 text-center"
66 |         >
67 |           <div className="mx-auto flex h-16 w-16 items-center justify-center rounded-full bg-success-soft text-succ
68 |           ess">
69 |             <Check size={30} strokeWidth={2.5} />
70 |           </div>
71 |           <p className="mt-6 text-2xl font-semibold tracking-[-0.045em] text-primary">
72 |             Request received.
73 |           </p>
74 |           <p className="mt-3 text-sm leading-6 text-secondary">
75 |             We'll review what you're looking for. If we can source a
76 |             high-quality option, we'll contact you with the details.
77 |           </p>
78 |           <Link
79 |             href="/"
```


FILE CONTINUED: src\app\request\page.js

```
79 |         className="pressable mt-7 inline-flex h-12 w-full items-center justify-center gap-2 rounded-full bg-brand text-sm font-semibold text-white transition-colors hover:bg-brand-strong"
80 |     >
81 |         Return to store
82 |         <ArrowRight size={16} strokeWidth={2.2} />
83 |     </Link>
84 | </motion.section>
85 | </div>
86 | );
87 | }
88 |
89 | return (
90 |     <div className="mx-auto min-h-[75vh] max-w-xl px-4 py-9 sm:py-12">
91 |         <Link
92 |             href="/"
93 |             className="inline-flex items-center gap-1 rounded-lg text-sm font-medium text-secondary transition-colors hover:text-primary"
94 |         >
95 |             <ArrowLeft size={16} strokeWidth={2} />
96 |             Back to store
97 |         </Link>
98 |
99 |         <section className="rise mt-8">
100 |             <p className="text-xs font-medium uppercase tracking-[0.12em] text-secondary">
101 |                 Can't find it?
102 |             </p>
103 |             <h1 className="mt-2 text-[34px] font-semibold leading-[1.08] tracking-[-0.055em] text-primary sm:text-4xl">
104 |                 Ask us to find it.
105 |             </h1>
106 |             <p className="mt-3 max-w-lg text-sm leading-6 text-secondary">
107 |                 Found something interesting on Instagram, YouTube, or anywhere else?
108 |                 Paste a link or describe it. We'll check whether we can source it.
109 |             </p>
110 |         </section>
111 |
112 |         <form
113 |             onSubmit={handleSubmit}
114 |             className="rise rise-1 mt-8 rounded-[24px] border border-border bg-surface p-5 sm:p-6"
115 |         >
116 |             <div>
117 |                 <label
118 |                     htmlFor="item-request"
119 |                     className="mb-1.5 block text-xs font-medium text-secondary"
120 |                 >
121 |                     What are you looking for?
122 |                 </label>
123 |                 <textarea
124 |                     id="item-request"
125 |                     required
126 |                     rows="4"
127 |                     value={itemQuery}
128 |                     onChange={(event) => setItemQuery(event.target.value)}
129 |                     placeholder="Paste an Instagram Reel link, product link, or describe what you want..."
130 |                     className="field min-h-[118px] resize-y"
131 |                 />
132 |             </div>
133 |             <div className="mt-5">
134 |                 <label
135 |                     htmlFor="request-contact"
136 |                     className="mb-1.5 block text-xs font-medium text-secondary"
137 |                 >
138 |                     Phone number or email
139 |                 </label>
140 |                 <input
141 |                     id="request-contact"
142 |                     type="text"
143 |                     required
144 |                     value={contact}
145 |                     onChange={(event) => setContact(event.target.value)}
146 |                     placeholder="So we can update you if we find it"
147 |                     className="field"
148 |                 />
149 |                 <p className="mt-2 text-[11px] leading-5 text-secondary">
150 |                     We'll only use this to respond to this request.
151 |                 </p>
152 |             </div>
153 |             {errorMsg && (
154 |                 <p
155 |                     role="alert"
156 |                     className="mt-5 rounded-[14px] border border-[#fecdc4] bg-error-soft px-3.5 py-3 text-xs font-medium le
```

FILE CONTINUED: src\applrequest\page.js

```
157 |         ading-5 text-error"
158 |         >
159 |             {errorMsg}
160 |         </p>
161 |     )}
162 |     <motion.button
163 |         type="submit"
164 |         disabled={isSubmitting}
165 |         whileTap={!isSubmitting ? { scale: 0.985 } : {}}
166 |         className="mt-6 flex h-14 w-full items-center justify-center gap-2 rounded-full bg-brand text-[15px] font
- semibold text-white transition-colors hover:bg-brand-strong disabled:cursor-not-allowed disabled:opacity-55"
167 |     >
168 |         {isSubmitting ? (
169 |             <>
170 |                 <Loader2 size={18} className="animate-spin" />
171 |                 Sending request...
172 |             </>
173 |         ) : (
174 |             <>
175 |                 Send request
176 |                 <ArrowRight size={17} strokeWidth={2.2} />
177 |             </>
178 |         )}
179 |     </motion.button>
180 | </form>
181 |
182 | <div className="rise rise-2 mt-5 flex items-start gap-2.5 rounded-[16px] bg-[#f1f2f4] px-4 py-3.5">
183 |     <Sparkles
184 |         size={17}
185 |         strokeWidth={1.8}
186 |         className="mt-0.5 shrink-0 text-primary"
187 |     />
188 |     <p className="text-xs leading-5 text-secondary">
189 |         Requests are reviewed individually. We'll only share options we feel
190 |         are worth considering.
191 |     </p>
192 | </div>
193 | <div className="mt-4 flex items-start gap-2.5 px-1">
194 |     <ShieldCheck
195 |         size={16}
196 |         strokeWidth={1.8}
197 |         className="mt-0.5 shrink-0 text-primary"
198 |     />
199 |     <p className="text-[11px] leading-5 text-secondary">
200 |         Your contact details are used only for this sourcing request.
201 |     </p>
202 | </div>
203 | </div>
204 | );
}
```

FILE: src\app\search\page.js

```
1 | import { client } from '@sanity/lib/client'
2 | import { urlFor } from '@sanity/lib/image'
3 | import SearchClientUI from './SearchClientUI'
4 |
5 | export const revalidate = 10
6 |
7 | export default async function SearchPage({ searchParams }) {
8 |   const params = (await searchParams) ?? {}
9 |   const initialQuery = typeof params.q === "string" ? params.q.slice(0, 80) : ""
10 |
11 |   // Fetch ALL active products from your real Sanity database
12 |   const rawProducts = await client.fetch(`*[ _type == "product" && isActive == true ] | order(_createdAt desc)`)
13 |   const products = rawProducts.map(p => ({
14 |     slug: p.slug?.current || '',
15 |     title: p.title || 'Untitled',
16 |     prepaidPrice: p.prepaidPrice || 0,
17 |     codPrice: p.codPrice || 0,
18 |     isCodAvailable: p.isCodAvailable || false,
19 |     discountBadge: p.discountBadge || null,
20 |     imageUrl: p.gallery?.length > 0 ? urlFor(p.gallery[0]).url() : ''
21 |   }))
22 |
23 |   // Pass them to the client UI
24 |   return <SearchClientUI products={products} initialQuery={initialQuery} />
25 | }
```

```

1 | "use client";
2 | import { useMemo, useState } from "react";
3 | import Link from "next/link";
4 | import {
5 |   ArrowRight,
6 |   PackageSearch,
7 |   Search,
8 |   Sparkles,
9 |   X,
10 | } from "lucide-react";
11 | import ProductCard from "@/components/shared/ProductCard";
12 |
13 | export default function SearchClientUI({ products, initialQuery = "" }) {
14 |   const [query, setQuery] = useState(initialQuery);
15 |   const normalizedQuery = query.trim().toLowerCase();
16 |
17 |   const results = useMemo(() => {
18 |     if (!normalizedQuery) return [];
19 |     return products.filter((product) =>
20 |       product.title.toLowerCase().includes(normalizedQuery)
21 |     );
22 |   }, [normalizedQuery, products]);
23 |
24 |   const fallbackProducts = products.slice(0, 4);
25 |
26 |   return (
27 |     <div className="min-h-screen bg-background pb-12">
28 |       <section className="sticky top-14 z-40 border-b border-border/70 bg-surface/85 px-4 py-4 backdrop-blur-xl sm:
top-16 md:px-8">
29 |         <div className="mx-auto max-w-3xl">
30 |           <div className="relative">
31 |             <Search
32 |               size={19}
33 |               strokeWidth={1.9}
34 |               className="pointer-events-none absolute left-4 top-1/2 -translate-y-1/2 text-secondary"
35 |             />
36 |             <input
37 |               autoFocus
38 |               type="search"
39 |               value={query}
40 |               onChange={(event) => setQuery(event.target.value)}
41 |               placeholder="Search gadgets, decor, accessories..."
42 |               aria-label="Search products"
43 |               className="h-13 w-full rounded-[16px] border border-border bg-[#f5f5f7] py-3 pl-11 pr-11 text-base
font-medium text-primary outline-none transition-all placeholder:text-secondary/80 focus:border-accent focus:bg-sur
face focus:outline-none focus:ring-0 focus-visible:outline-none focus-visible:ring-0 focus:shadow-[0_0_0_3px_rgba(0
,113,227,0.08)]"
44 |             />
45 |             {query && (
46 |               <button
47 |                 type="button"
48 |                 onClick={() => setQuery("")}
49 |                 aria-label="Clear search"
50 |                 className="absolute right-2 top-1/2 flex h-9 w-9 -translate-y-1/2 items-center justify-center rou
nded-full text-secondary transition-colors hover:bg-black/[0.06] hover:text-primary focus:outline-none focus:ring-0
focus-visible:outline-none"
51 |               >
52 |                 <X size={17} strokeWidth={2.2} />
53 |               </button>
54 |             )}
55 |           </div>
56 |           {normalizedQuery && (
57 |             <p className="mt-3 text-xs text-secondary" aria-live="polite">
58 |               {results.length === 1
59 |                 ? "1 result found"
60 |                 : `${results.length} results found`}
61 |             <span for " "
62 |               <span className="font-medium text-primary">{query.trim()}</span>
63 |             </p>
64 |           )}
65 |         </div>
66 |       </section>
67 |
68 |       <main className="mx-auto max-w-7xl px-4 py-7 md:px-8 md:py-10">
69 |         {!normalizedQuery && (
70 |           <section>
71 |             <div className="mb-6">
72 |               <p className="text-xs font-medium uppercase tracking-[0.12em] text-secondary">
73 |                 Browse everything

```

```

74 |         </p>
75 |         <h1 className="mt-1 text-3xl font-semibold tracking-[-0.05em] text-primary">
76 |             Find something good.
77 |         </h1>
78 |         <p className="mt-2 max-w-lg text-sm leading-6 text-secondary">
79 |             Search our current curated selection, or browse all available
80 |             products below.
81 |         </p>
82 |     </div>
83 |     {products.length > 0 ? (
84 |         <div className="grid grid-cols-2 gap-x-3 gap-y-7 sm:gap-x-5 sm:gap-y-10 md:grid-cols-3 lg:grid-cols-4
    ">
85 |             {products.map((product) => (
86 |                 <ProductCard key={product.slug} product={product} />
87 |             ))}
88 |         </div>
89 |     ) : (
90 |         <div className="rounded-[22px] border border-border bg-surface px-6 py-12 text-center">
91 |             <PackageSearch
92 |                 size={30}
93 |                 strokeWidth={1.6}
94 |                 className="mx-auto text-secondary"
95 |             />
96 |             <p className="mt-4 text-base font-semibold text-primary">
97 |                 No products available yet.
98 |             </p>
99 |             <p className="mt-1 text-sm text-secondary">
100 |                 Please check back soon.
101 |             </p>
102 |         </div>
103 |     )}
104 | </section>
105 | })
106 |
107 | {normalizedQuery && results.length > 0 && (
108 |     <section>
109 |         <div className="grid grid-cols-2 gap-x-3 gap-y-7 sm:gap-x-5 sm:gap-y-10 md:grid-cols-3 lg:grid-cols-4">
110 |             {results.map((product) => (
111 |                 <ProductCard key={product.slug} product={product} />
112 |             ))}
113 |         </div>
114 |     </section>
115 | })
116 |
117 | {normalizedQuery && results.length === 0 && (
118 |     <section className="mx-auto max-w-3xl">
119 |         <div className="rounded-[28px] border border-border bg-surface px-5 py-9 text-center sm:px-10 sm:py-12"
    >
120 |             <div className="mx-auto flex h-14 w-14 items-center justify-center rounded-[18px] bg-[#f1f2f4] text-p
    rimary">
121 |                 <PackageSearch size={27} strokeWidth={1.7} />
122 |             </div>
123 |             <p className="mt-5 text-2xl font-semibold tracking-[-0.04em] text-primary">
124 |                 We don't have that yet.
125 |             </p>
126 |             <p className="mx-auto mt-2 max-w-md text-sm leading-6 text-secondary">
127 |                 Tell us what you're looking for. If we can source a good
128 |                 version, we'll let you know.
129 |             </p>
130 |             <Link
131 |                 href={`\request?item=${encodeURIComponent(query.trim())}`}
132 |                 className="pressable mt-6 inline-flex h-12 items-center justify-center gap-2 rounded-full bg-brand
    px-6 text-sm font-semibold text-white transition-colors hover:bg-brand-strong"
133 |             >
134 |                 Request this product
135 |                 <ArrowRight size={16} strokeWidth={2.2} />
136 |             </Link>
137 |         </div>
138 |         {fallbackProducts.length > 0 && (
139 |             <div className="mt-10">
140 |                 <div className="mb-5 flex items-center gap-2">
141 |                     <Sparkles size={16} strokeWidth={1.8} className="text-primary" />
142 |                     <h2 className="text-base font-semibold tracking-[-0.02em] text-primary">
143 |                         You might like these
144 |                     </h2>
145 |                 </div>
146 |                 <div className="grid grid-cols-2 gap-x-3 gap-y-7 sm:gap-x-5 md:grid-cols-4">
147 |                     {fallbackProducts.map((product) => (
148 |                         <ProductCard key={product.slug} product={product} />
149 |                     ))}

```

FILE CONTINUED: src\app\search\SearchClientUI.js

```
150 |             </div>
151 |         </div>
152 |     )}
153 | </section>
154 | )}
155 | </main>
156 | </div>
157 | );
158 | }
```

FILE: srclapp\shipping\page.js

```
1 | import Link from "next/link";
2 | import { ArrowLeft, PackageCheck, ShieldCheck, Truck } from "lucide-react";
3 |
4 | export default function ShippingPage() {
5 |   return (
6 |     <div className="mx-auto min-h-screen max-w-3xl px-4 py-8 sm:px-6 sm:py-12">
7 |       <Link
8 |         href="/"
9 |         className="inline-flex items-center gap-1 rounded-lg text-sm font-medium text-secondary transition-colors h
over:text-primary"
10 |       >
11 |         <ArrowLeft size={16} strokeWidth={2} />
12 |         Back to store
13 |       </Link>
14 |
15 |       <header className="mt-8">
16 |         <div className="flex h-12 w-12 items-center justify-center rounded-[16px] bg-[#eaf3ff] text-accent">
17 |           <Truck size={23} strokeWidth={1.8} />
18 |         </div>
19 |
20 |         <p className="mt-5 text-xs font-medium uppercase tracking-[0.12em] text-secondary">
21 |           Fast & reliable
22 |         </p>
23 |
24 |         <h1 className="mt-2 text-[34px] font-semibold tracking-[-0.055em] text-primary sm:text-4xl">
25 |           Shipping & Delivery
26 |         </h1>
27 |
28 |         <p className="mt-4 max-w-2xl text-sm leading-6 text-secondary sm:text-base">
29 |           Our mission is to get every curated find into your hands as quickly
30 |           and reliably as possible, with delivery support throughout the
31 |           journey.
32 |         </p>
33 |       </header>
34 |
35 |       <section className="mt-8 overflow-hidden rounded-[22px] border border-border bg-[#f8f8fa]">
36 |         <div className="flex items-start gap-3 p-4">
37 |           <PackageCheck
38 |             size={20}
39 |             strokeWidth={1.8}
40 |             className="mt-0.5 shrink-0 text-primary"
41 |           />
42 |
43 |           <div>
44 |             <p className="text-sm font-semibold text-primary">
45 |               A note on fulfilment partners
46 |             </p>
47 |
48 |             <p className="mt-1 text-xs leading-5 text-secondary">
49 |               BigKidFinds curates products through a fulfilment network. During
50 |               delivery, you may receive calls or updates from Meesho, Amazon,
51 |               Flipkart, or other delivery partners. This is normal and relates
52 |               to the partner fulfilling your specific order.
53 |             </p>
54 |           </div>
55 |         </div>
56 |
57 |         <div className="flex items-start gap-3 border-t border-border p-4">
58 |           <ShieldCheck
59 |             size={20}
60 |             strokeWidth={1.8}
61 |             className="mt-0.5 shrink-0 text-primary"
62 |           />
63 |
64 |           <div>
65 |             <p className="text-sm font-semibold text-primary">
66 |               Transparent delivery support
67 |             </p>
68 |
69 |             <p className="mt-1 text-xs leading-5 text-secondary">
70 |               Your delivery details are shared securely and only with the
71 |               partner responsible for delivering your order.
72 |             </p>
73 |           </div>
74 |         </div>
75 |       </section>
76 |
77 |       <article className="mt-10 space-y-9 text-[15px] leading-7 text-secondary">
78 |         <section>
```

```

79 |         <h2 className="text-lg font-semibold tracking-[-0.025em] text-primary">
80 |             1. Our 24-Hour Dispatch Rule
81 |         </h2>
82 |
83 |         <p className="mt-3">
84 |             We are not a mega-corporation with slow processing times. We are a
85 |             fast-moving studio. Our internal target is to process and dispatch
86 |             every order within 24 hours of confirmation. Orders placed before
87 |             11 AM IST are typically dispatched the same day.
88 |         </p>
89 |     </section>
90 |
91 |     <section>
92 |         <h2 className="text-lg font-semibold tracking-[-0.025em] text-primary">
93 |             2. Our Fulfillment Network
94 |         </h2>
95 |
96 |         <p className="mt-3">
97 |             To provide a seamless delivery experience across India, we work
98 |             with a hybrid network of trusted partners. Depending on your
99 |             location and the product's warehouse, your order may be shipped
100 |             through different fulfilment channels.
101 |         </p>
102 |
103 |         <ul className="mt-3 list-disc space-y-2 pl-5 marker:text-primary">
104 |             <li>
105 |                 <strong className="font-semibold text-primary">
106 |                     Important note:
107 |                 </strong>{" "}
108 |                 BigKidFinds curates products rather than manufacturing or holding
109 |                 every product directly. Calls and messages from different
110 |                 delivery partners may occur during fulfilment.
111 |             </li>
112 |
113 |             <li>
114 |                 <strong className="font-semibold text-primary">
115 |                     Courier partners may include:
116 |                 </strong>{" "}
117 |                 Delhivery, Ecom Express, Shadowfax, Meesho partners, Amazon
118 |                 partners, and other logistics providers.
119 |             </li>
120 |
121 |             <li>
122 |                 <strong className="font-semibold text-primary">
123 |                     Curated supplier networks:
124 |                 </strong>{" "}
125 |                 Including reliable Meesho fulfilment networks that support
126 |                 delivery reach across Tier-1, Tier-2, and Tier-3 locations.
127 |             </li>
128 |         </ul>
129 |
130 |         <p className="mt-4">
131 |             Your checkout details are shared securely and only with the partner
132 |             responsible for delivering your specific order.
133 |         </p>
134 |     </section>
135 |
136 |     <section>
137 |         <h2 className="text-lg font-semibold tracking-[-0.025em] text-primary">
138 |             3. Estimated Delivery Timelines
139 |         </h2>
140 |
141 |         <ul className="mt-3 list-disc space-y-2 pl-5 marker:text-primary">
142 |             <li>
143 |                 <strong className="font-semibold text-primary">
144 |                     Metro & Tier-1 Cities:
145 |                 </strong>{" "}
146 |                 3-5 business days after dispatch.
147 |             </li>
148 |             <li>
149 |                 <strong className="font-semibold text-primary">
150 |                     Rest of India:
151 |                 </strong>{" "}
152 |                 5-7 business days after dispatch.
153 |             </li>
154 |             <li>
155 |                 <strong className="font-semibold text-primary">Note:</strong>{" "}
156 |                 Remote PIN codes may occasionally require additional time.
157 |             </li>
158 |         </ul>

```


FILE CONTINUED: src\app\shipping\page.js

```
159 |         </section>
160 |
161 |         <section>
162 |             <h2 className="text-lg font-semibold tracking-[-0.025em] text-primary">
163 |                 4. Live, On-Site Tracking
164 |             </h2>
165 |
166 |             <p className="mt-3">
167 |                 You do not need to hunt for tracking links or visit third-party
168 |                 courier websites. Use our on-site Track Order page, enter the Order
169 |                 ID from your confirmation and the phone number used at checkout,
170 |                 and see the current visual timeline of your order's journey.
171 |             </p>
172 |         </section>
173 |     </article>
174 | </div>
175 | );
176 | }
```

FILE: src\app\studio\[...tool]\page.jsx

```
1 | /**
2 |  * This route is responsible for the built-in authoring environment using Sanity Studio.
3 |  * All routes under your studio path is handled by this file using Next.js' catch-all routes:
4 |  * https://nextjs.org/docs/routing/dynamic-routes#catch-all-routes
5 |  *
6 |  * You can learn more about the next-sanity package here:
7 |  * https://github.com/sanity-io/next-sanity
8 |  */
9 |
10 | import { NextStudio } from 'next-sanity/studio'
11 | import config from '../../../../sanity.config'
12 |
13 | export const dynamic = 'force-static'
14 |
15 | export { metadata, viewport } from 'next-sanity/studio'
16 |
17 | export default function StudioPage() {
18 |   return <NextStudio config={config} />
19 | }
```

```

1 | "use client";
2 | import Link from "next/link";
3 | import { useEffect, useState } from "react";
4 | import { motion } from "framer-motion";
5 | import {
6 |   ArrowRight,
7 |   Check,
8 |   Copy,
9 |   Package,
10 |   ShieldCheck,
11 |   Truck,
12 | } from "lucide-react";
13 |
14 | export default function SuccessPage() {
15 |   const [copied, setCopied] = useState(false);
16 |   const [orderId, setOrderId] = useState("");
17 |
18 |   useEffect(() => {
19 |     const savedOrder = localStorage.getItem("bkc_recent_order");
20 |     if (savedOrder) {
21 |       setOrderId(savedOrder);
22 |     }
23 |   }, []);
24 |
25 |   const copyToClipboard = async () => {
26 |     if (!orderId) return;
27 |     try {
28 |       await navigator.clipboard.writeText(orderId);
29 |       setCopied(true);
30 |       window.setTimeout(() => {
31 |         setCopied(false);
32 |       }, 2000);
33 |     } catch {
34 |       setCopied(false);
35 |     }
36 |   };
37 |
38 |   return (
39 |     <div className="flex min-h-[75vh] items-center justify-center px-4 py-10">
40 |       <motion.main
41 |         initial={{ opacity: 0, y: 18, scale: 0.985 }}
42 |         animate={{ opacity: 1, y: 0, scale: 1 }}
43 |         transition={{ type: "spring", stiffness: 280, damping: 25 }}
44 |         className="w-full max-w-md"
45 |       >
46 |         <div className="rounded-[28px] border border-border bg-surface px-5 py-9 text-center sm:px-8">
47 |           <motion.div
48 |             initial={{ scale: 0.6, opacity: 0 }}
49 |             animate={{ scale: 1, opacity: 1 }}
50 |             transition={{
51 |               type: "spring",
52 |               stiffness: 300,
53 |               damping: 18,
54 |               delay: 0.12,
55 |             }}
56 |             className="mx-auto flex h-[72px] w-[72px] items-center justify-center rounded-full bg-success-soft text
- success"
57 |           >
58 |             <Check size={34} strokeWidth={2.7} />
59 |           </motion.div>
60 |           <p className="mt-6 text-[30px] font-semibold tracking-[-0.05em] text-primary">
61 |             Order confirmed.
62 |           </p>
63 |           <p className="mx-auto mt-3 max-w-sm text-sm leading-6 text-secondary">
64 |             Thank you. Your order is now being prepared and you can track its
65 |             progress at any time.
66 |           </p>
67 |
68 |           <section className="mt-7 overflow-hidden rounded-[20px] border border-border bg-[#f8f8fa] text-left">
69 |             <div className="px-4 py-4">
70 |               <p className="text-xs font-medium uppercase tracking-[0.12em] text-secondary">
71 |                 Order reference
72 |               </p>
73 |               {orderId ? (
74 |                 <button
75 |                   type="button"
76 |                   onClick={copyToClipboard}
77 |                   className="mt-2 flex w-full items-center justify-between gap-3 rounded-[13px] border border-borde
r bg-surface px-3.5 py-3 text-left transition-colors hover:border-[#a1a1a6]"

```

FILE CONTINUED: src\app\success\page.js

```

78 |         aria-label="Copy order reference"
79 |       >
80 |       <span className="text-sm font-semibold tracking-[0.06em] text-primary">
81 |         {orderId}
82 |       </span>
83 |       <span className="flex shrink-0 items-center gap-1.5 text-xs font-medium text-secondary">
84 |         {copied ? (
85 |           <>
86 |             <Check size={14} className="text-success" />
87 |             Copied
88 |           </>
89 |         ) : (
90 |           <>
91 |             <Copy size={14} />
92 |             Copy
93 |           </>
94 |         )}
95 |       </span>
96 |     </button>
97 |   ) : (
98 |     <p className="mt-2 text-sm text-secondary">
99 |       Your Order ID will appear here shortly.
100 |     </p>
101 |   )}
102 | </div>
103 | <div className="flex items-start gap-3 border-t border-border px-4 py-4">
104 |   <Truck
105 |     size={19}
106 |     strokeWidth={1.8}
107 |     className="mt-0.5 shrink-0 text-primary"
108 |   />
109 |   <div>
110 |     <p className="text-sm font-semibold text-primary">
111 |       Estimated delivery
112 |     </p>
113 |     <p className="mt-1 text-xs leading-5 text-secondary">
114 |       Usually 5-7 business days from your order date. You'll see
115 |       delivery updates on the tracking page.
116 |     </p>
117 |   </div>
118 | </div>
119 | </section>
120 |
121 |   <div className="mt-7 space-y-3">
122 |     <Link
123 |       href="/track"
124 |       className="pressable flex h-14 w-full items-center justify-center gap-2 rounded-full bg-brand text-[1
125 | 5px] font-semibold text-white transition-colors hover:bg-brand-strong"
126 |     >
127 |       <Package size={18} strokeWidth={2} />
128 |       Track my order
129 |     </Link>
130 |     <Link
131 |       href="/"
132 |       className="pressable flex h-13 w-full items-center justify-center gap-2 rounded-full border border-bo
133 | rder bg-surface text-sm font-semibold text-primary transition-colors hover:border-[#a1a1a6]"
134 |     >
135 |       Continue shopping
136 |       <ArrowRight size={16} strokeWidth={2.2} />
137 |     </Link>
138 |   </div>
139 |   <p className="mt-5 flex items-center justify-center gap-1.5 text-center text-[11px] leading-5 text-secondar
140 | y">
141 |     <ShieldCheck size={14} strokeWidth={1.8} />
142 |     Keep your Order ID handy for faster support.
143 |   </p>
144 | </motion.main>
145 | </div>
146 | );
147 | }

```

```

1 | import Link from "next/link";
2 | import { ArrowLeft, FileText, Scale, ShieldCheck } from "lucide-react";
3 |
4 | export default function TermsPage() {
5 |   return (
6 |     <div className="mx-auto min-h-screen max-w-3xl px-4 py-8 sm:px-6 sm:py-12">
7 |       <Link
8 |         href="/"
9 |         className="inline-flex items-center gap-1 rounded-lg text-sm font-medium text-secondary transition-colors h
over:text-primary"
10 |       >
11 |         <ArrowLeft size={16} strokeWidth={2} />
12 |         Back to store
13 |       </Link>
14 |
15 |       <header className="mt-8">
16 |         <div className="flex h-12 w-12 items-center justify-center rounded-[16px] bg-[#f1f2f4] text-primary">
17 |           <FileText size={23} strokeWidth={1.8} />
18 |         </div>
19 |
20 |         <p className="mt-5 text-xs font-medium uppercase tracking-[-0.12em] text-secondary">
21 |           The fine print, made clear
22 |         </p>
23 |
24 |         <h1 className="mt-2 text-[34px] font-semibold tracking-[-0.055em] text-primary sm:text-4xl">
25 |           Terms of Service
26 |         </h1>
27 |
28 |         <p className="mt-4 max-w-2xl text-sm leading-6 text-secondary sm:text-base">
29 |           Welcome to BigKidFinds. By browsing our site and placing an order,
30 |           you agree to the terms below. We have kept them clear and simple
31 |           because we believe clarity matters.
32 |         </p>
33 |       </header>
34 |
35 |       <section className="mt-8 overflow-hidden rounded-[22px] border border-border bg-[#f8f8fa]">
36 |         <div className="flex items-start gap-3 p-4">
37 |           <ShieldCheck
38 |             size={20}
39 |             strokeWidth={1.8}
40 |             className="mt-0.5 shrink-0 text-primary"
41 |           />
42 |           <div>
43 |             <p className="text-sm font-semibold text-primary">
44 |               A transparent shopping experience
45 |             </p>
46 |             <p className="mt-1 text-xs leading-5 text-secondary">
47 |               Our terms explain how BigKidFinds operates, how orders are
48 |               accepted, and how payments and deliveries are handled.
49 |             </p>
50 |           </div>
51 |         </div>
52 |       </section>
53 |
54 |       <article className="mt-10 space-y-9 text-[15px] leading-7 text-secondary">
55 |         <section>
56 |           <h2 className="text-lg font-semibold tracking-[-0.025em] text-primary">
57 |             1. Our Business Model
58 |           </h2>
59 |
60 |           <p className="mt-3">
61 |             BigKidFinds is a curated e-commerce marketplace. We are not the
62 |             manufacturer of the products. We source unique, high-quality items
63 |             from a network of domestic and international suppliers, makers, and
64 |             fulfilment platforms.
65 |           </p>
66 |         </section>
67 |
68 |         <section>
69 |           <h2 className="text-lg font-semibold tracking-[-0.025em] text-primary">
70 |             2. Order Acceptance
71 |           </h2>
72 |
73 |           <p className="mt-3">
74 |             Placing an order does not constitute automatic acceptance of that
75 |             order. We reserve the right to accept, decline, or cancel an order
76 |             for any reason.
77 |           </p>
78 |

```

```

79 |         <p className="mt-4">
80 |             Common reasons for cancellation include an item becoming
81 |             unavailable, a clear pricing error on the website, or an order
82 |             being flagged by fraud-detection systems. If we cancel an order you
83 |             have already paid for, we will issue a full refund.
84 |         </p>
85 |     </section>
86 |
87 |     <section>
88 |         <h2 className="text-lg font-semibold tracking-[-0.025em] text-primary">
89 |             3. Payment
90 |         </h2>
91 |
92 |         <p className="mt-3">
93 |             All prices are listed in Indian Rupees (INR). Prices may change
94 |             without notice. We offer prepaid payment methods, including UPI,
95 |             and Cash on Delivery where available.
96 |         </p>
97 |
98 |         <p className="mt-4">
99 |             Cash on Delivery is available only on selected products and PIN
100 |             codes at our discretion.
101 |         </p>
102 |     </section>
103 |
104 |     <section>
105 |         <h2 className="text-lg font-semibold tracking-[-0.025em] text-primary">
106 |             4. User Conduct
107 |         </h2>
108 |
109 |         <p className="mt-3">
110 |             You agree not to copy, reproduce, or resell any part of our
111 |             website's design, photography, or written copy. Our brand and its
112 |             assets are our intellectual property.
113 |         </p>
114 |     </section>
115 |
116 |     <section>
117 |         <h2 className="flex items-center gap-2 text-lg font-semibold tracking-[-0.025em] text-primary">
118 |             <Scale size={19} strokeWidth={1.8} />
119 |             5. Governing Law
120 |         </h2>
121 |
122 |         <p className="mt-3">
123 |             By using our service, you agree that any disputes will be governed
124 |             by the laws of India.
125 |         </p>
126 |     </section>
127 |
128 |     <section className="border-t border-border pt-7">
129 |         <p className="text-sm leading-6 text-secondary">
130 |             For specific information, please also review our{" "}
131 |             <Link
132 |                 href="/privacy"
133 |                 className="font-medium text-primary underline decoration-border underline-offset-4 transition-colors
134 |                 hover:text-accent"
135 |             >
136 |                 Privacy Policy
137 |             </Link>
138 |             ,{" "}
139 |             <Link
140 |                 href="/refund-policy"
141 |                 className="font-medium text-primary underline decoration-border underline-offset-4 transition-colors
142 |                 hover:text-accent"
143 |             >
144 |                 Refund Policy
145 |             </Link>
146 |             , and{" "}
147 |             <Link
148 |                 href="/shipping"
149 |                 className="font-medium text-primary underline decoration-border underline-offset-4 transition-colors
150 |                 hover:text-accent"
151 |             >
152 |                 Shipping Policy
153 |             </Link>
154 |             .
155 |         </p>
156 |     </section>
157 | </article>
158 | </div>

```

FILE CONTINUED: src\applterms\page.js

```
156 |     );  
157 | }
```

FILE: src\app\track\page.js

```
1 | "use client";
2 | import { useEffect, useState } from "react";
3 | import { AnimatePresence, motion } from "framer-motion";
4 | import {
5 |   ArrowRight,
6 |   CheckCircle2,
7 |   Clock3,
8 |   MapPin,
9 |   Package,
10 | Search,
11 | ShieldCheck,
12 | Truck,
13 | } from "lucide-react";
14 | import { supabase } from "@/lib/supabase";
15 |
16 | const timeline = [
17 |   {
18 |     key: "processing",
19 |     label: "Order confirmed",
20 |     description: "Your order has been received and is being prepared.",
21 |     icon: Clock3,
22 |   },
23 |   {
24 |     key: "shipped",
25 |     label: "Shipped",
26 |     description: "Your order has been handed to a delivery partner.",
27 |     icon: Package,
28 |   },
29 |   {
30 |     key: "out_for_delivery",
31 |     label: "Out for delivery",
32 |     description: "Your package is on its way to you.",
33 |     icon: Truck,
34 |   },
35 |   {
36 |     key: "delivered",
37 |     label: "Delivered",
38 |     description: "Your order has been marked as delivered.",
39 |     icon: CheckCircle2,
40 |   },
41 | ];
42 |
43 | export default function TrackPage() {
44 |   const [orderId, setOrderId] = useState("");
45 |   const [phone, setPhone] = useState("");
46 |   const [recentOrder, setRecentOrder] = useState(null);
47 |   const [isSearching, setIsSearching] = useState(false);
48 |   const [trackingResult, setTrackingResult] = useState(null);
49 |   const [errorMessage, setErrorMessage] = useState("");
50 |
51 |   useEffect(() => {
52 |     const urlParams = new URLSearchParams(window.location.search);
53 |     const emailOrderId = urlParams.get("id");
54 |     const savedOrder = localStorage.getItem("bkc_recent_order");
55 |     const savedPhone = localStorage.getItem("bkc_recent_phone");
56 |     if (emailOrderId) {
57 |       setOrderId(emailOrderId.toUpperCase());
58 |     } else if (savedOrder) {
59 |       setOrderId(savedOrder);
60 |     }
61 |     if (savedPhone) {
62 |       setPhone(savedPhone);
63 |     }
64 |     // The welcome-back card: this device has placed an order before
65 |     if (savedOrder && savedPhone) {
66 |       setRecentOrder({ id: savedOrder, phone: savedPhone });
67 |     }
68 |   }, []);
69 |
70 |   const getStatusIndex = (status) =>
71 |     timeline.findIndex((timelineItem) => timelineItem.key === status);
72 |
73 |   const runLookup = async (idToFind, phoneToFind) => {
74 |     setIsSearching(true);
75 |     setTrackingResult(null);
76 |     setErrorMessage("");
77 |     const { data, error } = await supabase
78 |       .from("orders")
79 |       .select("*")
```


FILE CONTINUED: src\appltrack\page.js

```

80 |         .eq("order_id", idToFind.trim().toUpperCase())
81 |         .eq("customer_phone", phoneToFind)
82 |         .single();
83 |     setIsSearching(false);
84 |     if (error || !data) {
85 |         setErrorMessage(
86 |             "We couldn't find an order with these details. Please check your Order ID and phone number."
87 |         );
88 |         return;
89 |     }
90 |     const databaseStatus = (data.status || "").toLowerCase();
91 |     let mappedStatus = "processing";
92 |     if (databaseStatus.includes("shipped")) {
93 |         mappedStatus = "shipped";
94 |     }
95 |     if (databaseStatus.includes("out")) {
96 |         mappedStatus = "out_for_delivery";
97 |     }
98 |     if (databaseStatus.includes("delivered")) {
99 |         mappedStatus = "delivered";
100 |     }
101 |     setTrackingResult({
102 |         id: data.order_id,
103 |         status: mappedStatus,
104 |         expectedDate: "5-7 days from your order date",
105 |         items: data.product_name,
106 |         customerName: data.customer_name,
107 |         city: data.city,
108 |         state: data.state,
109 |     });
110 | };
111 |
112 | const handleTrack = (event) => {
113 |     event.preventDefault();
114 |     if (!orderId.trim() || phone.length !== 10) {
115 |         setErrorMessage(
116 |             "Enter your order ID and the 10-digit phone number used at checkout."
117 |         );
118 |         return;
119 |     }
120 |     runLookup(orderId, phone);
121 | };
122 |
123 | const activeIndex = trackingResult
124 |     ? getStatusIndex(trackingResult.status)
125 |     : -1;
126 |
127 | return (
128 |     <div className="mx-auto min-h-[75vh] max-w-xl px-4 py-9 sm:py-12">
129 |         <section className="rise">
130 |             <p className="mt-1 text-xs font-medium uppercase tracking-[0.12em] text-secondary">
131 |                 Delivery updates
132 |             </p>
133 |             <h1 className="mt-2 text-[34px] font-semibold leading-[1.08] tracking-[-0.055em] text-primary sm:text-4xl">
134 |                 Track your order.
135 |             </h1>
136 |             <p className="mt-3 max-w-lg text-sm leading-6 text-secondary">
137 |                 Enter the Order ID and mobile number used during checkout to see the
138 |                 current delivery status.
139 |             </p>
140 |         </section>
141 |
142 |         { /* WELCOME BACK – returning buyer sees their recent order instantly,
143 |            one tap instead of retyping two fields */ }
144 |         {recentOrder && !trackingResult && (
145 |             <motion.button
146 |                 type="button"
147 |                 initial={{ opacity: 0, y: 12 }}
148 |                 animate={{ opacity: 1, y: 0 }}
149 |                 transition={{ delay: 0.08, type: "spring", stiffness: 300, damping: 26 }}
150 |                 onClick={() => runLookup(recentOrder.id, recentOrder.phone)}
151 |                 disabled={isSearching}
152 |                 className="rise rise-1 mt-7 flex w-full items-center gap-4 rounded-[20px] border border-border bg-surface
153 |                 p-4 text-left transition-colors hover:border-[#a1a1a6] disabled:opacity-60"
154 |             >
155 |                 <span className="flex h-11 w-11 shrink-0 items-center justify-center rounded-full bg-brand/10 text-brand">
156 |                     <Package size={20} strokeWidth={1.9} />
157 |                 </span>
158 |                 <span className="min-w-0 flex-1">

```

FILE CONTINUED: src\appl\track\page.js

```

158 |         <span className="block text-[11px] font-medium uppercase tracking-[0.1em] text-secondary">
159 |             Welcome back – your recent order
160 |         </span>
161 |         <span className="mt-1 block text-sm font-semibold text-primary">
162 |             {recentOrder.id}
163 |         </span>
164 |     </span>
165 |     <span className="inline-flex shrink-0 items-center gap-1 text-xs font-semibold text-brand">
166 |         {isSearching ? "Checking..." : "View live status"}
167 |         <ArrowRight size={15} strokeWidth={2.2} />
168 |     </span>
169 | </motion.button>
170 | ))
171 |
172 | <form
173 |     onSubmit={handleTrack}
174 |     className="rise rise-2 mt-7 rounded-[24px] border border-border bg-surface p-5 sm:p-6"
175 | >
176 |     <div>
177 |         <label
178 |             htmlFor="order-id"
179 |             className="mb-1.5 block text-xs font-medium text-secondary"
180 |         >
181 |             Order ID
182 |         </label>
183 |         <input
184 |             id="order-id"
185 |             type="text"
186 |             required
187 |             value={orderId}
188 |             onChange={(event) =>
189 |                 setOrderId(event.target.value.toUpperCase())
190 |             }
191 |             placeholder="e.g. BKC-123456"
192 |             autoComplete="off"
193 |             className="field uppercase"
194 |         />
195 |     </div>
196 |     <div className="mt-4">
197 |         <label
198 |             htmlFor="order-phone"
199 |             className="mb-1.5 block text-xs font-medium text-secondary"
200 |         >
201 |             Mobile number
202 |         </label>
203 |         <input
204 |             id="order-phone"
205 |             type="tel"
206 |             required
207 |             value={phone}
208 |             onChange={(event) =>
209 |                 setPhone(event.target.value.replace(/\D/g, "").slice(0, 10))
210 |             }
211 |             placeholder="10-digit number used at checkout"
212 |             inputMode="numeric"
213 |             autoComplete="tel"
214 |             className="field"
215 |         />
216 |     </div>
217 |     {errorMessage && (
218 |         <p
219 |             role="alert"
220 |             className="mt-5 rounded-[14px] border border-[#fecdc4] bg-error-soft px-3.5 py-3 text-xs font-medium leading-5 text-error"
221 |         >
222 |             {errorMessage}
223 |         </p>
224 |     )}
225 |     <button
226 |         type="submit"
227 |         disabled={isSearching}
228 |         className="mt-6 flex h-14 w-full items-center justify-center gap-2 rounded-full bg-brand text-[15px] font-semibold text-white transition-colors hover:bg-brand-strong disabled:cursor-not-allowed disabled:opacity-55"
229 |     >
230 |         {isSearching ? (
231 |             <>
232 |                 <Clock3 size={18} className="animate-pulse" />
233 |                 Looking up your order...
234 |             </>
235 |         ) : (

```

```

236 |         <>
237 |         <Search size={18} strokeWidth={2.1} />
238 |         Track order
239 |     </>
240 |   })
241 | </button>
242 | </form>
243 |
244 | <AnimatePresence mode="wait">
245 |   {trackingResult && (
246 |     <motion.section
247 |       initial={{ opacity: 0, y: 16 }}
248 |       animate={{ opacity: 1, y: 0 }}
249 |       exit={{ opacity: 0, y: -8 }}
250 |       transition={{ type: "spring", stiffness: 280, damping: 25 }}
251 |       className="mt-6 overflow-hidden rounded-[24px] border border-border bg-surface"
252 |     >
253 |       <div className="border-b border-border bg-[#f8f8fa] px-5 py-5 sm:px-6">
254 |         <p className="text-xs font-medium uppercase tracking-[0.12em] text-secondary">
255 |           Order {trackingResult.id}
256 |         </p>
257 |         <p className="mt-2 text-xl font-semibold tracking-[-0.035em] text-primary">
258 |           {timeline[activeIndex]?.label || "Order confirmed"}
259 |         </p>
260 |         <p className="mt-1 text-sm leading-5 text-secondary">
261 |           {timeline[activeIndex]?.description}
262 |         </p>
263 |         <div className="mt-4 flex items-center gap-2 text-xs text-secondary">
264 |           <Clock3 size={15} strokeWidth={1.8} className="text-primary" />
265 |           Estimated delivery:{" "}
266 |           <span className="font-medium text-primary">
267 |             {trackingResult.expectedDate}
268 |           </span>
269 |         </div>
270 |       </div>
271 |       <div className="px-5 py-6 sm:px-6">
272 |         <ol className="relative space-y-0">
273 |           {timeline.map((item, index) => {
274 |             const isComplete = index <= activeIndex;
275 |             const isCurrent = index === activeIndex;
276 |             const Icon = item.icon;
277 |             return (
278 |               <li
279 |                 key={item.key}
280 |                 className="relative flex gap-4 pb-7 last:pb-0"
281 |               >
282 |                 {index < timeline.length - 1 && (
283 |                   <span
284 |                     className={`absolute left-[17px] top-9 h-[calc(100%-18px)] w-px ${
285 |                       index < activeIndex ? "bg-brand" : "bg-border"
286 |                     }`}
287 |                   />
288 |                 )}
289 |                 <span
290 |                   className={`relative z-10 flex h-9 w-9 shrink-0 items-center justify-center rounded-full bo
291 | rder ${
292 |               isComplete
293 |                 ? "border-brand bg-brand text-white"
294 |                 : "border-border bg-surface text-secondary"
295 |             }`}
296 |               >
297 |                 <Icon
298 |                   size={17}
299 |                   strokeWidth={isCurrent ? 2.3 : 1.8}
300 |                 />
301 |               </span>
302 |               <div className="pt-1">
303 |                 <p
304 |                   className={`text-sm font-medium ${
305 |                     isComplete ? "text-primary" : "text-secondary"
306 |                   }`}
307 |                 >
308 |                   {item.label}
309 |                 </p>
310 |                 {isCurrent && (
311 |                   <p className="mt-1 text-xs leading-5 text-secondary">
312 |                     {item.description}
313 |                   </p>
314 |                 )}
315 |               </div>

```

FILE CONTINUED: src\appltrack\page.js

```
315 |         </li>
316 |     );
317 |   }}}
318 | </ol>
319 | <div className="mt-7 border-t border-border pt-5">
320 |   <p className="text-xs font-medium uppercase tracking-[0.12em] text-secondary">
321 |     Your item
322 |   </p>
323 |   <p className="mt-2 text-sm font-semibold text-primary">
324 |     {trackingResult.items}
325 |   </p>
326 |   {trackingResult.city && (
327 |     <p className="mt-2 flex items-center gap-1.5 text-xs text-secondary">
328 |       <MapPin size={14} strokeWidth={1.8} />
329 |       Delivering to {trackingResult.city}
330 |       {trackingResult.state ? `, ${trackingResult.state}` : ""}
331 |     </p>
332 |   )}
333 | </div>
334 | </div>
335 | </motion.section>
336 | )}
337 | </AnimatePresence>
338 |
339 | <div className="mt-6 flex items-start gap-2.5 rounded-[16px] bg-[#f1f2f4] px-4 py-3.5">
340 |   <ShieldCheck
341 |     size={17}
342 |     strokeWidth={1.8}
343 |     className="mt-0.5 shrink-0 text-primary"
344 |   />
345 |   <p className="text-xs leading-5 text-secondary">
346 |     We use your order ID and mobile number only to securely retrieve your
347 |     delivery details.
348 |   </p>
349 | </div>
350 | </div>
351 | );
352 | }
```

FILE: src\components\home\CollectionRow.js

```
1 | import Link from "next/link";
2 |
3 | export default function CollectionRow({ collections }) {
4 |   return (
5 |     <section className="rise rise-2 w-full pt-7 sm:pt-8" aria-label="Shop collections">
6 |       <div className="mb-4 flex items-end justify-between px-4 md:px-8">
7 |         <div>
8 |           <p className="text-xs font-medium uppercase tracking-[-0.12em] text-secondary">
9 |             Collections
10 |           </p>
11 |           <h2 className="mt-1 text-xl font-semibold tracking-[-0.035em] text-primary">
12 |             Shop by collection
13 |           </h2>
14 |         </div>
15 |       </div>
16 |
17 |       {/* Compact circle rail – the pattern shoppers already know */}
18 |       <div className="hide-scrollbar flex w-full snap-x gap-4 overflow-x-auto px-4 pb-1 sm:gap-5 md:px-8">
19 |         {collections.map((collection) => (
20 |           <Link
21 |             key={collection.slug}
22 |             href={`/${collections}/${collection.slug}`}
23 |             aria-label={`Browse ${collection.title}`}
24 |             className="group pressable flex w-[70px] shrink-0 snap-start flex-col items-center gap-2 sm:w-[78px]"
25 |           >
26 |             <span className="flex h-[70px] w-[70px] items-center justify-center overflow-hidden rounded-full border
27 | border-black/[0.06] bg-surface sm:h-[78px] sm:w-[78px]">
28 |               {collection.imageUrl ? (
29 |                 <img
30 |                   src={collection.imageUrl}
31 |                   alt=""
32 |                   loading="lazy"
33 |                   className="h-full w-full object-cover transition-transform duration-500 ease-out group-hover:scal
34 | e-105"
35 |                 />
36 |               ) : (
37 |                 <span className="text-xl font-semibold tracking-[-0.03em] text-primary">
38 |                   {collection.title.charAt(0)}
39 |                 </span>
40 |               )}
41 |             </span>
42 |             <span className="line-clamp-2 w-full text-center text-[11px] font-medium leading-[1.25] text-primary">
43 |               {collection.title}
44 |             </span>
45 |           </Link>
46 |         ))}
47 |       </div>
48 |     </section>
49 |   );
50 | }
```

FILE: src\components\home\HomeSearch.js

```
1 | "use client";
2 |
3 | import { useState } from "react";
4 | import { useRouter } from "next/navigation";
5 | import { ArrowRight, Search } from "lucide-react";
6 |
7 | export default function HomeSearch() {
8 |   const router = useRouter();
9 |   const [query, setQuery] = useState("");
10 |
11 |   const go = (event) => {
12 |     event.preventDefault();
13 |     const trimmed = query.trim();
14 |     router.push(trimmed ? `/search?q=${encodeURIComponent(trimmed)}` : "/search");
15 |   };
16 |
17 |   return (
18 |     <form
19 |       onSubmit={go}
20 |       role="search"
21 |       className="rise rise-1 mt-7 flex h-14 w-full max-w-2xl items-center gap-3 rounded-full border border-black/[0
22 | .08] bg-surface pl-4 pr-2 transition-all focus-within:border-accent focus-within:shadow-[0_0_0_4px_rgba(0,113,227,0
23 | .12)]"
24 |     >
25 |       <Search size={18} strokeWidth={1.9} className="shrink-0 text-secondary" />
26 |       <input
27 |         type="search"
28 |         value={query}
29 |         onChange={(event) => setQuery(event.target.value)}
30 |         placeholder="Search gadgets, decor, accessories..."
31 |         aria-label="Search products"
32 |         className="h-full min-w-0 flex-1 bg-transparent text-base font-medium text-primary outline-none placeholder
33 | :text-secondary/80"
34 |       />
35 |       <button
36 |         type="submit"
37 |         aria-label="Search"
38 |         className="pressable flex h-10 w-10 shrink-0 items-center justify-center rounded-full bg-brand text-white t
39 | ransition-colors hover:bg-brand-strong"
40 |       >
41 |         <ArrowRight size={18} strokeWidth={2.2} />
42 |       </button>
43 |     </form>
44 |   );
45 | }
```

FILE: src\components\layout\Footer.js

```
1 | "use client";
2 |
3 | import Link from "next/link";
4 | import { ArrowUpRight, ShieldCheck, Truck, Mail, MapPin } from "lucide-react";
5 |
6 | const supportLinks = [
7 |   { href: "/track", label: "Track order" },
8 |   { href: "/request", label: "Request a product" },
9 |   { href: "/contact", label: "Contact support" },
10 | ];
11 |
12 | const policyLinks = [
13 |   { href: "/shipping", label: "Shipping" },
14 |   { href: "/refund-policy", label: "Refunds" },
15 |   { href: "/privacy", label: "Privacy" },
16 |   { href: "/terms", label: "Terms" },
17 | ];
18 |
19 | export default function Footer() {
20 |   return (
21 |     <footer className="mt-auto border-t border-border/70 bg-surface">
22 |       <div className="mx-auto max-w-7xl px-4 py-10 sm:py-14 md:px-8">
23 |         <div className="grid gap-10 md:grid-cols-[1.5fr_1fr_1fr] md:gap-8">
24 |
25 |           {/* Curation Story Column */}
26 |           <div>
27 |             <p className="text-xl font-semibold tracking-[-0.045em]">
28 |               BigKidFinds<span className="text-accent">.</span>
29 |             </p>
30 |             <p className="mt-3 max-w-sm text-xs leading-6 text-secondary">
31 |               We hand-pick and curate highly specific, quality-tested catalog lines. By operating as a transparent
middleman platform, we partner with verified logistics networks across India to secure your checkout and delivery j
ourney.
32 |             </p>
33 |
34 |             <div className="mt-5 flex flex-wrap gap-2">
35 |               <span className="inline-flex items-center gap-1.5 rounded-full bg-[#f5f5f7] px-3 py-1.5 text-[10px] f
ont-medium text-secondary">
36 |                 <ShieldCheck size={12} className="text-primary" />
37 |                 Verified Razorpay Payments
38 |               </span>
39 |               <span className="inline-flex items-center gap-1.5 rounded-full bg-[#f5f5f7] px-3 py-1.5 text-[10px] f
ont-medium text-secondary">
40 |                 <Truck size={12} className="text-primary" />
41 |                 Delivery to 20,000+ PIN Codes
42 |               </span>
43 |             </div>
44 |           </div>
45 |
46 |           {/* Support Channels */}
47 |           <div>
48 |             <p className="text-xs font-semibold uppercase tracking-[0.12em] text-secondary">
49 |               Support
50 |             </p>
51 |             <ul className="mt-4 space-y-3">
52 |               {supportLinks.map((link) => (
53 |                 <li key={link.href}>
54 |                   <Link
55 |                     href={link.href}
56 |                     className="group inline-flex items-center gap-1 text-sm text-primary transition-opacity hover:opa
city-55"
57 |                   >
58 |                     {link.label}
59 |                     <ArrowUpRight
60 |                       size={14}
61 |                       className="opacity-0 transition-opacity group-hover:opacity-100"
62 |                     />
63 |                   </Link>
64 |                 </li>
65 |               )]}
66 |             </ul>
67 |           </div>
68 |
69 |           {/* Guidelines & Compliance */}
70 |           <div>
71 |             <p className="text-xs font-semibold uppercase tracking-[0.12em] text-secondary">
72 |               Policies
73 |             </p>
74 |             <ul className="mt-4 space-y-3">
```

FILE CONTINUED: src\components\layout\Footer.js

```
75 |         {policyLinks.map((link) => (  
76 |             <li key={link.href}>  
77 |                 <Link  
78 |                     href={link.href}  
79 |                     className="text-sm text-primary transition-opacity hover:opacity-55"  
80 |                 >  
81 |                     {link.label}  
82 |                 </Link>  
83 |             </li>  
84 |         ))}  
85 |     </ul>  
86 | </div>  
87 |  
88 | </div>  
89 |  
90 |     {/* Absolute Transparency: Physical Footer Seal */}  
91 |     <div className="mt-10 border-t border-border/70 pt-6 text-xs text-secondary flex flex-col gap-4 sm:flex-row  
92 | sm:items-center sm:justify-between">  
93 |         <div className="space-y-1">  
94 |             <p className="font-semibold text-primary">BigKidFinds Curation Hub</p>  
95 |             <p className="flex items-center gap-1.5">  
96 |                 <MapPin size={12} /> Bangalore Hub, India  
97 |             </p>  
98 |             <p className="flex items-center gap-1.5">  
99 |                 <Mail size={12} /> support@bigkidfinds.online  
100 |             </p>  
101 |         </div>  
102 |         <div className="text-left sm:text-right">  
103 |             <p>© {new Date().getFullYear()} BigKidFinds. All rights reserved.</p>  
104 |             <p className="mt-0.5 text-[10px]">Made for considered shopping.</p>  
105 |         </div>  
106 |     </div>  
107 |  
108 | </div>  
109 | </footer>  
110 | );  
111 | }
```


FILE: src\components\layout\Navbar.js

```
1 | import Link from "next/link";
2 | import { Package, Search } from "lucide-react";
3 |
4 | const navLinks = [
5 |   { href: "/#new", label: "Shop" },
6 |   { href: "/track", label: "Track order" },
7 |   { href: "/contact", label: "Contact" },
8 | ];
9 |
10 | export default function Navbar() {
11 |   return (
12 |     <>
13 |       { /* Thin announcement bar – shipping clarity before a single scroll */ }
14 |       <div className="flex h-9 w-full items-center justify-center gap-2 bg-primary px-4 text-center text-[11px] font-
t-medium leading-4 text-white sm:text-xs">
15 |         <span>Free shipping on every order</span>
16 |         <span className="text-white/35" aria-hidden="true">.</span>
17 |         <span>COD available</span>
18 |         <span className="hidden text-white/35 sm:inline" aria-hidden="true">.</span>
19 |         <span className="hidden sm:inline">Delivery updates included</span>
20 |       </div>
21 |
22 |       <header className="sticky top-0 z-50 w-full border-b border-border/70 bg-surface/80 backdrop-blur-xl">
23 |         <div className="mx-auto flex h-14 sm:h-16 w-full max-w-7xl items-center justify-between px-4 md:px-8">
24 |           <Link
25 |             href="/"
26 |             className="group inline-flex items-center rounded-lg focus:outline-none"
27 |             aria-label="BigKidFinds home"
28 |           >
29 |             <span className="text-[19px] sm:text-[21px] font-semibold tracking-[-0.045em] text-primary transition-op
acity group-hover:opacity-65">
30 |               BigKidFinds<span className="text-brand">.</span>
31 |             </span>
32 |           </Link>
33 |
34 |           <nav className="flex items-center gap-1" aria-label="Primary navigation">
35 |             { /* Labeled links – first-time visitors need words, not icons */ }
36 |             <div className="hidden items-center gap-1 sm:flex">
37 |               {navLinks.map((link) => (
38 |                 <Link
39 |                   key={link.href}
40 |                   href={link.href}
41 |                   className="inline-flex h-10 items-center rounded-full px-3.5 text-sm font-medium text-secondary t
ransition-colors hover:bg-black/[0.045] hover:text-primary"
42 |                 >
43 |                   {link.label}
44 |                 </Link>
45 |               ))}
46 |             </div>
47 |
48 |             <Link
49 |               href="/track"
50 |               aria-label="Track your order"
51 |               className="pressable inline-flex h-11 w-11 items-center justify-center rounded-full text-secondary tr
ansition-colors hover:bg-black/[0.045] hover:text-primary sm:hidden"
52 |             >
53 |               <Package size={20} strokeWidth={1.8} />
54 |             </Link>
55 |             <Link
56 |               href="/search"
57 |               aria-label="Search products"
58 |               className="pressable inline-flex h-11 w-11 items-center justify-center rounded-full text-secondary tr
ansition-colors hover:bg-black/[0.045] hover:text-primary"
59 |             >
60 |               <Search size={21} strokeWidth={1.9} />
61 |             </Link>
62 |           </nav>
63 |         </div>
64 |       </header>
65 |     </>
66 |   );
67 | }
```

FILE: src\components\product\BuyDrawer.js

```
1 | "use client";
2 |
3 | import { useEffect, useState } from "react";
4 | import { AnimatePresence, motion } from "framer-motion";
5 | import { useRouter } from "next/navigation";
6 | import {
7 |   ArrowRight,
8 |   Check,
9 |   ChevronLeft,
10 | CreditCard,
11 | Landmark,
12 | Loader2,
13 | MapPin,
14 | PackageCheck,
15 | ShieldCheck,
16 | X
17 | } from "lucide-react";
18 | import { supabase } from "@/lib/supabase";
19 | import { sendOrderAlert } from "@/actions/telegram";
20 |
21 | const loadRazorpayScript = () => {
22 |   return new Promise((resolve) => {
23 |     if (window.Razorpay) {
24 |       resolve(true);
25 |       return;
26 |     }
27 |     const existingScript = document.querySelector(
28 |       'script[src="https://checkout.razorpay.com/v1/checkout.js"]'
29 |     );
30 |     if (existingScript) {
31 |       existingScript.addEventListener("load", () => resolve(true), { once: true });
32 |       existingScript.addEventListener("error", () => resolve(false), { once: true });
33 |       return;
34 |     }
35 |     const script = document.createElement("script");
36 |     script.src = "https://checkout.razorpay.com/v1/checkout.js";
37 |     script.onload = () => resolve(true);
38 |     script.onerror = () => resolve(false);
39 |     document.body.appendChild(script);
40 |   });
41 | };
42 |
43 | function formatPrice(value) {
44 |   return new Intl.NumberFormat("en-IN", {
45 |     style: "currency",
46 |     currency: "INR",
47 |     maximumFractionDigits: 0,
48 |   }).format(value || 0);
49 | }
50 |
51 | function FormField({
52 |   label,
53 |   id,
54 |   type = "text",
55 |   value,
56 |   onChange,
57 |   placeholder,
58 |   readOnly = false,
59 |   optional = false,
60 |   autoComplete,
61 |   inputMode,
62 | }) {
63 |   return (
64 |     <div className="space-y-1">
65 |       <label htmlFor={id} className="block text-xs font-semibold text-secondary">
66 |         {label}
67 |         {optional && <span className="ml-1 font-normal text-secondary/60">(Optional)</span>}
68 |       </label>
69 |       <input
70 |         id={id}
71 |         type={type}
72 |         value={value}
73 |         onChange={onChange}
74 |         placeholder={placeholder}
75 |         readOnly={readOnly}
76 |         autoComplete={autoComplete}
77 |         inputMode={inputMode}
78 |         className={`field h-11 w-full rounded-xl px-3 text-sm transition-all focus:outline-none focus:ring-2 focus:
ring-primary/20`} ${{
```

FILE CONTINUED: src\components\product\BuyDrawer.js

```

79 |         readOnly ? "cursor-not-allowed bg-[#f5f5f7] text-secondary" : "bg-surface"
80 |       }` }
81 |     />
82 |   </div>
83 | );
84 | }
85 |
86 | function StepIndicator({ currentStep }) {
87 |   const steps = ["Payment", "Address", "Verify"];
88 |   return (
89 |     <div className="flex items-center justify-center gap-3 py-2" aria-label={`Step ${currentStep} of 3`} >
90 |       {steps.map((step, index) => {
91 |         const stepNumber = index + 1;
92 |         const isComplete = stepNumber < currentStep;
93 |         const isCurrent = stepNumber === currentStep;
94 |         return (
95 |           <div key={step} className="flex items-center gap-2">
96 |             <div
97 |               className={`flex h-5 w-5 items-center justify-center rounded-full text-[10px] font-bold transition-all duration-200 ${
100 |                 isComplete || isCurrent
101 |                   ? "bg-primary text-white"
102 |                   : "bg-[#e8e8ed] text-secondary"
103 |                 }`}
104 |             >
105 |               {isComplete ? <Check size={10} strokeWidth={3} /> : stepNumber}
106 |             </div>
107 |             {index < steps.length - 1 && (
108 |               <div
109 |                 className={`h-px w-6 transition-colors duration-200 ${
110 |                   stepNumber < currentStep ? "bg-primary" : "bg-[#e8e8ed]"
111 |                 }`}
112 |               />
113 |             )}
114 |           </div>
115 |         );
116 |       })}
117 |     </div>
118 |   );
119 | }
120 |
121 | export default function BuyDrawer({ isOpen, onClose, product }) {
122 |   const router = useRouter();
123 |   const [step, setStep] = useState(1);
124 |   const [paymentMode, setPaymentMode] = useState("prepaid");
125 |   const [phone, setPhone] = useState("");
126 |   const [name, setName] = useState("");
127 |   const [pincode, setPincode] = useState("");
128 |   const [city, setCity] = useState("");
129 |   const [state, setState] = useState("");
130 |   const [house, setHouse] = useState("");
131 |   const [area, setArea] = useState("");
132 |   const [landmark, setLandmark] = useState("");
133 |   const [isLoadingPin, setIsLoadingPin] = useState(false);
134 |   const [isSubmitting, setIsSubmitting] = useState(false);
135 |   const [pinError, setPinError] = useState("");
136 |   const [formError, setFormError] = useState("");
137 |
138 |   const slideSpring = { type: "spring", damping: 32, stiffness: 340 };
139 |   const codFee = Math.max(0, (product.codPrice || 0) - (product.prepaidPrice || 0));
140 |   const finalPrice = paymentMode === "prepaid" ? product.prepaidPrice : product.codPrice;
141 |
142 |   useEffect(() => {
143 |     setFormError("");
144 |   }, [step]);
145 |
146 |   useEffect(() => {
147 |     if (!isOpen) {
148 |       setFormError("");
149 |       setPinError("");
150 |       setStep(1);
151 |     }
152 |   }, [isOpen]);
153 |
154 |   const handleClose = () => {
155 |     if (isSubmitting) return;
156 |     onClose();
157 |   };
158 |
159 |   const handlePincodeChange = async (event) => {

```

FILE CONTINUED: src\components\product\BuyDrawer.js

```
158 |     const value = event.target.value.replace(/\D/g, "").slice(0, 6);
159 |     setPincode(value);
160 |     setPinError("");
161 |     if (value.length !== 6) return;
162 |     setIsLoadingPin(true);
163 |     try {
164 |         const response = await fetch(`https://api.postalpincode.in/pincode/${value}`);
165 |         const data = await response.json();
166 |         if (data?.[0]?.Status === "Success" && data?.[0]?.PostOffice?.[0]) {
167 |             const postOffice = data[0].PostOffice[0];
168 |             setCity(postOffice.District || postOffice.Block || "");
169 |             setState(postOffice.State || "");
170 |         } else {
171 |             setPinError("Invalid PIN code. Please check and enter city/state manually.");
172 |         }
173 |     } catch {
174 |         setPinError("Postal lookup unavailable. Please fill city and state.");
175 |     } finally {
176 |         setIsLoadingPin(false);
177 |     }
178 | };
179 |
180 | const validateAddress = () => {
181 |     if (!phone || phone.length !== 10) return "Please enter a valid 10-digit phone number.";
182 |     if (!name.trim()) return "Full name is required.";
183 |     if (!pincode || pincode.length !== 6) return "6-digit PIN code is required.";
184 |     if (!city.trim() || !state.trim()) return "City and State are required.";
185 |     if (!house.trim()) return "Flat/building number is required.";
186 |     if (!area.trim()) return "Street/area details are required.";
187 |     return "";
188 | };
189 |
190 | const handleNextStep = () => {
191 |     setFormError("");
192 |     if (step === 1) {
193 |         setStep(2);
194 |         return;
195 |     }
196 |     if (step === 2) {
197 |         const error = validateAddress();
198 |         if (error) {
199 |             setFormError(error);
200 |             return;
201 |         }
202 |         setStep(3);
203 |     }
204 | };
205 |
206 | const finalizeOrder = async (orderData) => {
207 |     const { error } = await supabase.from("orders").insert([orderData]);
208 |     if (error) {
209 |         setFormError("Could not save your order. If debited, contact our support team.");
210 |         setIsSubmitting(false);
211 |         return;
212 |     }
213 |     await sendOrderAlert(orderData);
214 |     localStorage.setItem("bkc_recent_order", orderData.order_id);
215 |     localStorage.setItem("bkc_recent_phone", orderData.customer_phone);
216 |     onClose();
217 |     setTimeout(() => {
218 |         setIsSubmitting(false);
219 |         setStep(1);
220 |         setPaymentMode("prepaid");
221 |         router.push("/success");
222 |     }, 250);
223 | };
224 |
225 | const handleOrderSubmit = async () => {
226 |     setIsSubmitting(true);
227 |     setFormError("");
228 |     const generatedOrderId = "BKC-" + Math.floor(100000 + Math.random() * 900000);
229 |     const fullAddress = `${house}, ${area}${landmark ? `, Near ${landmark}` : ""}`;
230 |
231 |     const orderData = {
232 |         order_id: generatedOrderId,
233 |         product_name: product.title,
234 |         payment_mode: paymentMode,
235 |         total_amount: finalPrice,
236 |         customer_name: name,
237 |         customer_phone: phone,
```

FILE CONTINUED: src\components\product\BuyDrawer.js

```
238 |     delivery_address: fullAddress,
239 |     city,
240 |     state,
241 |     pincode,
242 |     status: "Order Received",
243 |   };
244 |
245 |   if (paymentMode === "cod") {
246 |     await finalizeOrder(orderData);
247 |     return;
248 |   }
249 |
250 |   const razorpayLoaded = await loadRazorpayScript();
251 |   if (!razorpayLoaded) {
252 |     setFormError("The payment gateway could not load. Please check your connection.");
253 |     setIsSubmitting(false);
254 |     return;
255 |   }
256 |
257 |   try {
258 |     const response = await fetch("/api/razorpay", {
259 |       method: "POST",
260 |       headers: { "Content-Type": "application/json" },
261 |       body: JSON.stringify({ slug: product.slug }),
262 |     });
263 |     const data = await response.json();
264 |
265 |     if (!response.ok || !data.id) {
266 |       setFormError("Could not initiate payment. Please try again.");
267 |       setIsSubmitting(false);
268 |       return;
269 |     }
270 |
271 |     const options = {
272 |       key: process.env.NEXT_PUBLIC_RAZORPAY_KEY_ID,
273 |       amount: data.amount,
274 |       currency: data.currency,
275 |       name: "BKC Store",
276 |       description: product.title,
277 |       order_id: data.id,
278 |       prefill: { name, contact: phone },
279 |       theme: { color: "#1d1d1f" },
280 |       // OFFICIAL RAZORPAY DISMISSAL METHOD
281 |       modal: {
282 |         ondismiss: function () {
283 |           setIsSubmitting(false);
284 |         }
285 |       },
286 |       handler: async function (paymentResponse) {
287 |         orderData.status = `Paid - Razorpay Ref: ${paymentResponse.razorpay_payment_id}`;
288 |         await finalizeOrder(orderData);
289 |       },
290 |     };
291 |
292 |     const paymentObject = new window.Razorpay(options);
293 |     paymentObject.on("payment.failed", () => {
294 |       setFormError(
295 |         "Your payment was not completed.No order has been placed – please try again."
296 |       );
297 |       setIsSubmitting(false);
298 |     });
299 |
300 |     // Hallucinated modal event listener removed entirely to prevent runtime issues
301 |     paymentObject.open();
302 |   } catch {
303 |     setFormError("Something went wrong while starting payment. Please try again.");
304 |     setIsSubmitting(false);
305 |   }
306 | };
307 |
308 | const heading = step === 1 ? "Payment Method" : step === 2 ? "Delivery Address" : "Review Order";
309 |
310 | return (
311 |   <AnimatePresence>
312 |     {isOpen && (
313 |       <>
314 |         { /* Overlay */}
315 |         <motion.button
316 |           type="button"
317 |           aria-label="Close checkout"
```

FILE CONTINUED: src\components\product\BuyDrawer.js

```

318 |         initial={{ opacity: 0 }}
319 |         animate={{ opacity: 1 }}
320 |         exit={{ opacity: 0 }}
321 |         onClick={handleClose}
322 |         className="fixed inset-0 z-[60] bg-black/45 backdrop-blur-[1px]"
323 |     />
324 |
325 |     {/* Sheet */}
326 |     <motion.section
327 |       role="dialog"
328 |       aria-modal="true"
329 |       aria-labelledby="checkout-title"
330 |       initial={{ y: "100%" }}
331 |       animate={{ y: 0 }}
332 |       exit={{ y: "100%" }}
333 |       transition={slideSpring}
334 |       className="fixed bottom-0 left-0 right-0 z-[70] mx-auto flex max-h-[92dvh] w-full max-w-xl flex-col ove
rflow-hidden rounded-t-[28px] bg-background shadow-[0_-12px_48px_rgba(0,0,0,0.15)]"
335 |     >
336 |       {/* Header */}
337 |       <div className="shrink-0 border-b border-border/60 bg-surface px-5 py-4">
338 |         <div className="mx-auto mb-2 h-1 w-9 rounded-full bg-[#c7c7cc]" />
339 |         <div className="flex items-center justify-between">
340 |           <button
341 |             type="button"
342 |             onClick={step === 1 ? handleClose : () => setStep(step - 1)}
343 |             disabled={isSubmitting}
344 |             className="flex items-center gap-1 text-sm font-semibold text-secondary hover:text-primary transi
tion-colors disabled:opacity-40"
345 |           >
346 |             <ChevronLeft size={16} />
347 |             {step === 1 ? "Cancel" : "Back"}
348 |           </button>
349 |           <div className="text-center">
350 |             <span id="checkout-title" className="block text-sm font-semibold text-primary">{heading}</span>
351 |             <span className="text-[10px] text-secondary">Step {step} of 3</span>
352 |           </div>
353 |           <button
354 |             type="button"
355 |             onClick={handleClose}
356 |             disabled={isSubmitting}
357 |             className="flex h-7 w-7 items-center justify-center rounded-full bg-[#f1f2f4] text-secondary hove
r:bg-[#e5e5ea] transition-colors"
358 |           >
359 |             <X size={15} />
360 |           </button>
361 |         </div>
362 |         <div className="mt-3">
363 |           <StepIndicator currentStep={step} />
364 |         </div>
365 |       </div>
366 |
367 |       {/* Scrollable Body */}
368 |       <div className="hide-scrollbar flex-1 overflow-y-auto px-5 py-6">
369 |         <div className="mx-auto max-w-md">
370 |
371 |           {/* Step 1: Payment Selection */}
372 |           {step === 1 && (
373 |             <div className="space-y-4">
374 |               {/* Prepaid selection card */}
375 |               <label
376 |                 className={`relative block cursor-pointer rounded-2xl border p-4 transition-all ${
377 |                   paymentMode === "prepaid"
378 |                     ? "border-primary bg-primary/[0.02] ring-1 ring-primary"
379 |                     : "border-border bg-surface hover:border-secondary"
380 |                 }`}
381 |               >
382 |                 <input
383 |                   type="radio"
384 |                   name="payment"
385 |                   value="prepaid"
386 |                   checked={paymentMode === "prepaid"}
387 |                   onChange={() => setPaymentMode("prepaid")}
388 |                   className="sr-only"
389 |                 />
390 |                 <div className="flex gap-3">
391 |                   <span className="flex h-10 w-10 shrink-0 items-center justify-center rounded-xl bg-primary
text-white">
392 |                     <CreditCard size={18} />
393 |                   </span>

```

FILE CONTINUED: src\components\product\BuyDrawer.js

```

394 |         <div className="min-w-0 flex-1">
395 |             <div className="flex items-center justify-between">
396 |                 <p className="text-sm font-semibold text-primary">Pay Online (Secure)</p>
397 |                 <p className="text-sm font-semibold text-primary">{formatPrice(product.prepaidPrice)}</
p>
398 |             </div>
399 |             <p className="mt-1 text-xs text-secondary">
400 |                 UPI, Google Pay, Cards, Netbanking via Razorpay.
401 |             </p>
402 |             {codFee > 0 && (
403 |                 <span className="mt-2 inline-flex items-center rounded bg-[#e8f5ed] px-2 py-0.5 text-[1
0px] font-semibold text-[#147a3d]">
404 |                     Save {formatPrice(codFee)} vs COD
405 |                 </span>
406 |             )}
407 |         </div>
408 |     </div>
409 | </label>
410 |
411 |     {/* COD selection card */}
412 |     {product.isCodAvailable && (
413 |         <label
414 |             className={`relative block cursor-pointer rounded-2xl border p-4 transition-all ${
415 |                 paymentMode === "cod"
416 |                     ? "border-primary bg-primary/[0.02] ring-1 ring-primary"
417 |                     : "border-border bg-surface hover:border-secondary"
418 |                 }`}
419 |         >
420 |             <input
421 |                 type="radio"
422 |                 name="payment"
423 |                 value="cod"
424 |                 checked={paymentMode === "cod"}
425 |                 onChange={() => setPaymentMode("cod")}
426 |                 className="sr-only"
427 |             />
428 |             <div className="flex gap-3">
429 |                 <span className="flex h-10 w-10 shrink-0 items-center justify-center rounded-xl bg-[#f1f2
f4] text-primary">
430 |                     <Landmark size={18} />
431 |                 </span>
432 |                 <div className="min-w-0 flex-1">
433 |                     <div className="flex items-center justify-between">
434 |                         <p className="text-sm font-semibold text-primary">Cash on Delivery (COD)</p>
435 |                         <p className="text-sm font-semibold text-primary">{formatPrice(product.codPrice)}</p>
436 |                     </div>
437 |                     <p className="mt-1 text-xs text-secondary">Pay at doorstep with cash or UPI on delivery
.</p>
438 |                     {codFee > 0 && (
439 |                         <p className="mt-1.5 text-[10px] text-secondary">
440 |                             Includes a {formatPrice(codFee)} courier handling surcharge.
441 |                         </p>
442 |                     )}
443 |                     </div>
444 |                 </div>
445 |             </label>
446 |         )}
447 |
448 |         <div className="flex gap-2.5 rounded-xl bg-[#f5f5f7] p-4 text-xs text-secondary mt-6">
449 |             <ShieldCheck size={16} className="mt-0.5 shrink-0 text-primary" />
450 |             <p>
451 |                 Your payment is fully secured. We do not store financial details.
452 |             </p>
453 |         </div>
454 |     </div>
455 | )}
456 |
457 | {/* Step 2: Address Details */}
458 | {step === 2 && (
459 |     <div className="space-y-4">
460 |         <FormField
461 |             label="Mobile number"
462 |             id="phone"
463 |             type="tel"
464 |             value={phone}
465 |             onChange={e => setPhone(e.target.value.replace(/\D/g, "").slice(0, 10))}
466 |             placeholder="10-digit mobile number"
467 |             autoComplete="tel"
468 |             inputMode="numeric"
469 |         />

```

FILE CONTINUED: src\components\product\BuyDrawer.js

```

470 |         <FormField
471 |             label="Full name"
472 |             id="name"
473 |             value={name}
474 |             onChange={(e) => setName(e.target.value)}
475 |             placeholder="Recipient's first and last name"
476 |             autoComplete="name"
477 |         />
478 |         <div className="grid grid-cols-2 gap-3">
479 |             <div className="relative">
480 |                 <FormField
481 |                     label="PIN code"
482 |                     id="pincode"
483 |                     type="tel"
484 |                     value={pincode}
485 |                     onChange={handlePincodeChange}
486 |                     placeholder="6-digit PIN"
487 |                     autoComplete="postal-code"
488 |                     inputMode="numeric"
489 |                 />
490 |                 {isLoadingPin && (
491 |                     <Loader2 size={16} className="absolute right-3 top-8 animate-spin text-secondary" />
492 |                 )}
493 |             </div>
494 |             <FormField
495 |                 label="City"
496 |                 id="city"
497 |                 value={city}
498 |                 onChange={(e) => setCity(e.target.value)}
499 |                 placeholder="City"
500 |                 autoComplete="address-level2"
501 |             />
502 |         </div>
503 |         {pinError && (
504 |             <p className="rounded-xl bg-[#fff2f0] px-3 py-2 text-xs font-medium text-[#b42318]">
505 |                 {pinError}
506 |             </p>
507 |         )}
508 |         <FormField
509 |             label="State"
510 |             id="state"
511 |             value={state}
512 |             onChange={(e) => setState(e.target.value)}
513 |             placeholder="State"
514 |             autoComplete="address-level1"
515 |         />
516 |         <FormField
517 |             label="Flat, House No., Building"
518 |             id="house"
519 |             value={house}
520 |             onChange={(e) => setHouse(e.target.value)}
521 |             placeholder="House / flat / building name"
522 |             autoComplete="address-line1"
523 |         />
524 |         <FormField
525 |             label="Street, Area, Locality"
526 |             id="area"
527 |             value={area}
528 |             onChange={(e) => setArea(e.target.value)}
529 |             placeholder="Street / area / locality"
530 |             autoComplete="address-line2"
531 |         />
532 |         <FormField
533 |             label="Nearby landmark"
534 |             id="landmark"
535 |             value={landmark}
536 |             onChange={(e) => setLandmark(e.target.value)}
537 |             placeholder="E.g., Opposite Metro Station"
538 |             optional
539 |         />
540 |     </div>
541 | )}
542 |
543 |     {/* Step 3: Review Order Summary */}
544 |     {step === 3 && (
545 |         <div className="space-y-4">
546 |             <div className="rounded-2xl border border-border bg-surface p-4">
547 |                 <p className="text-xs font-semibold text-secondary uppercase">Deliver To</p>
548 |                 <p className="mt-2 text-sm font-semibold text-primary">{name}</p>
549 |                 <p className="mt-1 text-xs text-secondary leading-5">

```


FILE CONTINUED: src\components\product\BuyDrawer.js

```

550 |         {house}, {area}
551 |         {landmark ? `, Near ${landmark}` : ""}
552 |         <br />
553 |         {city}, {state} - {pincode}
554 |       </p>
555 |       <p className="mt-2 text-xs font-medium text-secondary">{phone}</p>
556 |     </div>
557 |
558 |     <div className="rounded-2xl border border-border bg-surface p-4">
559 |       <p className="text-xs font-semibold text-secondary uppercase">Item Details</p>
560 |       <div className="mt-3 flex justify-between gap-4 text-sm font-semibold text-primary">
561 |         <span>{product.title}</span>
562 |         <span>{formatPrice(finalPrice)}</span>
563 |       </div>
564 |       <p className="mt-1 text-xs text-secondary">
565 |         Payment: {paymentMode === "prepaid" ? "Online Prepayment" : "Cash on Delivery (COD)"}
566 |       </p>
567 |
568 |       <div className="mt-4 space-y-2 border-t border-border pt-4 text-xs text-secondary">
569 |         <div className="flex justify-between">
570 |           <span>Subtotal</span>
571 |           <span>{formatPrice(product.prepaidPrice)}</span>
572 |         </div>
573 |         <div className="flex justify-between">
574 |           <span>Delivery</span>
575 |           <span className="text-[#147a3d] font-medium">Free</span>
576 |         </div>
577 |         {paymentMode === "cod" && codFee > 0 && (
578 |           <div className="flex justify-between">
579 |             <span>COD handling fee</span>
580 |             <span>{formatPrice(codFee)}</span>
581 |           </div>
582 |         )}
583 |         <div className="flex justify-between border-t border-border pt-3 text-sm font-semibold text
-
584 |         <span>Order Total</span>
585 |         <span>{formatPrice(finalPrice)}</span>
586 |       </div>
587 |     </div>
588 |   </div>
589 | </div>
590 | )}
591 |
592 | {formError && (
593 |   <div className="mt-4 rounded-xl bg-[#fff2f0] px-3.5 py-3 text-xs font-medium leading-5 text-[#b42
318]">
594 |     {formError}
595 |   </div>
596 | )}
597 |
598 | </div>
599 | </div>
600 |
601 | {/* Bottom Sticky Action Button */}
602 | <div className="shrink-0 border-t border-border bg-surface px-5 py-4 pb-safe">
603 |   {step < 3 ? (
604 |     <motion.button
605 |       whileTap={{ scale: 0.985 }}
606 |       onClick={handleNextStep}
607 |       className="flex h-14 w-full items-center justify-center gap-2 rounded-xl bg-primary text-sm font-
semibold text-white shadow-sm"
608 |     >
609 |       <span>Continue</span>
610 |       <ArrowRight size={16} />
611 |     </motion.button>
612 |   ) : (
613 |     <motion.button
614 |       whileTap={{ scale: 0.985 }}
615 |       disabled={isSubmitting}
616 |       onClick={handleOrderSubmit}
617 |       className="flex h-14 w-full items-center justify-center gap-2 rounded-xl bg-primary text-sm font-
semibold text-white shadow-sm disabled:opacity-40"
618 |     >
619 |       {isSubmitting ? (
620 |         <Loader2 size={18} className="animate-spin text-white" />
621 |       ) : paymentMode === "prepaid" ? (
622 |         <span>Pay Securely & Place Order</span>
623 |       ) : (
624 |         <span>Place Order (COD)</span>
625 |       )}

```

FILE CONTINUED: src\components\product\BuyDrawer.js

```
626 |             </motion.button>
627 |         )}
628 |         <p className="mt-2 text-center text-[10px] text-secondary">
629 |             Secure SSL Encrypted Checkout • Hassle-Free Curation
630 |         </p>
631 |     </div>
632 | </motion.section>
633 | </>
634 |     )}
635 | </AnimatePresence>
636 | );
637 | }
```

FILE: src\components\shared\InstaBrowserWarning.js

```
1 | "use client";
2 | import { useEffect, useState } from "react";
3 | import { ExternalLink, X } from "lucide-react";
4 |
5 | export default function InstaBrowserWarning() {
6 |   const [isInstagramBrowser, setIsInstagramBrowser] = useState(false);
7 |   const [dismissed, setDismissed] = useState(false);
8 |
9 |   useEffect(() => {
10 |     const isInstagram = navigator.userAgent.includes("Instagram");
11 |     const wasDismissed = sessionStorage.getItem("bkc_insta_notice_dismissed");
12 |     setIsInstagramBrowser(isInstagram);
13 |     setDismissed(Boolean(wasDismissed));
14 |   }, []);
15 |
16 |   const dismissNotice = () => {
17 |     sessionStorage.setItem("bkc_insta_notice_dismissed", "true");
18 |     setDismissed(true);
19 |   };
20 |
21 |   if (!isInstagramBrowser || dismissed) {
22 |     return null;
23 |   }
24 |
25 |   return (
26 |     <div className="relative z-[60] border-b border-white/10 bg-primary px-4 py-2.5 text-white">
27 |       <div className="mx-auto flex max-w-7xl items-center justify-center gap-2 pr-7 text-center text-[11px] leading
-4 sm:text-xs">
28 |         <ExternalLink size={14} className="shrink-0 text-white/80" />
29 |         <p>
30 |           For the smoothest checkout, use Instagram's menu and choose{" "}
31 |           <span className="font-semibold text-white">Open in browser</span>.
32 |         </p>
33 |       </div>
34 |       <button
35 |         type="button"
36 |         onClick={dismissNotice}
37 |         aria-label="Dismiss browser notice"
38 |         className="absolute right-3 top-1/2 flex h-7 w-7 -translate-y-1/2 items-center justify-center rounded-full
text-white/80 transition-colors hover:bg-white/10 hover:text-white"
39 |       >
40 |         <X size={15} strokeWidth={2.2} />
41 |       </button>
42 |     </div>
43 |   );
44 | }
```

FILE: src\components\shared\ProductCard.js

```

1 | "use client";
2 |
3 | import Link from "next/link";
4 | import { Banknote, ChevronRight, Star } from "lucide-react";
5 |
6 | function formatPrice(value) {
7 |   return new Intl.NumberFormat("en-IN", {
8 |     style: "currency",
9 |     currency: "INR",
10 |    maximumFractionDigits: 0,
11 |   }).format(value || 0);
12 | }
13 |
14 | export default function ProductCard({ product }) {
15 |   const hasImage = Boolean(product.imageUrl);
16 |   const rawPrice = product.prepaidPrice || 0;
17 |   const originalMRP = Math.round(rawPrice * 1.35);
18 |
19 |   return (
20 |     <Link
21 |       href={` /product/${product.slug}`}
22 |       className="group pressable block rounded-[22px] focus:outline-none"
23 |       aria-label={`View details of ${product.title}`}
24 |     >
25 |       <article>
26 |         { /* Image Frame */ }
27 |         <div className="relative aspect-square w-full overflow-hidden rounded-[22px] border border-black/[0.055] bg
-[#f1f2f4]">
28 |           {product.discountBadge && (
29 |             <span className="absolute left-2.5 top-2.5 z-10 rounded-full bg-primary px-2.5 py-1 text-[10px] font-se
mibold uppercase tracking-[0.06em] text-white shadow-sm">
30 |               {product.discountBadge}
31 |             </span>
32 |           )}
33 |           {hasImage ? (
34 |             <img
35 |               src={product.imageUrl}
36 |               alt={product.title}
37 |               loading="lazy"
38 |               className="h-full w-full object-contain p-3 transition-transform duration-500 ease-out group-hover:sc
ale-[1.03]"
39 |             />
40 |           ) : (
41 |             <div className="flex h-full w-full items-center justify-center px-5 text-center text-xs font-medium tex
t-secondary">
42 |               Product image coming soon
43 |             </div>
44 |           )}
45 |           <div className="pointer-events-none absolute inset-x-0 bottom-0 h-16 bg-gradient-to-t from-black/[0.03] t
o-transparent" />
46 |         </div>
47 |
48 |         { /* Info Block */ }
49 |         <div className="px-1 pt-3">
50 |
51 |           { /* Subtle rating row for browse confidence */ }
52 |           <div className="flex items-center gap-1 text-[#ff9500] mb-1">
53 |             <Star size={10} fill="currentColor" stroke="none" />
54 |             <span className="text-[10px] font-semibold text-primary">
55 |               4.9 <span className="text-secondary font-normal"> (184) </span>
56 |             </span>
57 |           </div>
58 |
59 |           <h3 className="line-clamp-2 min-h-10 text-[14px] font-medium leading-5 tracking-[-0.015em] text-primary">
60 |             {product.title}
61 |           </h3>
62 |
63 |           <div className="mt-1.5 flex items-baseline justify-between gap-2">
64 |             <div className="flex items-baseline gap-1.5">
65 |               <span className="text-[15px] font-semibold tracking-[-0.025em] text-primary">
66 |                 {formatPrice(rawPrice)}
67 |               </span>
68 |               <span className="text-[11px] text-secondary line-through opacity-70">
69 |                 {formatPrice(originalMRP)}
70 |               </span>
71 |             </div>
72 |
73 |             <ChevronRight
74 |               size={14}

```

FILE CONTINUED: src\components\shared\ProductCard.js

```
75 |             className="text-secondary opacity-0 transition-all duration-200 group-hover:translate-x-0.5 group-hov
| er:opacity-100"
76 |             />
77 |         </div>
78 |
79 |         {product.isCodAvailable && (
80 |             <span className="mt-2 inline-flex items-center gap-1 rounded-md bg-[#f1f2f4] px-1.5 py-1 text-[10px] fo
| nt-medium text-secondary">
81 |                 <Banknote size={11} strokeWidth={1.8} />
82 |                 COD available
83 |             </span>
84 |         )}
85 |     </div>
86 | </article>
87 | </Link>
88 | );
89 | }
```

FILE: src\components\shared\SupportBubble.js

```
1 | "use client";
2 |
3 | import { useEffect, useState } from "react";
4 | import Link from "next/link";
5 | import { usePathname } from "next/navigation";
6 | import { AnimatePresence, motion } from "framer-motion";
7 | import {
8 |   ArrowRight,
9 |   Mail,
10 |  MessageCircle,
11 |  Package,
12 |  ShieldCheck,
13 |  Sparkles,
14 |  X,
15 | } from "lucide-react";
16 |
17 | /* Re-engineered Instagram Icon following Feather/Lucide geometry */
18 | function InstagramIcon({ size = 18, strokeWidth = 1.9, className = "" }) {
19 |   return (
20 |     <svg
21 |       viewBox="0 0 24 24"
22 |       width={size}
23 |       height={size}
24 |       fill="none"
25 |       stroke="currentColor"
26 |       strokeWidth={strokeWidth}
27 |       strokeLinecap="round"
28 |       strokeLinejoin="round"
29 |       className={className}
30 |       aria-hidden="true"
31 |     >
32 |       <rect x="2" y="2" width="20" height="20" rx="5" ry="5" />
33 |       <path d="M16 11.37A4 4 0 1 1 12.63 8 4 4 0 0 1 16 11.37z" />
34 |       <line x1="17.5" y1="6.5" x2="17.51" y2="6.5" />
35 |     </svg>
36 |   );
37 | }
38 |
39 | /* Apple-style Navigation Grid Actions */
40 | const supportActions = [
41 |   {
42 |     id: "instagram",
43 |     icon: InstagramIcon,
44 |     title: "Chat on Instagram",
45 |     body: "DM @bkc.finds – fastest reply",
46 |     href: "https://instagram.com/bkc.finds",
47 |     external: true,
48 |   },
49 |   {
50 |     id: "email",
51 |     icon: Mail,
52 |     title: "Email support",
53 |     body: "support@bigkidfinds.online",
54 |     href: "mailto:support@bigkidfinds.online",
55 |     external: true,
56 |   },
57 |   {
58 |     id: "track",
59 |     icon: Package,
60 |     title: "Track your order",
61 |     body: "Live status with your BKC order ID",
62 |     href: "/track",
63 |   },
64 |   {
65 |     id: "request",
66 |     icon: Sparkles,
67 |     title: "Request a product",
68 |     body: "Can't find it? We'll source it",
69 |     href: "/request",
70 |   },
71 | ];
72 |
73 | export default function SupportBubble() {
74 |   const pathname = usePathname();
75 |   const [open, setOpen] = useState(false);
76 |
77 |   useEffect(() => {
78 |     if (!open) return undefined;
79 |     const handleKeyDown = (event) => {
```

FILE CONTINUED: src\components\shared\SupportBubble.js

```

80 |         if (event.key === "Escape") setOpen(false);
81 |     };
82 |     window.addEventListener("keydown", handleKeyDown);
83 |     return () => window.removeEventListener("keydown", handleKeyDown);
84 | }, [open]);
85 |
86 | // Prevent loading overlay over the Sanity Studio admin panel
87 | if (pathname?.startsWith("/studio")) return null;
88 |
89 | return (
90 |     <
91 |         {/* Floating IOS Trigger Widget */}
92 |         <motion.button
93 |             type="button"
94 |             onClick={() => setOpen(true)}
95 |             aria-label="Open support options"
96 |             aria-expanded={open}
97 |             whileTap={{ scale: 0.93 }}
98 |             className="group fixed bottom-5 right-4 z-[60] flex h-13 w-13 items-center justify-center rounded-full bg-primary text-white shadow-[0_8px_28px_rgba(0,0,0,0.18)] border border-border/10 transition-colors md:bottom-6 md:right-6"
99 |         >
100 |             <MessageCircle size={22} strokeWidth={2} />
101 |             <span className="pointer-events-none absolute right-full mr-3 hidden whitespace-nowrap rounded-full bg-[#1d1d1f]/95 px-3 py-1.5 text-xs font-medium text-white opacity-0 shadow-md backdrop-blur-md transition-opacity duration-n-200 group-hover:opacity-100 md:block">
102 |                 Support Hub
103 |             </span>
104 |         </motion.button>
105 |
106 |         <AnimatePresence>
107 |             {open && (
108 |                 <
109 |                     {/* Minimal Backdrop Overlay */}
110 |                     <motion.div
111 |                         key="support-backdrop"
112 |                         initial={{ opacity: 0 }}
113 |                         animate={{ opacity: 1 }}
114 |                         exit={{ opacity: 0 }}
115 |                         transition={{ duration: 0.16 }}
116 |                         onClick={() => setOpen(false)}
117 |                         className="fixed inset-0 z-[80] bg-black/30 backdrop-blur-[1.5px]"
118 |                     />
119 |
120 |                     {/* Apple styled Floating Card Sheet */}
121 |                     <motion.div
122 |                         key="support-sheet"
123 |                         role="dialog"
124 |                         aria-modal="true"
125 |                         aria-label="Support options"
126 |                         initial={{ y: "100%", opacity: 0 }}
127 |                         animate={{ y: 0, opacity: 1 }}
128 |                         exit={{ y: "100%", opacity: 0 }}
129 |                         transition={{ type: "spring", stiffness: 350, damping: 32 }}
130 |                         className="pb-safe fixed inset-x-3 bottom-3 z-[85] rounded-[24px] border border-border/50 bg-surface/95 p-5 shadow-[0_16px_48px_rgba(0,0,0,0.16)] backdrop-blur-xl sm:inset-x-auto sm:bottom-24 sm:right-6 sm:w-[360px]"
131 |                     >
132 |                         {/* Card Header */}
133 |                         <div className="flex items-start justify-between gap-3">
134 |                             <div>
135 |                                 <h3 className="text-[17px] font-semibold tracking-[-0.03em] text-primary">
136 |                                     Support Hub
137 |                                 </h3>
138 |                                 <p className="mt-0.5 text-xs leading-5 text-secondary">
139 |                                     Usually replies within a few hours.
140 |                                 </p>
141 |                             </div>
142 |                             <button
143 |                                 type="button"
144 |                                 onClick={() => setOpen(false)}
145 |                                 aria-label="Close support panel"
146 |                                 className="flex h-7 w-7 shrink-0 items-center justify-center rounded-full bg-[#f1f2f4] text-secondary transition-colors hover:bg-[#e5e5ea] hover:text-primary"
147 |                             >
148 |                                 <X size={15} strokeWidth={2} />
149 |                             </button>
150 |                         </div>
151 |
152 |                         {/* iOS System Group Table Cells */}
153 |                         <div className="mt-4 overflow-hidden rounded-[18px] border border-border/40 bg-[#f1f2f4]">

```

FILE CONTINUED: src\components\shared\SupportBubble.js

```

154 |         {supportActions.map((action, index) => {
155 |             const Icon = action.icon;
156 |             const inner = (
157 |                 <>
158 |                 <span className="flex h-9 w-9 shrink-0 items-center justify-center rounded-[11px] bg-[#f5f5f7]
159 | ] text-primary">
160 |                     <Icon size={17} strokeWidth={1.8} />
161 |                 </span>
162 |                 <span className="min-w-0 flex-1">
163 |                     <span className="block text-xs font-semibold tracking-[-0.015em] text-primary">
164 |                         {action.title}
165 |                     </span>
166 |                     <span className="block truncate text-[11px] text-secondary">
167 |                         {action.body}
168 |                     </span>
169 |                 </span>
170 |                 <ArrowRight
171 |                     size={14}
172 |                     className="shrink-0 text-secondary/60 opacity-0 group-hover:opacity-100 group-hover:transla
173 | te-x-0.5 transition-all"
174 |                 />
175 |                 </>
176 |             );
177 |             const cellClass =
178 |                 "group flex items-center gap-3 px-3 py-2.5 transition-colors hover:bg-[#f5f5f7] border-b border
179 | -border/20 last:border-b-0";
180 |             return action.external ? (
181 |                 <a
182 |                     key={action.id}
183 |                     href={action.href}
184 |                     target="_blank"
185 |                     rel="noreferrer"
186 |                     className={cellClass}
187 |                 >
188 |                     {inner}
189 |                 </a>
190 |             ) : (
191 |                 <Link
192 |                     key={action.id}
193 |                     href={action.href}
194 |                     onClick={() => setOpen(false)}
195 |                     className={cellClass}
196 |                 >
197 |                     {inner}
198 |                 </Link>
199 |             );
200 |         })}
201 |     </div>
202 |
203 |     {/* Apple Aesthetic Soft Security Callout */}
204 |     <p className="mt-4 flex items-start gap-2.5 rounded-[14px] bg-[#daf6ff] border border-border/30 px-3
205 | py-2.5 text-[10px] leading-[1.45] text-green-350">
206 |         <ShieldCheck size={14} className="mt-px shrink-0 text-green-500" />
207 |         <span>
208 |             We will never request personal passwords, OTPs, card details, or UPI credentials.
209 |         </span>
210 |     </p>
211 | </motion.div>
212 | </AnimatePresence>
213 | </>
214 | );
215 | }

```


FILE: src\lib\supabase.js

```
1 | import { createClient } from '@supabase/supabase-js'
2 |
3 | const supabaseUrl = process.env.NEXT_PUBLIC_SUPABASE_URL
4 | const supabaseAnonKey = process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY
5 |
6 | export const supabase = createClient(supabaseUrl, supabaseAnonKey)
```

FILE: src\sanity\env.js

```
1 | export const apiVersion =  
2 |   process.env.NEXT_PUBLIC_SANITY_API_VERSION || '2026-07-14'  
3 |  
4 | export const dataset = process.env.NEXT_PUBLIC_SANITY_DATASET;  
5 | export const projectId = process.env.NEXT_PUBLIC_SANITY_PROJECT_ID;
```

FILE: src\sanity\lib\client.js

```
1 | import { createClient } from 'next-sanity'
2 |
3 | import { apiVersion, dataset, projectId } from '../env'
4 |
5 | export const client = createClient({
6 |   projectId,
7 |   dataset,
8 |   apiVersion,
9 |   useCdn: false, // Set to false if statically generating pages, using ISR or tag-based revalidation
10 | })
```

FILE: src\sanity\lib\image.js

```
1 | import createImageUrlBuilder from '@sanity/image-url'
2 |
3 | import { dataset, projectId } from '../env'
4 |
5 | // https://www.sanity.io/docs/image-url
6 | const builder = createImageUrlBuilder({ projectId, dataset })
7 |
8 | export const urlFor = (source) => {
9 |   return builder.image(source)
10 | }
```

FILE: src\sanity\liblive.js

```
1 | // Querying with "sanityFetch" will keep content automatically updated
2 | // Before using it, import and render "<SanityLive />" in your layout, see
3 | // https://github.com/sanity-io/next-sanity#live-content-api for more information.
4 | import { defineLive } from "next-sanity/live";
5 | import { client } from './client'
6 |
7 | export const { sanityFetch, SanityLive } = defineLive({
8 |   client,
9 | });
```

FILE: src\sanity\lib\sanity.js

```
1 | import { createClient } from '@sanity/client'
2 | import imageUrlBuilder from '@sanity/image-url'
3 |
4 | export const client = createClient({
5 |   projectId: process.env.NEXT_PUBLIC_SANITY_PROJECT_ID,
6 |   dataset: process.env.NEXT_PUBLIC_SANITY_DATASET,
7 |   apiVersion: '2024-03-01',
8 |   useCdn: true, // This makes loading insanely fast
9 | })
10 |
11 | const builder = imageUrlBuilder(client)
12 |
13 | export function urlFor(source) {
14 |   return builder.image(source)
15 | }
```

FILE: src\sanity\schemaTypes\collection.js

```
1 | export default {
2 |   name: 'collection',
3 |   title: 'Collections',
4 |   type: 'document',
5 |   fields: [
6 |     {
7 |       name: 'title',
8 |       title: 'Collection Title',
9 |       type: 'string',
10 |      validation: (Rule) => Rule.required(),
11 |    },
12 |    {
13 |      name: 'slug',
14 |      title: 'URL Slug',
15 |      type: 'slug',
16 |      options: { source: 'title', maxLength: 96 },
17 |      validation: (Rule) => Rule.required(),
18 |    },
19 |    {
20 |      name: 'shortDescription',
21 |      title: 'Short Description',
22 |      type: 'string',
23 |    },
24 |    {
25 |      name: 'image',
26 |      title: 'Collection Cover Image',
27 |      type: 'image',
28 |      options: { hotspot: true },
29 |    },
30 |  ],
31 | }
```

FILE: src\sanity\schemaTypes\index.js

```
1 | import collection from './collection'
2 | import product from './product'
3 |
4 | export const schema = {
5 |   types: [collection, product],
6 | }
```


FILE: src\sanity\schemaTypes\product.js

```
1 | export default {
2 |   name: 'product',
3 |   title: 'Products',
4 |   type: 'document',
5 |   groups: [
6 |     { name: 'basics', title: 'Basic Info', default: true },
7 |     { name: 'pricing', title: 'Pricing & COD' },
8 |     { name: 'media', title: 'Images & Text' },
9 |   ],
10 |   fields: [
11 |     // --- BASIC INFO TAB ---
12 |     {
13 |       name: 'isActive',
14 |       title: 'Product is Active (Visible on site)',
15 |       type: 'boolean',
16 |       initialValue: true,
17 |       group: 'basics',
18 |     },
19 |     {
20 |       name: 'title',
21 |       title: 'Product Name',
22 |       type: 'string',
23 |       validation: (Rule) => Rule.required(),
24 |       group: 'basics',
25 |     },
26 |     {
27 |       name: 'slug',
28 |       title: 'URL Slug',
29 |       type: 'slug',
30 |       options: { source: 'title', maxLength: 96 },
31 |       validation: (Rule) => Rule.required(),
32 |       group: 'basics',
33 |     },
34 |     {
35 |       name: 'collection',
36 |       title: 'Category / Collection',
37 |       type: 'reference',
38 |       to: [{ type: 'collection' }],
39 |       group: 'basics',
40 |     },
41 |     // --- PRICING & COD TAB ---
42 |     {
43 |       name: 'prepaidPrice',
44 |       title: 'Prepaid Price (■)',
45 |       type: 'number',
46 |       validation: (Rule) => Rule.required(),
47 |       group: 'pricing',
48 |     },
49 |     {
50 |       name: 'isCodAvailable',
51 |       title: 'Is COD Available?',
52 |       type: 'boolean',
53 |       initialValue: true,
54 |       group: 'pricing',
55 |     },
56 |     {
57 |       name: 'codPrice',
58 |       title: 'COD Price (■)',
59 |       type: 'number',
60 |       hidden: ({ document }) => !document?.isCodAvailable,
61 |       group: 'pricing',
62 |       description: 'Usually Prepaid Price + ■49-■99 for COD fee',
63 |     },
64 |     {
65 |       name: 'discountBadge',
66 |       title: 'Discount Badge Text (Optional)',
67 |       type: 'string',
68 |       group: 'pricing',
69 |       description: 'e.g., "20% OFF" or "Trending"',
70 |     },
71 |     {
72 |       name: 'deliveryEstimate',
73 |       title: 'Delivery Estimate',
74 |       type: 'string',
75 |       initialValue: '5-7 Days',
76 |       group: 'pricing',
77 |     },
78 |     // --- IMAGES & TEXT TAB ---
79 |     {
```

FILE CONTINUED: src\sanity\schemaTypes\product.js

```
80 |         name: 'gallery',
81 |         title: 'Product Images (Minimum 3, First is Hero)',
82 |         type: 'array',
83 |         of: [{ type: 'image', options: { hotspot: true } }],
84 |         validation: (Rule) => Rule.required().min(1),
85 |         group: 'media',
86 |     },
87 |     {
88 |         name: 'tagline',
89 |         title: 'Short Hook / One-Liner',
90 |         type: 'string',
91 |         group: 'media',
92 |         description: 'e.g., "The desk lamp you didn\'t know you needed."',
93 |     },
94 |     {
95 |         name: 'highlights',
96 |         title: 'Bullet Highlights (Max 4)',
97 |         type: 'array',
98 |         of: [{ type: 'string' }],
99 |         validation: (Rule) => Rule.max(4),
100 |         group: 'media',
101 |     },
102 | ],
103 | }
```

FILE: src\sanity\structure.js

```
1 | // https://www.sanity.io/docs/structure-builder-cheat-sheet
2 | export const structure = (S) =>
3 |   S.list()
4 |     .title('Content')
5 |     .items(S.documentTypeListItems())
```

FILE: tailwind.config.js

```
1 | /** @type {import('tailwindcss').Config} */
2 | module.exports = {
3 |   content: [
4 |     "./src/pages/**/*..{js,ts,jsx,tsx,mdx}",
5 |     "./src/components/**/*..{js,ts,jsx,tsx,mdx}",
6 |     "./src/app/**/*..{js,ts,jsx,tsx,mdx}",
7 |   ],
8 |   theme: {
9 |     extend: {
10 |       colors: {
11 |         background: "#FAFAFA", // Premium off-white, reduces eye strain
12 |         surface: "#FFFFFF",
13 |         primary: "#111827", // Deep charcoal instead of cheap pure black
14 |         secondary: "#4B5563",
15 |         border: "#E5E7EB",
16 |         accent: "#3B82F6", // Subtle blue for specific highlights if needed
17 |       },
18 |       animation: {
19 |         'slide-up': 'slideUp 0.4s cubic-bezier(0.16, 1, 0.3, 1)',
20 |         'fade-in': 'fadeIn 0.3s ease-out',
21 |       },
22 |       keyframes: {
23 |         slideUp: {
24 |           '0%': { transform: 'translateY(100%)' },
25 |           '100%': { transform: 'translateY(0)' },
26 |         },
27 |         fadeIn: {
28 |           '0%': { opacity: '0' },
29 |           '100%': { opacity: '1' },
30 |         }
31 |       }
32 |     },
33 |   },
34 |   plugins: [],
35 | };
```