

# Algin<sup>®</sup>

Tiemonium Methylsulphate

## Presentation:

### Algin<sup>®</sup> Tablet:

Each film-coated tablet contains 50mg Tiemonium Methylsulphate.

### Algin<sup>®</sup> Injection:

Each 2 ml injection contains 5mg Tiemonium Methylsulphate.

## Indications:

**Algin<sup>®</sup>** Tiemonium Methylsulphate is an antispasmodic agent and is used in the relief of visceral pain. It reduces muscle spasm of the intestine, biliary system, bladder and uterus.

**Algin<sup>®</sup>** Tiemonium Methylsulphate is indicated for pain in gastrointestinal and biliary diseases e.g. hepato-colic, colitis, gastric and duodenal ulcer. **Algin<sup>®</sup>** can also be used in gynecology and renal colic.

**Algin<sup>®</sup>** Tiemonium Methylsulphate is also indicated for acute pain.

## Dosage and Administration

### Adults:

**Oral:** The usual dosage is 100 to 300mg (2 to 6 tablets) per day in divided doses.

**Parenteral:** The usual dosage is 5mg (1 ampoule) three times daily by intramuscular or slow intravenous injection.

## Contraindication:

Tiemonium Methylsulphate is contraindicated in Hyperthyroidism, Glaucoma, Prostatic Hypertrophy, Paralytic ileus, Pyloric stenosis, Tachycardia, Acute edema of the lung and Myocardial infarction.

## Precautions:

Tiemonium Methylsulphate should be used with caution in patients suffering from chronic bronchitis, coronary insufficiency, ambient Hyperthermia, severe hepatic insufficiency, severe renal insufficiency, pregnancy and in breast-feeding.

To avoid the risk of hypotension and tachycardia, the injection should be administered slowly.

## Storage:

Store in a cool (below 30°C), dry place and keep away from light & children

## How Supplied:

**Algin<sup>®</sup> Tablet:** Box containing 10X10's film coated tablets in blister pack.

**Algin<sup>®</sup> Injection:** Box containing 1X5's ampoules in blister pack



Manufactured by

**Renata Limited**

Mirpur, Dhaka, Bangladesh.

Updated : June, 2015

C-Code : 105212453/V01