Math F251

Final Exam

Spring 2022

Name: Solutions Section: Decion: Decion F01 (Faudree)

□ F02 (Gossell)□ UX1 (Gossell)

Rules:

You have 2 hours to complete the exam.

Partial credit will be awarded, but you must show your work.

No other aids are permitted.

Place a box around your FINAL ANSWER to each question where appropriate.

Turn off anything that might go beep during the exam.

Problem	Possible	Score
1	8	
2	8	
3	12	
4	8	
5	10	
6	8	
7	4	
8	10	
9	12	
10	10	
11	10	
Extra Credit	5	
Total	100	

Math 251: Final Exam April 27, 2022

1. (8 points)

Find the derivative of each of the following functions. You do not need to simplify your answer.

a.
$$f(x) = \sqrt{x}e^{2x}$$

$$f'(x) = \frac{1}{2} \times \left(e^{2x}\right) + \times \left(2e^{2x}\right)$$

b.
$$g(x) = \left(\ln(x) + \frac{3x}{4}\right)^5$$

 $g'(x) = 5\left(\ln(x) + \frac{3}{4}x\right)\left(\frac{1}{x} + \frac{3}{4}\right)$

2. (8 points)

Evaluate the definite integrals below. Simplify your final answers.

a.
$$\int_{1}^{3} 4x - 5 dx = 2 \times 2 - 5 \times \int_{1}^{3} = (2 \cdot 3^{2} - 5 \cdot 3) - (2 \cdot 1^{2} - 5(1))$$
$$= (18 - 15) - (2 - 5) = 3 + 3 = 6$$

b.
$$\int 3(\sin x)^4 \cos x \, dx = \frac{3(\sin x)}{5} + C$$

Evaluate the following limits. You must show your work to earn full credit. If you apply L'Hopital's Rule, you should indicate this.

a. $\lim_{x \to 2} \frac{2x^2 - 8}{x^2 - 3x + 2}$

b. $\lim_{x \to 4} \frac{2 - \sqrt{x}}{4 - x}$

c. $\lim_{x \to \infty} \frac{45 + x - 4x^2}{x^2 - 16}$

4. (8 points)

a. Find the linear approximation (also known as the linearization) of the function $f(x) = \sqrt{x}$ when a = 4.

b. Use the linear approximation to estimate $\sqrt{4.04}$. Your answer must be in the form of a decimal.

(Optimization Problem) You need to construct a 100 ft² rectangular pen for a dog. Three sides of the pen (north, east, and south) will be made of open fencing which costs \$2 per foot. To add privacy, the west side which faces the street will be made of closed fencing which costs \$14 per foot. Follow the steps below to find the dimensions of the pen that minimize the cost.

a. Draw a diagram and label the sides.

b. Write an equation for the cost of the fencing in terms of a single variable.

c. Use Calculus to find the dimensions of the pen that minimize the cost. Justify your answer.

6. (8 points)

(Related Rates Problem) The volume V of a spherical snowball with radius r is given by the equation $V=\frac{4}{3}\pi r^3$. The surface area A is given by $A=4\pi r^2$. Throughout the warm spring afternoon, the snowball melts at a constant rate of 36π cubic inches per hour.

a. At the moment that the radius is 6 inches, how fast is the radius decreasing? Include units in your answer.

b. At the moment that the radius is 6 inches, how fast is the surface area decreasing? Include units in your answer.

7. (4 points)

The number of subscribers to an internet streaming service is given by s(t), where t is measured in months since the company started.

a. What does the statement s'(36) = 4,580 mean? Include units with your answer.

b. Would the owners of the streaming service prefer s''(36) to be positive or negative? Explain your reasoning.

Suppose a particle moves along a straight line with **velocity** $v(t) = 3t^2 - 12t - 2$ m/s.

a. Find s(t), the **position** of the particle at time t in seconds assuming that when t = 1 second the particle is at position s = 10 meters.


b. Find a(t), the **acceleration** of the particle at time t in seconds.

c. At time t = 0, is the particle speeding up or slowing down? Explain your answer.

d. Determine the maximum velocity of the particle.

Sketch graphs which satisfy the given conditions. There are many correct answers.


- a. Sketch a graph of a function f(x) that has
 - an inflection point at x = -5, and
 - a local minimum at x = 5.




c. Sketch a graph of a function h(x) such that

•
$$h'(-5) > 0$$
, and

•
$$h''(-5) < 0$$
.



- b. Sketch a graph of a function g(x) that
 - $\bullet \lim_{x \to 5^-} g(x) = 4$
 - $\bullet \lim_{x \to 5^+} g(x) = -2$



d. Sketch a graph of a function k(x) such that







•
$$k'(5) < 0$$







Use the graph of the function f(x) (on the right) to answer the questions below.



a.
$$\lim_{x \to 1} f(x) = 2$$

b.
$$\lim_{x \to 1} \frac{f(1+h) - f(1)}{h} = -2$$
 (slope of fact x=1)

c. At what values of x, if any, does the derivative, f'(x), not exist?

d. On what intervals, if any, is f'(x) > 0?

$$(-2,0) \cup (3,\infty)$$

e. Does f(x) have any local minimums? If so, state the location and the local minimum value.

Yes. min
$$y=-1$$
 $y=-2$
at $x=-2$ at $x=3$

The following questions concern $G(x) = \int_0^x f(s) ds$.

- f. What is the value of G(4)? $\int_0^4 f(x) dx = 4 1 1.5 = 1.5$
- g. What is the value of G'(4)? G'(4) = f(4) = -1
- **h.** On the interval [0,7], does G(x) have a local minimum? If so, state the location and the local minimum value.

A population of bacteria is growing at a rate of $p'(t) = 300e^{t/10}$ bacteria per day.

- **a.** Compute p'(0) and interpret its meaning in the context of the problem. Include units with your answer.
- **b.** Compute $\int_0^{10} p'(t) dt.$

c. Interpret your answer from part (b) in the context of the problem. Make sure to include units.

12. (Extra Credit: 5 points)

Calculate
$$\frac{d}{dx} \left(\int_{\cos x}^{5} \frac{17^{-t} \ln(t+2)}{\sqrt{20 - \sin^2 t}} dt \right).$$