



# MEWP PRE-USE INSPECTION CHECKLIST

MACHINE: TEST-001

WEEK COMMENCING: 21/04/2026

All checks should be conducted in accordance with the manufacturer's manual

|                 |                                           | MONDAY | TUESDAY                                                                               | WEDNESDAY | THURSDAY | FRIDAY  | SATURDAY | SUNDAY  |       |         |       |       |       |   |       |       |       |
|-----------------|-------------------------------------------|--------|---------------------------------------------------------------------------------------|-----------|----------|---------|----------|---------|-------|---------|-------|-------|-------|---|-------|-------|-------|
| VISUAL CHECKS   | Documentation                             | 1      | Statutory examination / periodic inspection in date                                   | P         | F ✓ / ✗  | P ✓ / ✗ | F ✓ / ✗  | P ✓ / ✗ | F     | P ✓ / ✗ |       |       |       |   |       |       |       |
|                 |                                           | 2      | Manufacturer's operator manual with the machine                                       | P         | F ✓ / ✗  | P ✓ / ✗ | F ✓ / ✗  | P ✓ / ✗ | F     | P ✓ / ✗ |       |       |       |   |       |       |       |
|                 |                                           | 3      | Rescue plan in place and name of nominated ground rescue person identified            | P         | F ✓ / ✗  | P ✓ / ✗ | F ✓ / ✗  | P ✓ / ✗ | F     | P ✓ / ✗ |       |       |       |   |       |       |       |
|                 | Wheels/tyres                              | 4      | No missing loose or damaged nuts, and retainers                                       | P         | F ✓ / ✗  | P ✓ / ✗ | F ✓ / ✗  | P ✓ / ✗ | F     | P ✓ / ✗ |       |       |       |   |       |       |       |
|                 |                                           | 5      | Tyre pressure (pneumatic, foam filled or solid)                                       | P         | F ✓ / ✗  | P ✓ / ✗ | F ✓ / ✗  | P ✓ / ✗ | F     | P ✓ / ✗ |       |       |       |   |       |       |       |
|                 |                                           | 6      | Condition (no cuts, splits, exposed braiding, damaged rims)                           | P         | F ✓ / ✗  | P ✓ / ✗ | F ✓ / ✗  | P ✓ / ✗ | F     | P ✓ / ✗ |       |       |       |   |       |       |       |
|                 | Engine/power source                       | 7      | Fluid levels (engine oil, coolant, fuel)                                              | P         | F ✓ / ✗  | P ✓ / ✗ | F ✓ / ✗  | P ✓ / ✗ | F     | P ✓ / ✗ |       |       |       |   |       |       |       |
|                 |                                           | 8      | No fluid leakage on ground and around engine                                          | P         | F ✓ / ✗  | P ✓ / ✗ | F ✓ / ✗  | P ✓ / ✗ | F     | P ✓ / ✗ |       |       |       |   |       |       |       |
|                 |                                           | 9      | Battery (electrolyte, connections, terminals, security and charging plug condition)   | P         | F ✓ / ✗  | P ✓ / ✗ | F ✓ / ✗  | P ✓ / ✗ | F     | P ✓ / ✗ |       |       |       |   |       |       |       |
|                 | Hydraulics                                | 10     | Hydraulic fluid level                                                                 | P         | F ✓ / ✗  | P ✓ / ✗ | F ✓ / ✗  | P ✓ / ✗ | F     | P ✓ / ✗ |       |       |       |   |       |       |       |
|                 |                                           | 11     | No leaks (hoses, pipe connections, rams, cylinders)                                   | P         | F ✓ / ✗  | P ✓ / ✗ | F ✓ / ✗  | P ✓ / ✗ | F     | P ✓ / ✗ |       |       |       |   |       |       |       |
|                 | Hoses and cables                          | 12     | Security and condition (no cuts, chaffing, bulges)                                    | P         | F ✓ / ✗  | P ✓ / ✗ | F ✓ / ✗  | P ✓ / ✗ | F     | P ✓ / ✗ |       |       |       |   |       |       |       |
|                 |                                           | 13     | Power track cable trays (free from damage and debris)                                 | P         | F ✓ / ✗  | P ✓ / ✗ | F ✓ / ✗  | P ✓ / ✗ | F     | P ✓ / ✗ |       |       |       |   |       |       |       |
|                 | Outriggers, stabilisers                   | 14     | General condition, pins/retainers, footplate                                          | P         | F ✓ / ✗  | P ✓ / ✗ | F ✓ / ✗  | P ✓ / ✗ | F     | P ✓ / ✗ |       |       |       |   |       |       |       |
|                 |                                           | 15     | Spreader plates (present, condition, secure for travel)                               | P         | F ✓ / ✗  | P ✓ / ✗ | F ✓ / ✗  | P ✓ / ✗ | F     | P ✓ / ✗ |       |       |       |   |       |       |       |
|                 |                                           | 16     | Interlocks (functioning, engaged)                                                     | P         | F ✓ / ✗  | P ✓ / ✗ | F ✓ / ✗  | P ✓ / ✗ | F     | P ✓ / ✗ |       |       |       |   |       |       |       |
|                 | Chassis, boom and scissor pack            | 17     | General condition (no damage, misalignment, corrosion)                                | P         | F ✓ / ✗  | P ✓ / ✗ | F ✓ / ✗  | P ✓ / ✗ | F     | P ✓ / ✗ |       |       |       |   |       |       |       |
|                 |                                           | 18     | No cracks in weld                                                                     | P         | F ✓ / ✗  | P ✓ / ✗ | F ✓ / ✗  | P ✓ / ✗ | F     | P ✓ / ✗ |       |       |       |   |       |       |       |
|                 |                                           | 19     | Pins, retainers and chains (good condition, secure)                                   | P         | F ✓ / ✗  | P ✓ / ✗ | F ✓ / ✗  | P ✓ / ✗ | F     | P ✓ / ✗ |       |       |       |   |       |       |       |
|                 |                                           | 20     | Canopies, guards, engine covers (security and condition)                              | P         | F ✓ / ✗  | P ✓ / ✗ | F ✓ / ✗  | P ✓ / ✗ | F     | P ✓ / ✗ |       |       |       |   |       |       |       |
|                 | Platform or cage                          | 21     | Steps for access/egress secure (undamaged, clear of debris)                           | P         | F ✓ / ✗  | P ✓ / ✗ | F ✓ / ✗  | P ✓ / ✗ | F     | P ✓ / ✗ |       |       |       |   |       |       |       |
|                 |                                           | 22     | Entrance gate, guard rails and retaining pins                                         | P         | F ✓ / ✗  | P ✓ / ✗ | F ✓ / ✗  | P ✓ / ✗ | F     | P ✓ / ✗ |       |       |       |   |       |       |       |
|                 |                                           | 23     | Harness/ lanyard anchorage points                                                     | P         | F ✓ / ✗  | P ✓ / ✗ | F ✓ / ✗  | P ✓ / ✗ | F     | P ✓ / ✗ |       |       |       |   |       |       |       |
|                 |                                           | 24     | Clear of rubbish, debris and obstructions                                             | P         | F ✓ / ✗  | P ✓ / ✗ | F ✓ / ✗  | P ✓ / ✗ | F     | P ✓ / ✗ |       |       |       |   |       |       |       |
|                 |                                           | 25     | Secondary Guarding                                                                    | P         | F ✓ / ✗  | P ✓ / ✗ | F ✓ / ✗  | P ✓ / ✗ | F     | P ✓ / ✗ |       |       |       |   |       |       |       |
|                 | Decals and signage                        | 26     | ID/ compliance plate, safety, warning and information decals (all present, legible)   | P         | F ✓ / ✗  | P ✓ / ✗ | F ✓ / ✗  | P ✓ / ✗ | F     | P ✓ / ✗ |       |       |       |   |       |       |       |
|                 |                                           | 27     | Controls (identification decals, directional arrows clearly marked)                   | P         | F ✓ / ✗  | P ✓ / ✗ | F ✓ / ✗  | P ✓ / ✗ | F     | P ✓ / ✗ |       |       |       |   |       |       |       |
|                 |                                           | 28     | Platform loads (SWL, max. wind speed, max. number of persons clearly marked)          | P         | F ✓ / ✗  | P ✓ / ✗ | F ✓ / ✗  | P ✓ / ✗ | F     | P ✓ / ✗ |       |       |       |   |       |       |       |
| FUNCTION CHECKS | Using Ground (G) and Platform(P) controls | 29     | Security device (power isolator, keypad, smart card)                                  | P         | F        | F / ✗   | P / ✗    | P / ✗   | F / ✗ | F / ✗   | P / ✗ | F / ✗ | F     | P | P / ✗ | P / ✗ |       |
|                 |                                           | 30     | Function enable works correctly (ignition key, foot switch, hold to run device)       | P         | F        | F / ✗   | P / ✗    | P / ✗   | P / ✗ | F / ✗   | F / ✗ | P / ✗ | F / ✗ | F | P     | P / ✗ | P / ✗ |
|                 |                                           | 31     | Emergency stops and emergency / auxilliary lowering system are fully functional       | P         | F        | F / ✗   | P / ✗    | P / ✗   | P / ✗ | F / ✗   | F / ✗ | P / ✗ | F / ✗ | F | P     | P / ✗ | P / ✗ |
|                 |                                           | 32     | All switches, function controls (move freely, return to neutral, operate as expected) | P         | F        | F / ✗   | P / ✗    | P / ✗   | P / ✗ | F / ✗   | F / ✗ | P / ✗ | F / ✗ | F | P     | P / ✗ | P / ✗ |
|                 |                                           | 33     | Elevating functions (raise, lower, slew, tele-out, tele-in)                           | P         | F        | F / ✗   | P / ✗    | P / ✗   | P / ✗ | F / ✗   | F / ✗ | P / ✗ | F / ✗ | F | P     | P / ✗ | P / ✗ |
|                 |                                           | 34     | Travel functions (forward, reverse, steer, brakes)                                    | P         | F        | F / ✗   | P / ✗    | P / ✗   | P / ✗ | F / ✗   | F / ✗ | P / ✗ | F / ✗ | F | P     | P / ✗ | P / ✗ |
|                 |                                           | 35     | Elevated drive speed activates when platform is raised (reduced or prevented)         | P         | F        | F / ✗   | P / ✗    | P / ✗   | P / ✗ | F / ✗   | F / ✗ | P / ✗ | F / ✗ | F | P     | P / ✗ | P / ✗ |
|                 |                                           | 36     | Lights, beacons, warning devices                                                      | P         | F        | F / ✗   | P / ✗    | P / ✗   | P / ✗ | F / ✗   | F / ✗ | P / ✗ | F / ✗ | F | P     | P / ✗ | P / ✗ |
|                 |                                           | 37     | Audible alarms (tilt, descent and travel)                                             | P         | F        | F / ✗   | P / ✗    | P / ✗   | P / ✗ | F / ✗   | F / ✗ | P / ✗ | F / ✗ | F | P     | P / ✗ | P / ✗ |
|                 |                                           | 38     | Interlock, limit switches (e.g. descent, SWL, outreach, rotation)                     | P         | F        | F / ✗   | P / ✗    | P / ✗   | P / ✗ | F / ✗   | F / ✗ | P / ✗ | F / ✗ | F | P     | P / ✗ | P / ✗ |
|                 |                                           | 39     | Pothole protection device (fully deploys and retracts)                                | P         | F        | F / ✗   | P / ✗    | P / ✗   | P / ✗ | F / ✗   | F / ✗ | P / ✗ | F / ✗ | F | P     | P / ✗ | P / ✗ |
|                 |                                           | 40     | Oscillating axle locks and extending axles operate correctly                          | P         | F        | F / ✗   | P / ✗    | P / ✗   | P / ✗ | F / ✗   | F / ✗ | P / ✗ | F / ✗ | F | P     | P / ✗ | P / ✗ |
|                 |                                           | 41     | Accessories, power to platform, extending decks                                       | P         | F        | F / ✗   | P / ✗    | P / ✗   | P / ✗ | F / ✗   | F / ✗ | P / ✗ | F / ✗ | F | P     | P / ✗ | P / ✗ |
|                 |                                           | 42     | Jacks-legs, stabilisers, outriggers, levelling devices                                | P         | F        | F / ✗   | P / ✗    | P / ✗   | P / ✗ | F / ✗   | F / ✗ | P / ✗ | F / ✗ | F | P     | P / ✗ | P / ✗ |

|                                                                                |                                                  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |                  |       |                  |       |                  |       |                  |       |                  |   |                  |       |                  |  |
|--------------------------------------------------------------------------------|--------------------------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|------------------|-------|------------------|-------|------------------|-------|------------------|-------|------------------|---|------------------|-------|------------------|--|
|                                                                                |                                                  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |                  |       |                  |       |                  |       |                  |       |                  |   |                  |       |                  |  |
| 43                                                                             | Secondary guarding ( function, operation, reset) |  |  |  |  |  |  |  |  |  |  |  |  |  |  | P | F                | F / x | P / x            | P / x | P / x            | F / x | F / x            | P / x | F / x            | F | P                | P / x | P / x            |  |
| <b>ALL FAULTS OR DEFECTS (*) TO BE REPORTED IMMEDIATELY TO YOUR SUPERVISOR</b> |                                                  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   | Initialled:<br>A |       | Initialled:<br>B |       | Initialled:<br>C |       | Initialled:<br>D |       | Initialled:<br>E |   | Initialled:<br>F |       | Initialled:<br>G |  |

Only persons who are trained and authorised by their employer should operate this equipment.

**OPERATOR NAME(S) AND PAL CARD NUMBER(S):**

| MEWP DAILY RECORD OF INSPECTION                                         |                                       |               |               |                                       |               |
|-------------------------------------------------------------------------|---------------------------------------|---------------|---------------|---------------------------------------|---------------|
| Machine Ref No.                                                         |                                       | TEST-001      |               | Date on hire                          |               |
| If defect found during daily checks mark with X below otherwise mark OK |                                       |               |               |                                       |               |
| Date                                                                    | Name of person completing daily check | OK<br>X=fault | Date          | Name of person completing daily check | OK<br>X=fault |
| Mon                                                                     | Alice Worker                          | OK            | Mon           |                                       |               |
| Tue                                                                     |                                       |               | Tue           |                                       |               |
| Wed                                                                     |                                       |               | Wed           |                                       |               |
| Thur                                                                    |                                       |               | Thur          |                                       |               |
| Fri                                                                     |                                       |               | Fri           |                                       |               |
| Sat                                                                     | Frank Brown                           | OK            | Sat           |                                       |               |
| Sun                                                                     |                                       |               | Sun           |                                       |               |
| Date                                                                    | Weekly supervisor sign off            |               | Date          | Weekly supervisor sign off            |               |
| 27/04/2026                                                              | J. Smith                              |               |               |                                       |               |
| If defect noted above with "X" complete details below                   |                                       |               |               |                                       |               |
| Item number                                                             | Details of defect found               |               | Date Reported | Engineers name & Date Repaired        |               |
|                                                                         |                                       |               |               |                                       |               |
|                                                                         |                                       |               |               |                                       |               |
|                                                                         |                                       |               |               |                                       |               |
|                                                                         |                                       |               |               |                                       |               |
| Further notes:                                                          |                                       |               |               |                                       |               |