

My first presentation in L^AT_EX

Learning the BEAMER class

F. Author¹ S. Author²

¹Department of Public Health
University XX

²Department of Social Sciences
University YY

Conference - Date

Introduction

- Background facts:
 - it is well known that ...
 - xx is a relevant issue ...
- Short overview of literature
 - yy have shown that ...
 - zz demonstrated that ...

The Research Questions

Our main research questions are:

- ① is there any relationship between xx and yy?
- ② if so, has the relationship changed over time?

The SHARE dataset

Here you can talk about your data.

Suggestions:

- Use `itemize` or `enumerate` a lot.
- Use very short sentences or short phrases.

The logistic model

Here you can talk about your model, including formulas and figures

$$y = \beta_0 + \beta_1 x + \varepsilon, \varepsilon \sim \mathcal{N}(0, \sigma^2) \quad (1)$$

The Results

You may want to use a block to highlight your results

Here is your block title

- We have observed that ...
- It is also interesting to notice that ...

The Results

You may want to use a block to highlight your results

Here is your block title

- We have observed that ...
- It is also interesting to notice that ...

The Results

Or you can also use an image:



Summary

You can create overlays. . .

- using the `pause` command:
 - First item.
 - Second item.
- using overlay specifications:
 - First item.
 - Second item.
- using the general `uncover` command:
 - First item.
 - Second item.

Summary

You can create overlays. . .

- using the `pause` command:
 - First item.
 - Second item.
- using overlay specifications:
 - First item.
 - Second item.
- using the general `uncover` command:
 - First item.
 - Second item.

Summary

You can create overlays. . .

- using the `pause` command:
 - First item.
 - Second item.
- using overlay specifications:
 - First item.
 - Second item.
- using the general `uncover` command:
 - First item.
 - Second item.

Summary

You can create overlays. . .

- using the `pause` command:
 - First item.
 - Second item.
- using overlay specifications:
 - First item.
 - Second item.
- using the general `uncover` command:
 - First item.
 - Second item.

Summary

You can create overlays. . .

- using the `pause` command:
 - First item.
 - Second item.
- using overlay specifications:
 - First item.
 - Second item.
- using the general `uncover` command:
 - First item.
 - Second item.

Summary

You can create overlays. . .

- using the `pause` command:
 - First item.
 - Second item.
- using overlay specifications:
 - First item.
 - Second item.
- using the general `uncover` command:
 - First item.
 - Second item.

Do not forget to thank the audience!!