

Measurement of nuclear excitation functions for proton induced reactions ($E_p = 40 - 90$ MeV) on Nb and Cu

A.S. Voyles^{a,*}, Lee A. Bernstein^{a,b}, Eva R. Birnbaum^d, Jonathan W. Engle^c, Francois M. Nortier^d

^aDepartment of Nuclear Engineering, University of California, Berkeley, 4155 Etcheverry Hall, MC 1730, Berkeley, CA 94720, USA

^bLawrence Berkeley National Laboratory, 1 Cyclotron Rd., Berkeley, CA 94720, USA

^cDepartment of Medical Physics, University of Wisconsin – Madison, 1111 Highland Ave., Madison, WI 53705, USA

^dLos Alamos National Laboratory, P.O. Box 1663, Los Alamos, NM 87544, USA

Abstract

XXXXXX

Keywords: Nb+p, Cu+p, Niobium, Copper, Aluminum, Nuclear cross sections, Proton activation, Proton transport, Stacked target activation, Monitor foils, Medical isotope production, MCNP, LANL

1. Introduction

XXXXXXX [1].

2. Experimental methods and materials

2.1. Stacked-target design

XXXXXXX

2.2. Measurement of induced activities

XXXXXXX

2.3. Proton dosimetry

XXXXXXX

2.4. Proton transport calculations

XXXXXXX

2.5. Calculation of measured cross sections

XXXXXXX

2.6. Systematic uncertainties

XXXXXXX

3. Results

XXXXXXX

4. Conclusions

XXXXXXX

5. Acknowledgements

Stephen Graves - consulting for methodology, guidance.

Appendix A. Decay data

Table of decay data used for observed gamma rays.

Appendix B. Measured excitation functions

Plots of the cross sections measured in this work are presented here, in comparison with literature data and reaction modeling codes.

References

- [1] D. Updegraff, S. A. Hoedl, Nuclear Medicine without Nuclear Reactors or Uranium Enrichment, Tech. rep., Center for Science, Technology, and Security Policy, American Association for the Advancement of Science, Washington, DC (jun 2013).

*Corresponding author

Email address: andrew.voyles@berkeley.edu (A.S. Voyles)