

[CSS Classes](#) [Read Only Properties](#)

## All Components

Custom Class	Notes	Example - Default	Example - Style Applied
cellStyle: indent formCell	Adds additional padding-left to the form cell to indent the item.	Title	Title
or	If no other cellStyle if applied, use: "indent formCell"		
cellStyle: indent [other cell style]	If another cellStyle needs to be applied, use: "indent [other cell style name]"		

## Buttons

Custom Class	Notes	Example - Default	Example - Style Applied
baseStyle: buttonNeutralAction	The default button style. Most commonly used. Used for most actions that are not a primary action.	<a href="#">✓ Continue</a>	<a href="#">✓ Continue</a>
baseStyle: buttonPositiveAction	Used for primary actions. Should be used conservatively.	<a href="#">✓ Continue</a>	<a href="#">✓ Continue</a>
baseStyle: buttonNegativeAction	Used for destructive actions. Only be used if clicking on the button will remove data as soon as it is clicked. If clicking the button is followed by a confirmation, only use the Negative style on the confirmation.	<a href="#">✓ Continue</a>	<a href="#">✓ Continue</a>
baseStyle: buttonNeutralActionNoFill	Used when wanting to minimize visual distraction and but showing just text as opposed to a button.	<a href="#">✓ Continue</a>	<a href="#">✓ Continue</a>
baseStyle: buttonNeutralActionIconOnly	Used when placing a button that is only an icon. Padding is adjusted to center icon within a square button.	<a href="#">✓ Continue</a>	<input checked="" type="checkbox"/>
baseStyle: buttonNeutralActionNoFillIconOnly	Used when placing an icon that is interactive but doesn't need to attention of a button.	<a href="#">✓ Continue</a>	<input checked="" type="checkbox"/>

## Checkbox

Custom Class	Notes	Example - Default	Example - Style Applied
cellStyle: checkboxGroupItem	Fluid has a radioGroupItem but does not have a native checkboxGroupItem. When we want to group checkboxes together under one title, assign this style in order for the spacing to match a radioGroupItem.	<input type="checkbox"/> Option 1	<input type="checkbox"/> Option 1

Note: Always use with showTitle: false.

## Row Spacer

Custom Class	Notes	Example - Default	Example - Style Applied
cellStyle: rowSpacerItemSeparator	When a separator line needs to be placed between two other rows.		

## Static Text

Custom Class	Notes	Example - Default	Example - Style Applied
textBoxStyle: formTitle	When a label above a group of inputs is manually being placed, like with a checkboxGroup	Lorem Ipsum	Lorem Ipsum
textBoxStyle: textH1	TBD	Lorem Ipsum	Lorem Ipsum
textBoxStyle: textH1Critical	TBD	Lorem Ipsum	Lorem Ipsum
textBoxStyle: textH1Warning	TBD	Lorem Ipsum	Lorem Ipsum
textBoxStyle: textH1Success	TBD	Lorem Ipsum	Lorem Ipsum
textBoxStyle: textH2	TBD	Lorem Ipsum	Lorem Ipsum
textBoxStyle: textH2Critical	TBD	Lorem Ipsum	Lorem Ipsum
textBoxStyle: textH2Warning	TBD	Lorem Ipsum	Lorem Ipsum
textBoxStyle: textH2Success	TBD	Lorem Ipsum	Lorem Ipsum
textBoxStyle: textH3	TBD	Lorem Ipsum	Lorem Ipsum
textBoxStyle: textH3Critical	TBD	Lorem Ipsum	Lorem Ipsum
textBoxStyle: textH3Warning	TBD	Lorem Ipsum	Lorem Ipsum
textBoxStyle: textH3Success	TBD	Lorem Ipsum	Lorem Ipsum
textBoxStyle: textSubhead	TBD	Lorem Ipsum	Lorem Ipsum
textBoxStyle: textSubheadCritical	TBD	Lorem Ipsum	Lorem Ipsum
textBoxStyle: textSubheadWarning	TBD	Lorem Ipsum	Lorem Ipsum
textBoxStyle: textSubheadSuccess	TBD	Lorem Ipsum	Lorem Ipsum
textBoxStyle: labelText	TBD	Lorem Ipsum	Lorem Ipsum
textBoxStyle: labelTextCritical	TBD	Lorem Ipsum	Lorem Ipsum
textBoxStyle: labelTextWarning	TBD	Lorem Ipsum	Lorem Ipsum
textBoxStyle: labelTextSuccess	TBD	Lorem Ipsum	Lorem Ipsum
textBoxStyle: textBody	TBD	Lorem Ipsum	Lorem Ipsum
textBoxStyle: textBodyCritical	TBD	Lorem Ipsum	Lorem Ipsum
textBoxStyle: textBodyWarning	TBD	Lorem Ipsum	Lorem Ipsum
textBoxStyle: textBodySuccess	TBD	Lorem Ipsum	Lorem Ipsum
textBoxStyle: textCaption	TBD	Lorem Ipsum	Lorem Ipsum
textBoxStyle: textCaptionCritical	TBD	Lorem Ipsum	ⓘ Lorem Ipsum
textBoxStyle: textCaptionWarning	TBD	Lorem Ipsum	⚠️ Lorem Ipsum
textBoxStyle: textCaptionSuccess	TBD	Lorem Ipsum	✓ Lorem Ipsum

## Text Item

Custom Class	Notes	Example - Default	Example - Style Applied
icon {baseStyle: buttonNeutralActionIconOnly}	Only to be used when an icon is added to a textItem OUTSIDE of the input box.	Title	Title

## Date Selection

Relative  Previous calendar month - last day  - Previous calendar month - last day

-30  10/22/2023  10/22/2023

[CSS Classes](#) [Read Only Properties](#)

## Checkboxes

Property	Notes	Example - canEdit: true	Example - canEdit: false
canEdit: false labelAsTitle: true	TBD	<b>Title</b> <input type="checkbox"/>	<b>Title</b> <input checked="" type="checkbox"/> No
canEdit: false showTitle: false	TBD	<input type="checkbox"/> Label	<input checked="" type="checkbox"/> Label
canEdit: false showTitle: false showLabel: false	TBD	<input type="checkbox"/>	<input checked="" type="checkbox"/> No

## Radio Group

Property	Notes	Example - canEdit: true	Example - canEdit: false
canEdit: false	TBD	<b>Title</b> <input checked="" type="radio"/> Option 1 <input type="radio"/> Option 2 <input type="radio"/> Option 3 <input type="radio"/> Option 4 <input type="radio"/> Option 5	<b>Title</b> Option 1

## Text Item

Property	Notes	Example - canEdit: true	Example - canEdit: false
canEdit: false	TBD	<b>Title</b> <input type="text"/>	<b>Title</b> -----

[X Cancel](#)[✓ Continue](#)

Home

Label X

Search &gt; Page Title

## Lorem Ipsum

+ Create New

Label    Label    Label

Title

Available

Select All

Lorem Ipsum



Lorem Ipsum



Lorem Ipsum



Lorem Ipsum



Lorem Ipsum



Lorem Ipsum



Lorem Ipsum



Lorem Ipsum



Selected

Unselect All

Lorem Ipsum



Lorem Ipsum



Lorem Ipsum



Lorem Ipsum



Lorem Ipsum



Lorem Ipsum



Lorem Ipsum



× Cancel

+ New

Edit

Save

[CSS Classes](#) [Read Only Properties](#)

## Checkboxes

Property	Notes	Example - canEdit: true	Example - canEdit: false
canEdit: false labelAsTitle: true	TBD	<b>Title</b> <input checked="" type="checkbox"/> Label	<b>Title</b> <input checked="" type="checkbox"/> No
canEdit: false showTitle: false	TBD	<input type="checkbox"/> Label	<input checked="" type="checkbox"/> Label
canEdit: false showTitle: false showLabel: false	TBD	<input type="checkbox"/>	<input checked="" type="checkbox"/> No

## Radio Group

Property	Notes	Example - canEdit: true	Example - canEdit: false
canEdit: false	TBD	<b>Title</b> <input checked="" type="radio"/> Option 1 <input type="radio"/> Option 2 <input type="radio"/> Option 3 <input type="radio"/> Option 4 <input type="radio"/> Option 5	<b>Title</b> Option 1

## Text Item

Property	Notes	Example - canEdit: true	Example - canEdit: false
canEdit: false	TBD	<b>Title</b> <input type="text"/>	<b>Title</b> -----

[X Cancel](#)[✓ Continue](#)

[CSS Classes](#) [Read Only Properties](#)

## Checkboxes

Property	Notes	Example - canEdit: true	Example - canEdit: false
canEdit: false	TBD	Title <input checked="" type="checkbox"/> Label	Title <input checked="" type="checkbox"/> No
labelAsTitle: true		<input type="checkbox"/> Label	<input checked="" type="checkbox"/> Label
canEdit: false showTitle: false	TBD	<input type="checkbox"/>	<input checked="" type="checkbox"/> No
canEdit: false showTitle: false showLabel: false	TBD		

## Radio Group

Property	Notes	Example - canEdit: true	Example - canEdit: false
canEdit: false	TBD	Title <input checked="" type="radio"/> Option 1 <input type="radio"/> Option 2 <input type="radio"/> Option 3 <input type="radio"/> Option 4 <input type="radio"/> Option 5	Title Option 1

## Text Item

Property	Notes	Example - canEdit: true	Example - canEdit: false
canEdit: false	TBD	Title <input type="text" value=" "/>	Title -----

[X Cancel](#)[✓ Continue](#)

[CSS Classes](#) [Read Only Properties](#)

## Checkboxes

Property	Notes	Example - canEdit: true	Example - canEdit: false
canEdit: false labelAsTitle: true	TBD	Title <input checked="" type="checkbox"/> Label	Title <input checked="" type="checkbox"/> No
canEdit: false showTitle: false	TBD	<input type="checkbox"/> Label	<input checked="" type="checkbox"/> Label
canEdit: false showTitle: false showLabel: false	TBD	<input type="checkbox"/>	<input checked="" type="checkbox"/> No

## Radio Group

Property	Notes	Example - canEdit: true	Example - canEdit: false
canEdit: false	TBD	Title <input checked="" type="radio"/> Option 1 <input type="radio"/> Option 2 <input type="radio"/> Option 3 <input type="radio"/> Option 4 <input type="radio"/> Option 5	Title Option 1

## Text Item

Property	Notes	Example - canEdit: true	Example - canEdit: false
canEdit: false	TBD	Title <input type="text"/>	Title -----

[X Cancel](#)[✓ Continue](#)

[CSS Classes](#) [Read Only Properties](#)

## Checkboxes

Property	Notes	Example - canEdit: true	Example - canEdit: false
canEdit: false labelAsTitle: true	TBD	Title <input checked="" type="checkbox"/> Label	Title <input type="checkbox"/> No
canEdit: false showTitle: false	TBD	<input type="checkbox"/> Label	<input type="checkbox"/> Label
canEdit: false showTitle: false showLabel: false	TBD	<input type="checkbox"/>	<input type="checkbox"/> No

## Radio Group

Property	Notes	Example - canEdit: true	Example - canEdit: false
canEdit: false	TBD	Title <input checked="" type="radio"/> Option 1 <input type="radio"/> Option 2 <input type="radio"/> Option 3 <input type="radio"/> Option 4 <input type="radio"/> Option 5	Title Option 1

## Text Item

Property	Notes	Example - canEdit: true	Example - canEdit: false
canEdit: false	TBD	Title <input type="text"/>	Title -----

[X Cancel](#)[✓ Continue](#)