

CAA Lab Stocks

Freezer layout · 2026-09-20

Where everything is

Freezer 1 (-80 deg C · 269 Middle Door) ? 2 inside

Rack 1 ? 5 inside

UMUT CAA CELLS · umut · 81/81 full

UMUT CELLS -80 · umut · 81/81 full

DUZENLE · umut · 79/81 full

ONGOING · umut · 75/81 full

UMUT CELLS -4- · umut · 61/81 full

Rack 2 ? 1 inside

Common Box #1 · umut · 0/81 full

Liquid Nitrogen (-196 deg C · Left) ? 2 inside

Rack 1 ? 2 inside

LiqNitro 1 · baris · 63/81 full

LiqNitro 2 · baris · 75/81 full

Rack 2 ? 2 inside

Beyza Caa Hucre Box 1 · beyzat · 81/81 full

Beyza Caa Sivi Azot Box 1 · beyzat · 24/81 full

Fridge 1 (-20) ? 4 inside

Rack 1 ? empty

Rack 2 ? empty

Rack 3 ? empty

Rack 4 ? empty

Freezer 2 (-80 (-80 room left)) ? 2 inside

Baris Shelf ? 6 inside

-80 Box1 · baris · 26/81 full

-80 Box2 · baris · 54/81 full

-80 Box3 · baris · 79/81 full

-80 Box4 · baris · 73/81 full

-80 Box5 · baris · 69/81 full

-80 Box6 · baris · 76/81 full

Beyza Shelf ? 1 inside

Beyza Caa Hucre Box 2 · beyzat · 70/81 full

UMUT CAA CELLS

Freezer 1 ? Rack 1

umut · 81 of 81 slots full

	1	2	3	4	5	6	7	8	9
A	HEK ATP7B KO g3	HEK ATP7B KO g3	HEK ATP7B KO g3	HEK TOX4 OX	HEK TOX4 OX	HEK TOX4 OX	HEK TOX4 OX	HEK TOX4 OX	DuPar50CR NT KO
	p102	p99	p97	p+12	p+3	p+3	p+4	p+4	p?
B	DuPar50CR TOX4 KO g1.2	Du145 TOX4 KO g2.2	Du145 TOX4 KO g2.2	DuPar50CR ATP7B KO	DuPar50CR ATF3 KO	DuPar50CR+1	DuPar50CR TOX4 KO g1.2	DuPar50CR TOX4 KO g2.2	DuPar50CR+1
	p?	p?	p?	p?	p?	p?	p?	p?	p?
C	Huh7	Huh7 TOX4 OX	Huh7 CBX3 KO g2	Huh7 CBX3 KO g1	Huh7	Huh7	Huh7	Huh7 gNT	Huh7 HOXB6 KO g1
	p50	p+3	p6	p6	p+2	p+2	p+2	p6	p6
D	LCC-V	LnCap V1G1	LnCap Canada CASPEX (no sort)	LnCap ER	LnCap Canada V1G1	LnCap Canada V1G1	LnCap Canada V1G1	LnCap Canada	LnCap Canada CASPEX (no sort)
	p?	p+1	p+20	p	p+2	p+1	p+1	p+11	p+20
E	DuPar50CR NT KO	DuPar50CR MTF1 KO	DuPar50CR ATP7B KO	DuPar50CR TOX4 KO g2.2	DuPar50CR MTF1 KO	DuPar50CR+1	DuPar50CR ATF3 KO	DuPar50CR CASPEX DS g1.2	DuPar50CR CASPEX DS g1.2
	p?	p?	p?	p?	p?	p?	p?	p+8	p
F	LuCap35CR	LuCap35CR	LuCap35CR	LuCap35CR	LuCap35CR	LuCap35CR	LUCX gP1	LUCX gP1	LuCap35CR
	p11	p9	p11	p9	p11	p11	p20	p20	p11
G	LnCap Canada CASPEX (no sort)	LnCap Canada	LnCap Canada	LnCap Canada	LnCap Canada V1G1	LnCap Canada	LCC-V 99.17%	LNCX gNT	LNCX gP1
	p+20	p+15	p+15	p+6	p+2	p+15	p?	p+21	p+21
H	HEK FOXA1 KO g2	HEK JUN1 KO g2	HEK RFX KO g2	HEK FOXA1 KO g1	HEK HOXB6 KO g1	HEK RFX KO g1	HEK SPEN KO g2	HEK HOXB6 KO g2	HEK FOXA1 KO g1
	p16	p13	p17	p17	p18	p17	p14	p18	p14
I	HEK GATA6 KO g2	HEK NRF2 KO g1	HEK NRF2 KO g2	HEK FOXA1 KO g2	HEK GATA6 KO g1	HEK CBX3 KO G1	HEK POU3F3 KO g1	HEK ATP7B-GFP	HEK gNT (10)
	p18	p17	p17	p14	p18	p15	p15	p47	p15

UMUT CELLS -80

Freezer 1 ? Rack 1

umut · 81 of 81 slots full

	1	2	3	4	5	6	7	8	9
A	DuDtxR CASPEX g5 .1 p4	DuDtxR CASPEX g5 .1 p4	DuDtxR CASPEX D5 g1.2 p?	DuDtxR CASPEX gNT p+6	DuDtxR CASPEX gNT p+6	DuDtxR CASPEX g1 .1 p+5	DuDtxR CASPEX g3 p+7	DuDtxR CASPEX g5 .1 p5	DuDtxR CASPEX g1 .1 p+7
B	HEK HOXB6 KO g1 p28	HEK HOXB6 KO g1 p28	HEK CBX3 KO g1 p28	HEK CBX3 KO g1 p28	HEK JUN KO g1 p19	HEK STAT1 KO g2 p30	HEK STAT1 KO g1 p19	HEK SMARCE1 KO 2 p19	HEK SMARCE1 KO 1 p19
C	HEK293T p14	HEK293T p19	HEK APEX1 g1 p19	HEK STAT1 KO g2 p28	HEK gNT(20) p13	HEK POU3F3 KO g1 p13	HEK CBX3 KO g1 p13	HEK 3xFLAG p+6	HEK POU3F3 KO g2 p37
D	DuDtxR CASPEX g3 p+9	DuDtxR CASPEX g5 .1 p7	DuDtxR CASPEX D5 g1.2 p+7	Du145 p11	Du145 p11	DuDtxR CASPEX D5 g1.2 p+9	DuDtxR CASPEX gNT p14	DuDtxR CASPEX g1 .1 p+12	DuDtxR CASPEX g3 p10
E	Huh7 HOXB6 OX p6	Huh7 POU3F3 KO g1 p6	Huh7 CBX3 OX p6	Huh7 POU3F3 KO g2 p6	Huh7 TOX4 KO p+12	Huh7 ATP7B KO #2 4 p82	Huh7 TOX4 KO g1 p?	Huh7 ATP7B KO p81	Huh7 ATP7B KO #2 4 p84
F	HEK HOXB6 KO g1 p48	HEK HOXB6 KO g1 p48	HEK gNT p22	HEK gNT p22	HEK POU3F3 KO g2 p37	HEK ATP7B KO g3 p+7	HEK TOX4 KO g2 p+6	HEK TOX4 KO g2 p+7	HEK293T p19
G	LNCX gNT p+20	LNCX gNT p+20	LNCX gP2 p+21	LNCX gP2 p+20	LnCap Canada V1G 4 p41	LnCap Canada V1G 3 p41	LnCap Canada V1G 2 p41	LnCapCASPEX no select E p?	LnCapCASPEX no select +P+D #1 p?
H	HEK HOXB6 KO g1 p43	HEK CBX3 KO g1 ATP7B OX p42	HEK HOXB6 KO g1 p43	HEK ATP7B GFP p42	HEK ATP7B GFP p42	HEK CASPEX gNT p?	HEK CBX3 KO g1 ATP7B OX p42	HEK APEX1 OX p21	HEK CBX3 OX p28
I	DuDtxR CASPEX g1 .1 p+3	DuDtxR CASPEX g1 .1 p+4	DuDtxR CASPEX g1 .1 p+4	DuDtxR CASPEX g1 .1 p+4	DuDtxR CASPEX g1 .1 p+4	DuDtxR CASPEX g1 .1 p+4	Du145 p?	DuPar50CR+1 P218	DuDtxR CASPEX g3 p8

DUZENLE

Freezer 1 ? Rack 1

umut · 79 of 81 slots full

	1	2	3	4	5	6	7	8	9
A	DuDtxR CASPEX g5 .1	DuDtxR CASPEX g3	DuDtxR CASPEX g5 .1	DuDtxR CASPEX D5 g1.2	Du145	Du145	DuDtxR	DuDtxR	DuDtxR CASPEX D5 g1.2
	p10	p10	p10	p+2	p25	p25	p14	p14	p?
B	LnCapCASPEX no s elect	LnCapCASPEX no s elect C	LnCapCASPEX no s elect E	LnCapCASPEX no s elect +P+D #2	LnCapCASPEX no s elect +P+D #2	LnCapCASPEX no s elect H	LnCapCASPEX no s elect H	LnCapCASPEX no s elect +P+D #1	LCC-K no sort
	p?	p?	p?	p?	p?	p?	p?	p?	p?
C	LCC-I no sort	LCC-R no sort	LCC-V no sort	LCC-C*	LCC-H	LCC-E	LCC-K	LCC-I	LCC-K
	p?	p?	p?	p?	p?	p?	p?	p?	p?
D	LCC-R	LCC-I	LCC-R	LnCap Canada V1G 1	LnCap Canada V1G 1	LnCap Canada V1G 1	LnCap Canada V1G 1	LNCX	LNCX
	p?	p?	p?	p?	p?	p?	p?	p+21	p+21
E	Huh7 POU3F2 KO g 1	Huh7 TOX4 KO	Huh7 TOX4 KO	Huh7 ATF3 KO rep 2	Huh7 ATF3 OX rep 2	Huh7 gNT	Huh7 gNT	Huh7 ATF3 KO rep 3	Huh7 ATF3 KO rep 3
	p?	p+15	p+14	p13	p14	p19	p17	p19	p18
F	HEK TOX4 KO g2	HEK CBX3 KO g1	HEK APEX1 KO g2	HEK ATP7B-GFP	HEK JUN KO g2	HEK E2F1 sh2	HEK ATP7B-GFP	HEK E2F1 sh2	HEK ATP7B-GFP
	p+9	p40	p22	p30	p18	p20	p30	p20	p30
G	LnCap Canada CAS PEX mCherry 1 (n	LnCap Canada CAS PEX mCherry 1 (n	LnCap Canada	LnCap Canada	LNCX	LNCX	LNCX gP1	LNCX gP2	LNCX gP2
	p+11	p+11	p+9	p+9	p+21	p+21	p+24	p+25	p+25
H	LuCap35CR	LUCX	LUCX	LUCX	LUCX	LUCX	LUCX		
	p11	p15	p15	p17	p17	p17	p19		
I	HEK E2F1 sh1	HEK ATP7B-GFP	HEK E2F1 sh1	HEK ATP7B-GFP	HEK CBX3 KO g1 p lv-GFP	HEK ATP7B KO g3	HEK ATP7B KO g3	HEK gNT	HEK ATF3 OX rep2
	p20	p31	p20	p31	p42	p+2	p+2	p23	p24

ONGOING

Freezer 1 ? Rack 1

umut · 75 of 81 slots full

	1	2	3	4	5	6	7	8	9
A	LNCX	LCC-V 99.17%	LnCap478 #2 98%	LnCap Canada	LnCap (m3) no so rt	LnCap Canada	LnCap (m3) (sort ER)	LnCap (m3) (sort ER)	LnCap Canada
	p+22	p+4	p28	p+7	p+14	p+14	p+13	p+13	p+14
B	HEK TOX4 OX 3xFL AG	HEK293T	HEK gNT(20)	HEK ATF3 KO 20	HEK 3xFLAG	HEK HOXB6 OX	HEK lef1 OX	HEK ATF3 OX	HEK ATP7B KO g3
	p2	p7	p16	p18	p+7	p36	p?	p?	p+13
C	Huh7 lef1 OX	Huh7 3xFLAG	Huh7 CASPEX gNT	Huh7 ATF3 KO20	Huh7 ATF3 OX20r1	Huh7 ATF3KO10	Huh7	Huh7	Huh7
	p?	p?	p?	p6	p6	p7	p51	p51	p42
D	HEK HOXB6 OX	HEK ATF3 OX10r1	HEK ATP7B KO-1	HEK ATP7B KO-2	HEK ATP7B KO-3	HEK ATP7B GFP	HEK ATF3 KO10	HEK CASPEX Singl e	HEK CASPEX Singl e
	p36	p18	p11	p11	p11	p53	p9	p+6	p+6
E	HepG2	HepG2	HepG2	HepG2					
	p+2	p+2	p+5	p7					
F	DuDtxR CASPEX gN T	Du145	Du145 ATF3 KO re p2	Du145 ATF3 OX re p2	Du145		Du145	DuDtxR CASPEX g5 .1	DuDtxR CASPEX gN T
	p?	p14	p14	p14	p?		p?	p15	p+3
G	LnCap Canada	LNCAP BMK	LnCap Canada	LnCap Canada	LnCap Canada	LnCap Canada	LNC478 #2 98%	LNC478 #1	LNC478 #3
	p+23	p?	p+17	p+17	p+17	p+17	p24	p23	p23
H	LuCap35CR	LuCap (m1) no so rt	LuCap35CR	LuCap35CR	LuCap35CR	LUCX gP2	LUCX gP1	LUCX gP1	LUCX gP2
	p9	p10	p10	p11	p11	p20	p20	p20	p20
I	LnCap Canada	LNCX	LNCX	LNCX	LnCap Canada	LnCap Canada	LNCX gNT	LNCX gP2	LNCX gP1
	p+14	p12	p+17	p+17	p+14	p+14	p+24	p+24	p+24

UMUT CELLS -4-

Freezer 1 ? Rack 1

umut · $\frac{61}{1}$ of $\frac{81}{2}$ slots full

[illegible]

Common Box #1

Freezer 1 ? Rack 2

umut · 0 of 81 slots full

	1	2	3	4	5	6	7	8	9
A									
B									
C									
D									
E									
F									
G									
H									
I									

LiqNitro 1

Liquid Nitrogen ? Rack 1

baris · 63₁ of 81 slots full₂

[illegible]

LiqNitro 2

Liquid Nitrogen ? Rack 1

baris · 75 of 81 slots full

	1	2	3	4	5	6	7	8	9
A	DuPAR-5CR P89 18.3.21 BARO	DuPAR-2.5CR P72 13.1.21 BARO	DuPAR-2.5CR P72 13.1.21 BARO	DuPAR-2.5CR P77 (FBS backup) 2.2	DuPAR-2.5CR P72 13.1.21 BARO	DuPAR-2.5CR P72 13.1.21 BARO	DuPAR-2.5CR P77 (FBS backup) 2.2	DuPAR-2.5CR P72 13.1.21 BARO	DuPAR-PARc of 2.5CR P74 17.2.21
B	DuPAR-5CR P88 15.3.21	DuPAR-2.5CR P72 13.1.21 BARO	DuPAR-5CR P88 15.3.21	DuPAR-5CR P88 15.3.21	DuPAR-5CR P88 15.3.21	DuPAR-10CR P103 28.6.21	DuPAR-10CR P105 7.7.21	DuPAR-10CR P103 28.6.21	DuPAR-PARc P86 21.6.21
C	DuDoceR-PARc P82 7.7.21	DuDoceR-8CR P98 7.7.21	DuDoceR-8CR P96 8.6.21	DuDoceR-4CR P82 18.3.21	DuDoceR-1x8CR P8 28.4.21	DuDoceR-4CR P82 18.3.21	DuDoceR-4CR P82 18.3.21	DuDoceR-4CR P82 18.3.21	DuDoceR-5CR P73 27.1.21
D	DuDoceR-2.5CR P73 27.1.21	DuDoceR-1.5CR P60 21.9.20	DuDoceR-2.5CR P73 27.1.21	DuDoceR-2.5CR P73 27.1.21	DuDoceR-PARc P64 12.1.21	DuDoceR-2.5CR P74 (FBS backup) 2	DuDoceR-PARc P64 2.1.21	DuDoceR-2.5CR P74 (FBS backup) 2	DuDoceR-2.5CR P73 27.1.21
E	DuDoceR-PARc P64 12.1.21	DuDoceR-PARc P64 12.1.21	DuCabaR-1x10CR P99 28.4.21	DuCabaR-5CR P92 18.3.21	DuCabaR-PARc P77 21.6.21	DuCabaR-PARc P65 26.3.21	DuCabaR-PARc P64 12.1.21	DuCabaR-10CR P105 19.6.21	DuCabaR-10CR P109 7.7.21
F	DuCabaR-1.5CR P62 1.10.20	DuPAR-PARc P90 7.7.21	DuCabaR-2.5CR P76 13.1.21	DuCabaR-PARc P64 12.1.21	DuCabaR-2.5CR P76 13.1.21	DuCabaR-1.5CR P62 1.10.20	DuCabaR-2.5CR P76 13.1.21	DuCabaR-2.5CR P76 13.1.21	DuCabaR-5CR P92 18.3.21
G	DuCabaR-5CR P92 18.3.21	DuCabaR-PARc P62 1.10.20	DuCabaR-PARc P61 25.9.20	DuCabaR-2.5CR P76 13.1.21	DuCabaR-2.5CR P81 (FBS backup) 2	DuCabaR-PARc P64 12.1.21	DuCabaR-PARc P64 12.1.21		
H				Du145 shGFP puro 51.0	OSC19 TMEM16 OX p+17	OSC19 Empty Vector P+18	DuPAR PARc 137.0	DuPAR PARc 137.0	Du145 shGFP hygro 200 ul 42.0
I	Du145 tet PRMT1 sh2(2) puro 49.0	HEK Knock In #6 41.0	HEK Knock In #6 41.0	HEK Knock In #5 31.0	HEK Knock In #5 31.0	HEK Knock In #5 29.0	HEK Knock In #5 29.0	HEK Knock In #5 40.0	

Beyza Caa Hucre Box 1

Liquid Nitrogen ? Rack 2

beyzat · 81 of 81 slots full

	1	2	3	4	5	6	7	8	9
A	hek	cal27	cal27	u2os	hn30	fadu	hn30	hn30	hek
	10.0	16.0	16.0	17.0	20.0	19.0	20.0	11.0	21.0
B	fadu	fadu	u373	fadu	hn30	u2os	hek mpg ox	mda mpg ox	mda mpg ox
	19.0	11.0	21.0	19.0	20.0	17.0	5.0	9.0	8.0
C	u2os mpg ox	hek mpg ox	hek mpg ox	u2os mpg ox	hek mpg ox	mda mpg ox	u2os mpg ox	mda mpg ox	u2os mpg ox
	8.0	7.0	7.0	8.0	7.0	8.0	8.0	8.0	8.0
D	u2os dox nek2	hek nek2 ox	hek nek2 ox	u2os nek2 ko b9	u2os nek2 k37r	u2os nek2 ko b5	u2os nek2 k37r	u2os nek2 k37r	u2os nek2 ko b9
	10.0	4.0	3.0		16.0	2.0	2.0	16.0	2.0
E	mda nek2 ox	hek nek2 ox	hek nek2 ox	u2os nek2 ox	u2os nek2 ox	u2os nek2 ox	u2os nek2 ox	u2os nek2 ox	u2os nek2 ox
	3.0	9.0	3.0	4.0	4.0	4.0	4.0	4.0	4.0
F	u2os nek2 ox	u2os nek2 ox	u2os dox nek2	u2os dox sh nek2	u2os dox nek2	u2os dox nek2	mda nek2 ox	u2os nek2 ox	hek
	4.0	4.0	8.0	4.0	8.0	10.0	7.0	4.0	11.0
G	hek	hek mtf1 ox	hek mtf1 ox 200	hek mtf1 ox 50	hek mtf1 ox 100	cal27 sh elk1 100	cal27 sh elf1 100	cal27 shgfp 100	cal27 sh creb1 100
	11.0		13.0	17.0	17.0	14.0	20.0	24.0	24.0
H	cal27 sh klf4 100	cal27 sh elf1 100	hek mtf1 ox 200	cal27 sh klf4 200	cal27 sh elk1 100	cal27 sh creb1 100	cal27 shgfp 100	hek ki 5	hek ki 8
	24.0	24.0	19.0	20.0	20.0	20.0	20.0	33.0	43.0
I	hek gnt	hek ki 8 mtf1 ox	hek ki 8	hek ki 8	hek ki 6	hek ki 8	hek ki 5	hek ki 8	hek ki 6
	7.0	24.0	55.0	54.0	43.0	48.0	39.0	43.0	49.0

Beyza Caa Sivi Azot Box 1

Liquid Nitrogen ? Rack 2

beyzat · $\frac{24}{1}$ of 81 slots $\frac{2}{2}$ full

[illegible]

baris · 26 of 81 slots ₁ full ₂

	1	2	3	4	5	6	7	8	9
A	Hela P24 10.02.20 BARO 24.0	Hela P24 10.02.20 BARO 24.0	Hela P24 10.02.20 BARO 24.0	Hela P24 10.02.20 BARO 24.0	Hela P23 15.12.19 BARO 23.0	Hela P23 15.12.19 BARO 23.0	Hela P23 15.12.19 BARO 23.0	Hela P23 15.12.19 BARO 23.0	Hela P23 14.12.19 BARO 23.0
B	Hela P23 14.12.19 BARO 23.0	Hela P23 14.12.19 BARO 23.0	Hela P23 14.12.19 BARO 23.0	Hela P23 14.12.19 BARO 23.0	Hela P23 15.12.19 BARO 23.0	Hela P24 10.02.20 BARO 24.0	Hela P24 10.02.20 BARO 24.0	Hela P25 22.12.19 BARO 25.0	Hela P25 22.12.19 BARO 25.0
C	Hela P24 1.1.20 BARO 24.0	Hela P24 1.1.20 BARO 24.0	Hela P24 1.1.20 BARO 24.0	Hela P24 1.1.20 BARO 24.0	Hela P24 1.1.20 BARO 24.0	DE-TMZR P76 27.0 1.20 BARO 76.0	DE-TMZR P76 27.0 1.20 BARO 76.0	U373 P80 27.1.20 BARO 80.0	
D									
E									
F									
G									
H									
I									

-80 Box3

Freezer 2 ? Baris Shelf

baris · 79 of 81 slots full

[illegible]

-80 Box4

Freezer 2 ? Baris Shelf

baris · 73 of 81 slots full

	1	2	3	4	5	6	7	8	9
A	DuCabaR-PARc P13 4 17.06.22 BARO	DuPAR P56 07.08.20 BARO	DuDoceR P56 07.08.20 BARO	DuPAR-20CR+3 P14 2 22.06.22 BARO	DuPAR-20CR+3 P14 2 22.06.22 BARO	DuPAR-20CR+2 P14 0 17.06.22 BARO	DuCabaR P56 07.08.20 BARO	DuCabaR-PARc P13 4 17.06.22 BARO	DuCabaR-50CR+1 P138 24.06.22 BAR
	134.0	56.0	56.0	142.0	142.0	140.0	56.0	134.0	138.0
B	DuCabaR-1x50CR P129 08.02.22 BAR	DuDoceR-15CR P118 08.02.22 BARO	DuCabaR-25CR P130 08.02.22 BARO	Du145 P82 16.06.21 BARO	Du145 P38 29.06.22 BARO	DuPAR-20CR+2 P14 0 17.06.22 BARO	DuPAR-20CR+2 P14 0 17.06.22 BARO	HEK-Ki #10 21.08.21 BARO	DuCabaR-PARc P84 12.07.21 BARO
	129.0	118.0	130.0	82.0	38.0	140.0	140.0	-	84.0
C	PC3 P26 (MF) 28.10.21 BARO	LNcaP P17 (MF) 28.10.21 BARO	PC3 P26 (MF) 28.10.21 BARO	U2OS P13 04.09.20 BARO	RPE1 P36 12.10.21 BARO	Du145 P51 23.10.21 BARO	H1299 12.10.21 BARO	RPE1 P35 12.10.21 BARO	RPE1 P35 12.10.21 BARO
	26.0	17.0	26.0	13.0	36.0	51.0	-	35.0	35.0
D	DuCabaR-PARc P136 24.6.22	DuDoceR-1x40CR P132 24.6.22 BARO	DuoOceR-1x40CR P132 24.6.22 BARO	DuCabaR-50CR+1 P138 24.06.22 BAR	DuCabaR-PARc P136 24.6.22	DuPAR- flucmCherry SORTED 21.6.2	Du145 fluc Ki PC P82 16.6.21 BAR	DuDoceR flucmCherry SORTED 21.6.	MIA-Paca2 16.6.21 BARO
	136.0	132.0	132.0	138.0	136.0	-	82.0	-	-
E	OSCC40 P42 04.03.22 Ayca	DuPAR-2x25CR P130 25.2.22 BARO	DuDoceR-50CR P149 17.12.22 BARO	BT549 P5 21.11.22 BARO	Du145 P50 tet-PR MT1 sh3 17.10.22	HEK293T P5 1.3.22 BARO	DuDoceR-40CR P140 11.09.22 BARO	A549 P15 21.11.22 BARO	DuDoceR-2x50CR P143 14.10.22 BAR
	42.0	130.0	149.0	5.0	50.0	5.0	140.0	15.0	143.0
F	A549 P11 9.11.22 BARO	A549 P12 3.11.22 BARO	HEK293T P5 1.3.22 BARO	BT549 P4 18.11.22 BARO	DuDoceR-40CR P139 2.09.22 BARO	DuDoceR-40CR P138 26.08.22 BARO	Du145 ATP7B/KO-g 3 #2 P46 13.12.2	Du145 ATP7B/KO-g 3 #11 P46 13.12.	Du145 ATP7B/KO-g 3 #19 P46 13.12.
	11.0	12.0	5.0	4.0	139.0	138.0	46.0	46.0	46.0
G	Du145 P50 PRMT6 sh1 14.10.22 BAR	Du145 ATP7B/KO-g 3 #27 P46 13.12.	Du145 ATP7B/KO-g 3 #12 P46 13.12.	DuDoceR-40CR P140 11.09.22 BARO	DuDoceR-25CR P129 17.5.22 Ayca	DuDoceR-1x50CR P142 28.9.22 BARO	A549 P12 9.11.22 BARO	Du145 P50 tet-PR MT1 sh3 13.10.22	Du145 P50 PRMT6 sh3 17.10.22 BAR
	50.0	46.0	46.0	140.0	129.0	142.0	12.0	50.0	50.0
H	Huh7 P60 9.11.22 BARO	DuPAR-PARc P128 13.12.22 BARO	A549 P14 18.11.22 BARO	DuDOceR-50CR P149 17.12.22 BARO	DuPAR-20CR+4 P148 5.8.22 BARO	DuDoceR-50CR P148 9.12.22 BARO	DuPAR-30CR P154 18.11.22 BARO	Hek-Ki #5 B.Alta y 11.8.22	Hek-Ki #6 B.Alta y 11.8.22
	60.0	128.0	14.0	149.0	148.0	148.0	154.0	-	-
I	Hek-Ki #8 B.Alta y 11.8.22								
	-								

-80 Box5

Freezer 2 ? Baris Shelf

baris · 69₁ of 81 slots₂ full

[illegible]

-80 Box6

Freezer 2 ? Baris Shelf

baris · 76 of 81 slots full

	1	2	3	4	5	6	7	8	9
A	U87MG P5 Ipek 27 .09.18	Panc1 P10 27.10. 20 Can	DuPAR-PARc P134 19.91.23 BARO	HEK-Ki #6 P19+10 7.6.21 BARO	HEK-Ki #5 15.4.2 2 Ayca		Du145 NT virus P 33 25.02.22 BARO	HEK293T P10 11.0 1.23 BARO	
B	DuDOceR-PARc P1 9 12.1.23 BARO	DuCabaR-50CR+2 F 143 12.1.23 BARO	DuDOceR-50CR+1 F 151 12.1.23 BARO	HEK293T P10 11.0 1.23 BARO	HEK293T P10 11.0 1.23 BARO	HEK293T P10 11.0 1.23 BARO	HEK293T P10 11.0 1.23 BARO	HEK293T P10 11.0 1.23 BARO	MCF7 P9 18.11.22 Busra
C	Du145 PRMT1KO vi rus P31 selected	DuCabaR-50CR+2 F 144 19.1.23 BARO	Du145 P53 tet-PR MT1 sh2 19.1.23	Du145 P53 tet-PR MT1 sh2 19.1.23	DuPAR-PARc P134 19.1.23 BARO	DuPAR-20CR+7 P16 8 19.1.23 BARO	Du145 ATP7B/KO-g 3 PC P34 1.3.22	DuPAR-20CR+7 P16 8 19.1.23 BARO	DuPAR-20CR+7 P16 8 19.1.23 BARO
D	Du145 P46 ATP7B/ KO-g3 #23 20.12.	DuDOceR-50CR P14 5 18.11.22 BARO		Panc1 P14 21.11. 21 BARO	DuPAR-20CR+6 P15 8 14.10.22 BARO	Du145 P50 tet-PR MT1 sh1 19.1.23	Du145 ATP7B/KO-g 3 #7 P46 20.12.2	Panc1 P11 (MF) 1 0.11.22 BARO	DuPAR-20CR+5 P15 3 11.9.22 BARO
E	DuDOceR-50CR P14 5 18.11.22 BARO	DuDOceR-40CR P13 9 2.9.22 BARO	Panc1 P14 21.11. 22 BARO	A549 P12 3.11.22 BARO	DuPAR-1x30CR P14 8 11.9.22 BARO	DuCabaR-2.5CR P8 1 1.3.22 BARO	HEK293T P5 1.3.2 2 BARO	Du145 P40 (MF) 1 1.09.22 BARO	DuDOceR-50CR P14 5 18.11.22 BARO
F	DuDOceR-flucmChe rry SORTED 22.3.	Du145 P50 PRMT6 sh3 14.10.22 BAR	DuPAR 1x30CR P14 7 2.9.22 BARO	DuPAR-20CR+5 P15 3 11.9.22 BARO	DuPAR-20CR P137 17.5.22 BARO	U373 P15 29.9.22 BARO	Panc1 P10 MF 29. 9.22 BARO	Du145 NT virus P 31 selected 15.2	DuPAR-2.5CR P83 1.3.22 BARO
G	U373 P18 21.10.2 2 BARO	DuDOceR-flucmChe rry SORTED 22.3.	Panc1 P13 18.11. 22 BARO	DuPAR-20CR+4 P14 8 26.8.22 BARO	Du145 P50 tet-PR MT1 sh2 17.10.22	Du145 P50 PRMT6 sh1 17.10.22 BAR	MIAPAc2 P16 29. 9.22 BARO	DuDOceR-2x40CR F 137 5.8.22 BARO	DuPAR-1x30CR P14 7 2.9.22 BARO
H	U373 P14 1.7.22 BARO	DuPAR-2x30CR P15 2 3.10.22 BARO	DuPAR-30CR P154 18.10.22 BARO	DuPAR-20CR P132 22.3.22 BARO	DuDOceR-40CR P14 0 11.9.22 BARO	Du145 P46 ATP7B/ KO-g3 PC 9.11.22	Panc1 P18 1.7.22 BARO	DuCabaR-2x50CR F 131 4.3.22 Balta	Du145 P50 tet-PR MT1 sh1 17.10.22
I	Du145 ATP7B/KO-g 3 #6 P46 13.12.2	Panc1 P11 (MF) 1 0.11.22 BARO	Du145 ATP7B/KO-g 3 #5 P46 13.12.2	DuDOceR-2.5CR P8 3 1.3.22 BARO	Du145 ATP7B/KO-g 3 #26 P46 26.12.	Du145 ATP7B/KO-g 3 #14 P46 26.12.	Du145 ATP7B/KO-g 3 #15 P46 26.12.		

Beyza Caa Hucre Box 2

Freezer 2 ? Beyza Shelf

beyzat · $\frac{70}{1}$ of $\frac{81}{2}$ slots full

[illegible]