jQuery Plugins

Refresher

jQuery Script Tag

<script src="http://code.jquery.com/jquery.min.js"></script>

Refresher

CSS selector \$ ".headline" doSomething(); **jQuery** iQuery method

For plugins, add code AFTER jQuery

```
<script src="http://code.jquery.com/jquery.min.js"></script>
```

```
<script src="jquery.fancybox.pack.js"></script>
<script src="js/jquery.event.move.js"></script>
<script src="js/jquery.twentytwenty.js"></script>
```

Plugins create new jQuery methods


Methods build into jQuery proper

```
$(".mybox").fadeOut();
$(".mybox").hide();
$(".mybox").css("color", "blue");
```

New totally awesome jQuery method

```
$(".mybox").twentytwenty();
```

Twenty Twenty (Before After)





Xactly Corporation in San Jose, CA

Lead User Experience Designer Riot Games in Santa Monica, CA

Product Manager Travelzoo in Silicon Valley

via Job Board from ZURB

How it works

TwentyTwenty works by stacking two images on top of each other. As the slider moves across the image, it makes use of the CSS **clip** property to trim the image on the left. This allows the image on the right to show through the container.

We're using custom movement events from the jquery.event.move library in order to support 1:1 slider movement on mobile devices.

Setting up


It's easy to get started, just wrap two images inside of a container. The first image will be on the left and the second one will be on the right. Here's an example container:

```
<div id="containerl">
  <img src="sample-before.png">
  <img src="sample-after.png">
  </div>
```

Then call twentytwenty() on this container once the images have loaded:

```
$(window).load(function() {
   $("#container1").twentytwenty();
});
```

And voila!



Twenty Twenty

```
$(".beforeafter").twentytwenty();
```

Modal (Pop-up)

Add remodal plugin code

```
<link rel="stylesheet" href="jquery.remodal.css">
...

<script src="js/jquery-1.11.2.min.js"></script>
<script src="js/jquery.remodal.js"></script></script></script></script></script>
```

Add modal plugin code

```
<img src="P1140423-640.jpg" data-remodal-target="modal34">
```

```
<div class="remodal popup-up" data-remodal-id="modal34">
      <img src="P1140423-1024.jpg" alt="">
      </div>
```

jQuery Cycle Slideshow

Add jQuery Cycle plugin code

```
<script src="js/jquery-1.11.2.min.js"></script>
<script src="js/jquery.cycle2.min.js"></script>
```

jQuery Cycle plugin

jQuery Cycle plugin

```
<div class="cycle-slideshow"</pre>
         data-cycle-fx="scrollHorz"
         data-cycle-timeout="0"
         data-cycle-prev="#prev"
         data-cycle-next="#next"
         <img src="http://malsup.github.io/images/p1.jpg">
         <img src="http://malsup.github.io/images/p2.jpg">
         <img src="http://malsup.github.io/images/p3.jpg">
         <img src="http://malsup.github.io/images/p4.jpg">
</div>
```

Video Tag

Video Tag

```
<video poster="assets/traffic.png">
     <source src="assets/traffic.mp4" type="video/mp4">
        <source src="assets/traffic.ogv" type="video/ogg">
        <img src="assets/traffic.png" alt="Traffic">
        </video>
```

Premiere Export Settings

- **Format**: H.264
- Framerate: Match source
- **Profile**: Baseline
- Bitrate: VBR (2 pass if you have time)
- Target Bitrate:
 - 0.4 0.7 (low quality)
 - 0.7 1mbps (medium)
 - >1mbps (high quality)