

# Citrus



## **Flowering and Ripening Time**

Jalalabad\*

\* Complete data will be available next year.

## Flowering Time      Ripening Time

**Variety name:** Moro 7009

**Flowering time:** 4th week of March to 2nd Week of April

**Ripening time:** very early

**Average fruit size:** medium to medium large

**Fruit color:** light pink blush, or red streak at advance maturity

**Fruit shape:** sub globes, round

**Juiciness:** juicy

**Seeds:** few or none

**Flavor:** pleasant flavor

**Overall:** Moro is perhaps the best known blood orange through out the world



**Variety name:** Marsh Seedless 7012

**Flowering time:** 4th week of March to 2nd Week of April

**Ripening time:** medium to late

**Average fruit size:** medium

**Fruit color:** pale to light yellow at maturity

**Fruit shape:** completely round

**Juiciness:** very juicy

**Seeds:** seedless

**Flavor:** rich flavor

**Overall:** Marsh is very popular cultivar today in foreign markets



**Variety name:** Tardivo Di Ciaculli 7014

**Flowering time:** 4th week of March to 1st Week of April

**Ripening time:** late

**Average fruit size:** medium to large

**Fruit color:** pale orange or yellow

**Fruit shape:** flat

**Juiciness:** juicy

**Seeds:** low seeded

**Flavor:** sweet

**Overall:** late variety, it is appreciated in EU markets



**Variety name:** Newhall 7004

**Flowering time:** 4th week of March to 2nd Week of April

**Ripening time:** early

**Average fruit size:** small

**Fruit color:** orange

**Fruit shape:** elongated

**Juiciness:** juicy

**Seeds:** seedless

**Flavor:** sweet

**Overall:** slightly earlier than Washington Navel, flesh of darker color



**Variety name:** Washington Navel 7005

**Flowering time:** 4th week of March to 2nd Week of April

**Ripening time:** early

**Average fruit size:** large

**Fruit color:** deep orange

**Fruit shape:** ellipsoid

**Juiciness:** very juicy

**Seeds:** seedless

**Flavor:** very sweet

**Overall:** seedless, easily peeled, recommended for fresh consumption



**Variety name:** Thompson Navel 7006

**Flowering time:** 4th week of March to 2nd Week of April

**Ripening time:** very early

**Average fruit size:** medium large

**Fruit color:** pale yellow

**Fruit shape:** elongated

**Juiciness:** medium juice content

**Seeds:** seedless

**Flavor:** sweet

**Overall:** well colored flesh, firm texture, good flavor



**Variety name:** Clementine di Nules 7015

**Flowering time:** 4th week of March to 2nd Week of April

**Ripening time:** early

**Average fruit size:** large

**Fruit color:** pale yellow


**Fruit shape:** rounded, oblate

**Juiciness:** juicy

**Seeds:** seedless to low seeded

**Flavor:** high quality

**Overall:** Clementine de nules is considered one of the best Clementine for sweetness



**Variety name:** Minneola 7026

**Flowering time:** 4th week of March to 2nd Week of April

**Ripening time:** medium late

**Average fruit size:** large

**Fruit color:** deep reddish orange

**Fruit shape:** oblate

**Juiciness:** juicy

**Seeds:** less seeds

**Flavor:** flavor rich and tart

**Overall:** its attractive color, excellent flavor, and low seed content have made it popular, also known as honey ball



**Variety name:** Olinda Valencia 7099

**Flowering time:** 4th week of March to 2nd Week of April

**Ripening time:** medium late

**Average fruit size:** medium large

**Fruit color:** orange

**Fruit shape:** longer than broad

**Juiciness:** full of juice

**Seeds:** low seeded

**Flavor:** acidic sweet

**Overall:** considered one of the best orange variety in the world



**Variety name:** Clementine SRA 89 7105

**Flowering time:** 3rd week of March to 1st Week of April

**Ripening time:** very Early

**Average fruit size:** large

**Fruit color:** orange

**Fruit shape:** spheroid shape, slightly flattened at the top and bottom

**Juiciness:** juicy

**Seeds:** seedless or few seeds

**Flavor:** sweet

**Overall:** early maturing, thin and easy peeling

