

Apricot



Flowering and Ripening Time

Kabul*

Mazar

Variety	March				May				June				July				March				May				June				July			
	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4				
Amiri 276																																
Amiri 278																																
Badami 6212																																
Turki 6313																																
CharMaghzi 6310																																
Amiri Kalan 365																																
Amiri Sorkh 328																																
Qaisi 270																																
Qaisi 4041																																
Mahali (Maidani) 290																																
Goldcot 265																																
Shakarpara 250																																
Shakarpara sorkh 372																																
Qaisi 741																																
Roghani 750																																
Roghani 751																																
Peer Naqshi 292																																
Arora 7135																																
Amiri 822																																
Patterson 266																																
Du Maghza 748																																
Ambercot 268																																
Pincot 7137																																
Qaisi safid 760																																
Saqi 5004																																
	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4				
	March				May				June				July				March				May				June				July			

* Complete ripening time data will be available next year.

Flowering Time Ripening Time

Variety name: Amiri 276

Flowering time: 3rd to 4th week of March

Ripening time: 3rd week of June

Average fruit size: big

Fruit color: yellow green

Fruit shape: elliptic

Kernel taste: sweet

Compatibility: N/A

Overall: late ripening Afghan variety, very sweet, light yellow flesh



Variety name: Amiri 278

Flowering time: 3rd to 4th week of March

Ripening time: 4th week of June

Average fruit size: big

Fruit color: yellow green

Fruit shape: ovate

Kernel taste: sweet

Compatibility: N/A

Overall: attractive shape, big size, crispy and sweet



Variety name: Badami 6212

Flowering time: 2nd to 4th week of March

Ripening time: 3rd week of June

Average fruit size: big

Fruit color: from white to yellow green

Fruit shape: oblique

Kernel taste: sweet

Compatibility: self

Overall: high yielding, medium fruit size, good for fresh consumption



Variety name: Turki 6313

Flowering time: 2nd to 3rd week of March

Ripening time: 2nd week of June

Average fruit size: big

Fruit color: orange

Fruit shape: oblique

Kernel taste: sweet

Compatibility: self

Overall: high yielding, orange flesh color, very good for drying



Variety name: Charmaghzi 6310

Flowering time: 2nd to 3rd week of March

Ripening time: 2nd week of June

Average fruit size: Medium

Fruit color: yellow green

Fruit shape: oblique

Kernel taste: sweet

Compatibility: self

Overall: early variety, suitable for fresh consumption

Other available clones: 4035, 823



Variety name: Amiri Kalan 365

Flowering time: 3rd to 4th week of March

Ripening time: 4th week of June

Average fruit size: big

Fruit color: yellow green

Fruit shape: ovate

Kernel taste: sweet

Compatibility: N/A

Overall: late variety, attractive color, very sweet



Variety name: Amiri Sorkh 328

Flowering time: 3rd to 4th week of March

Ripening time: 3rd week of June

Average fruit size: big

Fruit color: yellow green

Fruit shape: ovate

Kernel taste: sweet

Compatibility: N/A

Overall: late variety, very sweet, recommended for fresh consumption



Variety name: Qaisi 270, 4041

Flowering time: 2nd to 4th week of March

Ripening time: 1st week of June

Average fruit size: medium

Fruit color: yellow green

Fruit shape: oblique

Kernel taste: sweet

Compatibility: N/A

Overall: early variety, medium fruit size, sweet and juicy



Variety name: Mahali (Maidani) 290

Flowering time: 2nd to 3rd week of March

Ripening time: 2nd week of June

Average fruit size: medium

Fruit color: yellow green

Fruit shape: oblique

Kernel taste: sweet

Compatibility: self

Overall: small fruit but good for fresh consumption



Variety name: Goldcot 265

Flowering time: 2nd to 3rd week of March

Ripening time: 2nd Week of June

Average fruit size: medium big

Fruit color: orange

Fruit shape: circular

Kernel taste: bitter

Compatibility: self

Overall: orange flesh color, good for drying



Variety name: Shakarpara 250

Flowering time: 2nd to 3rd week of March

Ripening time: 2nd week of June

Average fruit size: small

Fruit color: yellow green

Fruit shape: circular

Kernel taste: sweet

Compatibility: N/A

Overall: very sweet, small fruit size



Variety name: Shakarpara sorkh 372

Flowering time: 2nd and 3rd week of March

Ripening time: 2nd week of June

Average fruit size: small

Fruit color: yellow red

Fruit shape: oblique

Kernel taste: sweet

Compatibility: N/A

Overall: dries on the tree, very sweet



Variety name: Qaisi 741

Flowering time: 2nd to 4th week of March

Ripening time: 2nd week of June

Average fruit size: big

Fruit color: yellow green

Fruit shape: oblique

Kernel taste: sweet

Compatibility: N/A

Overall: big size, good yield and very sweet



Variety name: Roghani 750, 751

Flowering time: 2nd to 4th week of March

Ripening time: 3rd week of June

Average fruit size: big

Fruit color: yellowish

Fruit shape: ovate

Kernel taste: sweet

Compatibility: N/A

Overall: good for fresh consumption and high quality, late variety



Variety name: Peer Naqshi 292

Flowering time: 2nd to 4th Week of March

Ripening time: 3rd Week of May

Average fruit size: big

Fruit color: yellow green

Fruit shape: oblique

Kernel Taste: sweet

Compatibility: self

Overall: early variety, high yielding



Variety name: Amiri 822

Flowering time: 3rd to 4th week of March

Ripening time: 3rd Week of June

Average fruit size: big

Fruit color: yellow green

Fruit shape: ovate

Kernel taste: sweet

Compatibility: N/A

Overall: late variety, good fruit size and shape, good for fresh consumption



Variety name: Patterson 266

Flowering time: 3rd to 4th week of March

Ripening time: 2nd week of June

Average fruit size: big

Fruit color: light orange

Fruit shape: ovate

Kernel taste: sweet

Compatibility: self

Overall: good for fresh consumption, less juicy and has medium sweetness



Variety Name: Du Maghza 748

Flowering time: 3rd to 4th week of March

Ripening time: 3rd week of June

Average fruit size: big

Fruit color: yellow green

Fruit shape: ovate

Kernel taste: sweet

Compatibility: N/A

Overall: recommended for fresh consumption



Variety name: Ambercot 268

Flowering time: 3rd to 4th week of March

Ripening time: 4th week of June

Average fruit size: big

Fruit color: yellowish

Fruit shape: obovate

Kernel taste: bitter

Compatibility: self

Overall: early variety, good for drying, high yielding not much sweet



Variety name: Pinkcot 7137

Flowering time: 3rd to 4th week of March

Ripening time: 4th week of June

Average fruit size: big

Fruit color: medium orange

Fruit shape: circular

Kernel taste: bitter

Compatibility: self

Overall: attractive food size and color, one of the early varieties and high yielding



Variety name: Arora 7135

Flowering time: 3rd to 4th week of March

Ripening time: 2nd week of June

Average fruit size: medium

Fruit color: medium orange

Fruit shape: ovate

Kernel taste: bitter

Compatibility: self

Overall: one of the most early variety in Afghanistan, good for fresh consumption.



Variety name: Qaisi Safid 760

Flowering time: 3rd to 4th week of March

Ripening time: 1st Week of July

Average fruit size: medium

Fruit color: yellow green

Fruit shape: ovate

Kernel taste: sweet

Compatibility: N/A

Overall: attractive size and color, very sweet and white flesh



Variety name: Saqi 5004

Flowering time: 3rd to 4th week of March

Ripening time: 2nd week of July

Average fruit size: medium

Fruit color: medium orange

Fruit shape: circular

Kernel taste: sweet

Compatibility: N/A

Overall: recommended for drying, yellow flesh, sweet and juicy

