



← Depth in m to reference level ()



Test according A.S.T.M Standard D 5778-12		Date : 30-1-2013	
Project : Site Investigation		Cone no. : C10CFIP.F04	
Location: Ellice - Wellington		Project no. : 02TT1	
		CPT no. : 38	1/14

Depth in m to reference level ()

Dynamic pore pressure (u2) in MPa →

-0.1 0.0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1.0 1.1 1.2 1.3

0
-1
-2
-3
-4
-5
-6
-7
-8
-9
-10
-11
-12
-13
-14
-15
-16
-17
-18
-19
-20
-21
-22
-23
-24

G.L. : 0.00 m

1.50 m Predrilled

1.5
1.3
2.3
2.3
2.8
3.1
3.5
4.3

Refusal (Tonnage)

Hole collapsed dry at 2.1

150 cm²
10 cm²

0.00 0.20 0.40 0.60 0.80 1.00 1.20

Equilibrium pore pressure (u0) in MPa →

☒ Inclination (I) in degr



Test according A.S.T.M Standard D 5778-12

Project : Site Investigation

Location: Ellice - Wellington

Date : 30-1-2013

Cone no. : C10CFIP.F04


Project no. : 02TT1

CPT no. : 38

2/14


← Depth in m to reference level ()

— Corrected cone resistance (qt) in MPa —→



Refusal (Tonnage)

Hole collapsed dry at 2.1



Test according A.S.T.M Standard D 5778-12

Project : **Site Investigation**

Location: **Ellice - Wellington**

Date : **30-1-2013**

Cone no. : **C10CFIP.F04**

Project no. : **02TT1**

CPT no. : **38**

3/14

← Depth in m to reference level ()

— Effective cone resistance (q_e) in MPa —→


2 4 6 8 10 12 14 16 18 20 22 24 26 28 30

G.L. : 0.00 m

1.50 m Predrilled

Refusal (Tonnage)

Hole collapsed dry at 2.1



Test according A.S.T.M Standard D 5778-12

Project : **Site Investigation**

Location: **Ellice - Wellington**

Date : **30-1-2013**

Cone no. : **C10CFIP.F04**

Project no. : **02TT1**

CPT no. : **38**

5/14

← Depth in m to reference level ()

— Total vertical stress (rov,z) in kPa →

50 100 150 200 250 300 350 400 450 500 550 600 650 700 750

G.L. : 0.00 m

1.50 m Predrilled

Refusal (Tonnage)

Hole collapsed dry at 2.1

--- Effective vertical stress (rov,z') in kPa →

100

200


300

400

500

600

700



Test according A.S.T.M Standard D 5778-12

Project : **Site Investigation**

Location: **Ellice - Wellington**

Date : **30-1-2013**



Cone no. : **C10CFIP.F04**

Project no. : **02TT1**

CPT no. : **38**

6/14

← Depth in m to reference level ()



Test according A.S.T.M Standard D 5778-12

Project : **Site Investigation**

Location: **Ellice - Wellington**

Date : **30-1-2013**



Cone no. : **C10CFIP.F04**

Project no. : **02TT1**

CPT no. : **38**

7/14

← Depth in m to reference level ()



Test according A.S.T.M Standard D 5778-12

Project : **Site Investigation**

Location: **Ellice - Wellington**

Date : **30-1-2013**

Cone no. : **C10CFIP.F04**

Project no. : **02TT1**

CPT no. : **38**

8/14

← Depth in m to reference level ()

— Soil behaviour type index (Ic) —→

0.5 1.0 1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0 5.5 6.0 6.5 7.0 7.5

G.L. : 0.00 m

1.50 m Predrilled

(2) Organic soils
(3) Clay
(4) Silt mixtures
(5) Sand mixtures
(6) Sand clean to silty
(7) Gravelly sand

150 cm²
10 cm²

7

6

5

4

3

2



Test according A.S.T.M Standard D 5778-12

Project : **Site Investigation**

Location: **Ellice - Wellington**



Date : **30-1-2013**

Cone no. : **C10CFIP.F04**

Project no. : **02TT1**

CPT no. : **38**

9/14



Test according A.S.T.M Standard D 5778-12

Project : **Site Investigation**

Location: **Ellice - Wellington**

Date : **30-1-2013**


Cone no. : **C10CFIP.F04**

Project no. : **02TT1**

CPT no. : **38**

10/14

← Depth in m to reference level ()



Test according A.S.T.M Standard D 5778-12

Project : **Site Investigation**

Location: **Ellice - Wellington**

Date : **30-1-2013**

Cone no. : **C10CFIP.F04**

Project no. : **02TT1**

CPT no. : **38**

11/14

← Depth in m to reference level ()

— Equivalent SPT N60 Value →


5 10 15 20 25 30 35 40 45 50 55 60 65 70 75

G.L. : 0.00 m

1.50 m Predrilled

Refusal (Tonnage)

Hole collapsed dry at 2.1



Test according A.S.T.M Standard D 5778-12

Project : **Site Investigation**

Location: **Ellice - Wellington**

Date : **30-1-2013**


Cone no. : **C10CFIP.F04**

Project no. : **02TT1**

CPT no. : **38**

12/14

Depth in m to reference level ()



← Depth in m to reference level ()

Internal friction angle in degrees →

5 10 15 20 25 30 35 40 45 50 55 60 65 70 75

G.L. : 0.00 m

1.50 m Predrilled

Refusal (Tonnage)

Hole collapsed dry at 2.1

150 cm²
10 cm²



Test according A.S.T.M Standard D 5778-12

Project : **Site Investigation**

Location: **Ellice - Wellington**

Date : **30-1-2013**

Cone no. : **C10CFIP.F04**

Project no. : **02TT1**

CPT no. : **38**

14/14