

# Winning Space Race with Data Science

<Andres Chousal> <5/24/2024>



#### Outline

- Executive Summary
- Introduction
- Methodology
- Results
- Conclusion
- Appendix

### **Executive Summary**

- In this presentation, we delve into the methodologies employed and the results obtained through our data analysis efforts. The primary objective was to extract actionable insights from the available datasets to inform decision-making and enhance business strategies.
- Data collection
- Data wrangling
- EDA with data visualization
- EDA with SQL
- Building an interactive map with Folium
- Building a Dashboard with Plotly Dash
- Predictive analysis (Classification)

#### Introduction

- SpaceX, under the visionary leadership of Elon Musk, has reshaped the aerospace industry with its pioneering missions and remarkable achievements. Central to SpaceX's legacy are its unparalleled success rates in both launching payloads into orbit and, perhaps equally impressive, landing reusable rockets back on Earth.
- Equally noteworthy is SpaceX's revolutionary approach to rocket reusability, epitomized by the successful landings of Falcon 9 boosters on drone ships or landing pads. These landings represent a monumental leap forward in the quest for cost-effective space travel, as they enable the reuse of expensive rocket components, thereby driving down the overall cost of access to space.
- We intend to analyze the patterns to determine what makes up a successful flight.




## Methodology

#### **Executive Summary**

- Data collection methodology:
  - SpaceX Rest API
  - Web Scrapping
- Perform data wrangling
  - One Hot Encoding data fields
- Perform exploratory data analysis (EDA) using visualization and SQL
- Perform interactive visual analytics using Folium and Plotly Dash
- Perform predictive analysis using classification models
  - How to build, tune, evaluate classification models


#### **Data Collection**

- Data sets were collected using SpaceX REST API
- Web scraping is another means to gathering data through Wikipedia




### Data Collection – SpaceX API

- 1. Get response from API
- 2. Convert response to a .json file
- 3. Apply Custom functions to clean data
- 4. Assign list to dictionary and dataframe
- 5. Filter data frame and export to .csv




### **Data Collection - Scraping**

- 1. Getting Response from HTML
- 2. Creating BeautifulSoup Object
- 3. Finding tables
- 4. Getting column names
- 5. Creation of dictionary
- 6. Appending data to keys
- 7. Converting dictionary to dataframe
- 8. Dataframe to .CSV



### **Data Wrangling**

- After loading the data collected, it is necessary to preprocess the information to fill in any missing values.
- Using the following data
  - · Number of launches on each site
  - Number and occurrence of each orbit
- Calculate the number and occurrence of mission outcome of the orbits
- Create a landing outcome label from Outcome column (to a 0,1 class)



#### **EDA** with Data Visualization

- Scatter Graphs being drawn:
  - Flight Number VS. Payload Mass
  - Flight Number VS. Launch Site
  - Payload VS. Launch Site
  - Orbit VS. Flight Number
  - Payload VS. Orbit Type
  - Orbit VS. Payload Mass
- Bar Graph being drawn:
  - Mean VS. Orbit
- Line Graph being drawn:
  - Success Rate VS. Year

Graph type depends on the data's variables and desired relationship analysis.



GitHub link

#### **EDA** with SQL

- Performed SQL queries to gather information about the dataset.
- For example of some questions we were asked about the data we needed information about. Which we are using SQL queries to get the answers in the dataset:
  - Displaying the names of the unique launch sites in the space mission
  - Displaying 5 records where launch sites begin with the string CCA'
  - Displaying the total payload mass carried by boosters launched by NASA (CRS)
  - Displaying average payload mass carried by booster version F9 v1.1
  - · Listing the date where the successful landing outcome in drone ship was achieved.
  - Listing the names of the boosters which have success in ground pad and have payload mass greater than 4000 but less than 6000
  - · Listing the total number of successful and failure mission outcomes
  - Listing the names of the booster\_versions which have carried the maximum payload mass.
  - Listing the records which will display the month names, failure landing\_outcomes in drone ship ,booster versions, launch\_site for the months in year 2015.
  - Ranking the count of successful landing\_outcomes between the date 2010-06-04 and 2017-03-20 in descending order

### Build an Interactive Map with Folium

- To visualize the Launch Data into an interactive map. We took the Latitude and Longitude Coordinates at each launch site and added a Circle Marker around each launch site with a label of the name of the launch site.
- We assigned the dataframe launch\_outcomes(failures, successes) to classes 0 and 1
  with Green and Red markers on the map in a MarkerCluster()
- Using Haversine's formula we calculated the distance from the Launch Site to various landmarks to find various trends about what is around the Launch Site to measure patterns. Lines are drawn on the map to measure distance to landmarks

### Build a Dashboard with Plotly Dash

- Plotly Dash helped us create an interactive app to better visualize information through custom graphs.
  - Pie chart with success launches by site
  - Scatter plot with variable payload mass

## Predictive Analysis (Classification)

BUILDING MODEL

Load our dataset into NumPy and Pandas

Transform Data

Split our data into training and test data sets

Check how many test samples we have

Decide which type of machine learning algorithms we want to use

Set our parameters and algorithms to GridSearchCV

Fit our datasets into the GridSearchCV objects and train our dataset.

EVALUATING MODEL

Check accuracy for each model

Get tuned hyperparameters for each type of algorithms

Plot Confusion Matrix

IMPROVING MODEL

**Feature Engineering** 

**Algorithm Tuning** 

FINDING THE BEST PERFORMING CLASSIFICATION MODEL

The model with the best accuracy score wins the best performing model


In the notebook there is a dictionary of algorithms with scores at the bottom of the notebook.

#### Results

- Exploratory data analysis results
- Interactive analytics demo in screenshots
- Predictive analysis results



# Flight Number vs. Launch Site



• Flights on y axis vs Flight site on x axis


# Payload vs. Launch Site



• Higher payload mass means more success


## Success Rate vs. Orbit Type

 Orbit GEO,HEO,SSO,ES-L1 has the best Success Rate




# Flight Number vs. Orbit Type

• No clear correlation between flight number success and orbit type.




# Payload vs. Orbit Type

 Some orbits experience no failure, such as SSO. GTO orbit seems to have high failure rate and not that much payload variation.



## Launch Success Yearly Trend

• Success rate steadily increasing over the years.



Section 2.1

# **EDA with SQL**

#### All Launch Site Names

- SELECT DISTINCT Launch\_Site FROM SPACEXTABLE;
- Selects unique names from column launchsite from database

Launch\_Site

CCAFS LC-40

VAFB SLC-4E

KSC LC-39A

CCAFS SLC-40

# Launch Site Names Begin with 'CCA'

- SELECT \* FROM SPACEXTABLE WHERE Launch\_Site LIKE 'CCA%' LIMIT 5;
- Selects top 5 results from database, where launch site includes keyword CCA.

Date	Time (UTC)	Booster_Version	Launch_Site	Payload	PAYLOAD_MASS_KG_	Orbit	Customer	Mission_Outcome	Landing_Outcome
2010- 06-04	18:45:00	F9 v1.0 B0003	CCAFS LC- 40	Dragon Spacecraft Qualification Unit	0	LEO	SpaceX	Su <mark>c</mark> cess	Failure (parachute)
2010- 12-08	15:43:00	F9 v1.0 B0004	CCAFS LC- 40	Dragon demo flight C1, two CubeSats, barrel of Brouere cheese	0	LEO (ISS)	NASA (COTS) NRO	Success	Failure (parachute)
2012- 05-22	7:44:00	F9 v1.0 B0005	CCAFS LC- 40	Dragon demo flight C2	525	LEO (ISS)	NASA (COTS)	Success	No attempt
2012- 10-08	0:35:00	F9 v1.0 B0006	CCAFS LC- 40	SpaceX CRS-1	500	LEO (ISS)	NASA (CRS)	Success	No attempt
2013- 03-01	15:10:00	F9 v1.0 B0007	CCAFS LC- 40	SpaceX CRS-2	677	LEO (ISS)	NASA (CRS)	Success	No attempt

### **Total Payload Mass**

- SELECT SUM(Payload\_Mass\_\_kg\_) AS Total\_Payload\_Mass FROM SPACEXTABLE WHERE Customer = 'NASA (CRS)';
- This is a sum of the column payload mass, presented as total payload mass from database, where customer is also NASA.

Total\_Payload\_Mass 45596

### Average Payload Mass by F9 v1.1

- SELECT AVG(Payload\_Mass\_\_kg\_) AS AVG\_BOOSTER\_F9 FROM SPACEXTABLE WHERE Booster\_Version LIKE 'F9%';
- Selects average value from column payload mass, presented as AVG\_BOOSTER\_F9 from database where booster version also contains key word F9

#### AVG\_BOOSTER\_F9

6138.287128712871

### First Successful Ground Landing Date

- select min(Date) AS MINSUCDATE FROM SPACEXTABLE WHERE Landing\_Outcome = 'Success (ground pad)';
- Selects the minimum date, presented as MINSUCDATE from database, where Landing Outcome is equal to success.

#### MINSUCDATE

2015-12-22

#### Successful Drone Ship Landing with Payload between 4000 and 6000

SELECT Booster\_Version

FROM SPACEXTABLE

WHERE Landing\_Outcome = 'Success (drone ship)'

AND Payload\_Mass\_\_kg\_ > 4000

AND Payload\_Mass\_\_kg\_ < 6000;

Booster\_Version

F9 FT B1022

F9 FT B1026

F9 FT B1021.2

F9 FT B1031.2

 Selects booster version from database where landing is a success and payload is between specified values.

#### Total Number of Successful and Failure Mission Outcomes

```
CASE

WHEN Mission_Outcome LIKE 'Failure%' THEN 'Failure'
ELSE Mission_Outcome
END AS Outcome_Category,
COUNT(*) AS Total_Outcomes

FROM
SPACEXTABLE
WHERE
Mission_Outcome IN ('Success', 'Failure') OR
Mission_Outcome LIKE 'Failure%'

GROUP BY
Outcome_Category;
```

Outcome_Category	Total_Outcomes
Failure	1
Success	98

• Counts all mission outcomes separating successes and failures and displays them in a table.

### **Boosters Carried Maximum Payload**

```
SELECT Booster_Version
FROM SPACEXTABLE
WHERE Payload_Mass__kg_ = (
     SELECT MAX(Payload_Mass__kg_)
     FROM SPACEXTABLE
);
```

• Displays maximum payload caried by booster versions.

#### **Booster Version** F9 B5 B1048.4 F9 B5 B1049.4 F9 B5 B1051.3 F9 B5 B1056.4 F9 B5 B1048.5 F9 B5 B1051.4 F9 B5 B1049.5 F9 B5 B1060.2 F9 B5 B1058.3 F9 B5 B1051.6 F9 B5 B1060.3

F9 B5 B1049.7

#### 2015 Launch Records

```
SELECT
    CASE substr(Date, 6, 2)
        WHEN '01' THEN 'January'
        WHEN '02' THEN 'February'
        WHEN '03' THEN 'March'
        WHEN '04' THEN 'April'
        WHEN '05' THEN 'May'
        WHEN '06' THEN 'June'
        WHEN '07' THEN 'July'
        WHEN '08' THEN 'August'
        WHEN '09' THEN 'September'
        WHEN '10' THEN 'October'
        WHEN '11' THEN 'November'
        WHEN '12' THEN 'December'
    END AS Month Name,
    Landing Outcome,
    Booster Version,
    Launch Site
FROM
    SPACEXTABLE
WHERE
    substr(Date, 0, 5) = '2015' AND
    Landing Outcome LIKE 'Failure%' AND
    Landing Outcome LIKE '%drone ship%';
```

Lists the records which will display the month names, failure landing\_outcomes in drone ship ,booster versions, launch\_site for the months in year 2015.

Month_Name	Landing_Outcome	Booster_Version	Launch_Site
January	Failure (drone ship)	F9 v1.1 B1012	CCAFS LC-40
April	Failure (drone ship)	F9 v1.1 B1015	CCAFS LC-40

#### Rank Landing Outcomes Between 2010-06-04 and 2017-03-20

```
SELECT Landing_Outcome, COUNT(*) AS Outcome_Count FROM SPACEXTABLE
WHERE Date BETWEEN '2010-06-04' AND '2017-03-20'
GROUP BY Landing_Outcome
ORDER BY Outcome_Count DESC;
```


Landing_Outcom	e Outcome_Count
No attem	pt 10
Success (drone shi	p) 5
Failure (drone shi	p) 5
Success (ground page	d) 3
Controlled (ocea	n) 3
Uncontrolled (ocea	n) 2
Failure (parachut	e) 2
Precluded (drone shi	p) 1

 Ranks the count of landing outcomes (such as Failure (drone ship) or Success (ground pad)) between the date 2010-06-04 and 2017-03-20, in descending order




#### Launch sites USA

#### We can see two launch sites on either coasts of the US



#### Labelled Markers



Color coded markers, featuring red for failure and green for success.

#### Launch site distances from landmarks


- Are launch sites in close proximity to railways? No
- Are launch sites in close proximity to highways? No
- Are launch sites in close proximity to coastline? Yes
- Do launch sites keep certain distance away from cities? Yes






# Plotly pie chart





KSC has the most successful launches

## Plotly pie chart for highest success ratio



• KSC LC-39A achieved a 76.9% success rate while getting a 23.1% failure rate

#### Payload vs. Launch Outcome scatter plot for all sites, with different payload selected in the range slide



#### 0-4000 range

 We can see the success rates for low weighted payloads is higher than the heavy weighted payloads and that the boosters used for heavy launches are fewer.

5000-10000 range




### **Classification Accuracy**

 The tree CV has the best accuracy with a score of 0.93 and the following parameters

#### **Confusion Matrix**

- This is a confusion matric for the tree decision classifier.
- It has 1 false positive



#### **Conclusions**

- The best algorithm for our dataset was Tree CV.
- Low weighted rockets may have better success rate during launches.
- Successful launches have been steadily increasing over the years

Reference:

Ashlin Darius Govindasamy Github

