IN4MATX 133: User Interface Software

Lecture 13:
Ionic Components

Today's goals

By the end of today, you should be able to…

- Use Ionic Components to make a mobile-friendly app
  - Display structured content with items and lists
  - Style content with colors, icons, and badges
  - Receive user input with inputs and modals
- Use routing to move between pages of your Ionic app

Ionic Setup

Ionic Setup

- `npm install -g @ionic/cli`
- `ionic start [projectname]`
- `cd [projectname]`
- `ionic generate [page/component/class] [filename]`

Ionic Serve

- Run app in your browser with `ionic serve`
  - `serve` renders app as it would appear in a browser
  - But, you can inspect and select a different device, just like for responsive design





Ionic components

- Ionic provides Angular-style components for a lot of interface elements common in mobile interfaces
  - Lists, buttons, sliders, tabs, modal dialogs, search bars, much more
- We'll use Ionic 7 in this class





https://ionicframework.com/docs/components/

Ionic components

- Components must be imported

```
import { Component } from '@angular/core';
import { IonHeader, IonContent, IonToolbar, IonTitle } from
'@ionic/angular/standalone';
```

Import from library

```
@Component({
  selector: 'app-home',
  templateUrl: 'home.page.html',
  styleUrls: ['home.page.scss'],
  imports: [IonHeader, IonContent, IonToolbar, IonTitle],
})
export class HomePage {
  constructor() {}
}
```

Load import in component

https://ionicframework.com/docs/components/

Ionic component documentation

- Each component has a lot of potential attributes and properties
- The documentation enumerates many of the options
- Today is an **overview**.
  - There are more components than we can reasonably discuss
  - Each component has more options than we can reasonably discuss
- The best way to learn them is to try them out

https://ionicframework.com/docs/api/

Types of Ionic components

- Structural
- Items
- Icons
- Inputs
- Lists
- Modals

Types of Ionic components

- **Structural**
- Items
- Icons
- Inputs
- Lists
- Modals

Structural

- Three structural components:
  - `<ion-content>`: holds the page's main content
  - `<ion-header>`: top bar for title content
  - `<ion-footer>`: bottom bar menu content
- Headers and footers can contain `<ion-toolbar>` with text & buttons
- A few other components can replace header and footer
  - `<ion-tabs>` for a footer with tabs to different pages

Structural

```
<ion-header>
  <ion-toolbar>
    <ion-title>My Navigation Bar</ion-title>
  </ion-toolbar>
</ion-header>

<ion-content>
  Content here...
</ion-content>

<ion-footer>
  <ion-toolbar>
    <ion-title>Footer</ion-title>
  </ion-toolbar>
</ion-footer>
```

Types of Ionic components

- Structural
- **Items**
- Icons
- Inputs
- Lists
- Modals

Items

- `<ion-item>` is the most basic component
- It's essentially an HTML `<div>`
  - Can hold text, images, and other things
  - Has a css "block" style, so it shows up as a row
- Lots of other components need to be inside of `<ion-item>`
  - For example, `<ion-label>` to put text inside of an `<ion-item>`

Items

```
 <!-- Default Item -->
<ion-item>
  <ion-label>
    Item
  </ion-label>
</ion-item>
```



Items

```
 <!-- Default Item -->
<ion-item>
  <ion-label>
    Item
  </ion-label>
</ion-item>

<!-- Item as a Button -->
<ion-item (click)="buttonClick()">
  <ion-label>
    Button Item
  </ion-label>
</ion-item>

<!-- Item as an Anchor -->
<ion-item href="https://www.ionicframework.com">
  <ion-label>
    Anchor Item
  </ion-label>
</ion-item>

<ion-item color="secondary">
  <ion-label>
    Secondary Color Item
  </ion-label>
</ion-item>
```



Items

```
<ion-item href="#">
  <ion-label>
    Thumbnail End, Anchor Item
  </ion-label>
  <ion-thumbnail slot="end">
    <img src="assets/icon/favicon.png">
  </ion-thumbnail>
</ion-item>

<ion-item>
  <ion-thumbnail slot="start">
    <img src="assets/icon/favicon.png">
  </ion-thumbnail>
  <ion-label>
    <h2>H2 Title Text</h2>
    <p>Button on right</p>
  </ion-label>
  <ion-button fill="outline" slot="end">View</ion-button>
</ion-item>
```



Items

```
<ion-item>
  <ion-button color="secondary">Secondary</ion-button>
</ion-item>

<ion-item>
  <ion-button shape="round">Round</ion-button>
</ion-item>

<ion-item>
  <ion-button>
    <ion-icon slot="start" name="star"></ion-icon>
    Left Icon
  </ion-button>
</ion-item>
```



Types of Ionic components

- Structural
- Items
- **Icons**
- Inputs
- Lists
- Modals
- Menus

Icons

- Icons require registration

```
import { Component } from '@angular/core';
import { IonIcon, IonItem, IonBadge } from '@ionic/angular/standalone';
import { addIcons } from 'ionicons';
import { heart, moon } from 'ionicons/icons';

@Component({
  selector: 'app-home',
  templateUrl: 'home.page.html',
  styleUrls: ['home.page.scss'],
  imports: [IonIcon, IonItem, IonBadge],
})
export class HomePage {
  constructor() {
    addIcons({ heart, moon });
  }
}
```

https://ionicframework.com/docs/api/icon

Icons

- Can add labels or fun flavor

```
<ion-item>
  <ion-badge color="primary">11</ion-badge>
</ion-item>
<ion-item>
  <ion-badge color="secondary">22</ion-badge>
</ion-item>
<ion-item>
  <ion-icon name="heart"></ion-icon>
</ion-item>
<ion-item>
  <ion-icon name="moon"></ion-icon>
</ion-item>
<ion-item>
  <ion-badge color="secondary">
    <ion-icon name="moon"></ion-icon>
  </ion-badge>
</ion-item>
```



https://ionic.io/ionicons

Avatars

- Circular components that wrap an image or an icon

```
<ion-avatar>
  <img src="avatar.svg" />
</ion-avatar>

<ion-chip>
  <ion-avatar>
    <img src="avatar.svg" />
  </ion-avatar>
  <ion-label>Chip Avatar</
ion-label>
</ion-chip>
</ion-content>
```

Types of Ionic components

- Structural
- Items
- Icons
- **Inputs**
- Lists
- Modals

Inputs

- Ionic provides a lot of common input fields
  - DateTime
  - Checkbox
  - Button
  - Text input
  - …
- For the most part, they should always be in an ion-item
- Bound just as in Angular, with binding on `[(ngModel)]` from `FormsModule`

https://angular.dev/api/forms/NgModel

Inputs

```
<ion-item>
  <ion-label>Date</ion-label>
  <ion-datetime display-format="MM/DD/YYYY">
  </ion-datetime>
</ion-item>
```

Inputs

```
<ion-item>
  <ion-input required type="text"
  placeholder="First Name"></ion-input>
</ion-item>
```



Inputs




```
<ion-item>
  <ion-label>Pepperoni</ion-label>
  <ion-checkbox [checked]="pepperoni"></ion-checkbox>
</ion-item>

<ion-item>
  <ion-label>Sausage</ion-label>
  <ion-checkbox [checked]="sausage" disabled="true"></ion-checkbox>
</ion-item>

<ion-item>
  <ion-label>Mushrooms</ion-label>
  <ion-checkbox [checked]="mushrooms"></ion-checkbox>
</ion-item>
```

Types of Ionic components

- Structural
- Items
- Icons
- Inputs
- **Lists**
- Modals

Lists

- Display rows of information
- Can provide some structure to items
- Styling lists, rather than items individually, can come in handy

Lists

```
<ion-list>
  <ion-item>
    <ion-input>Input</ion-input>
  </ion-item>
  <ion-item>
    <ion-toggle slot="end">Toggle</ion-toggle>
  </ion-item>
  <ion-item>
    <ion-radio slot="end">Radio</ion-radio>
  </ion-item>
  <ion-item>
    <ion-checkbox slot="start">Checkbox</ion-checkbox>
  </ion-item>
</ion-list>
```



Lists

- Lists can contain tags other than `<ion-item>`
- For example, `<ion-card>` provides a “card” layout for presenting information

Lists

```
<ion-list>
  <ion-card>
    <ion-card-header>
      <ion-card-subtitle>Card Subtitle</ion-card-subtitle>
      <ion-card-title>Card Title</ion-card-title>
    </ion-card-header>

    <ion-card-content>
      Card content
    </ion-card-content>
  </ion-card>

  <ion-card>
    <ion-item>
      <ion-icon name="logo-ionic" slot="start"></ion-icon>
      <ion-label>ion-item in a card, icon left, button right</ion-label>
      <ion-button fill="outline" slot="end">View</ion-button>
    </ion-item>
  </ion-card>
</ion-list>
```

Lists, Items, and Inputs



Question

So far, how confident are you that you'll be able to use Ionic's components?

A. I have a lot of questions about how to use them

B. I have a few questions about how to use them

C. I'm still digesting the information, check in again later

D. I think I can figure it out once I start

E. I'm confident I'll be able to use them

So far, how confident are you that you'll be able to use Ionic's components?

A. I have a lot of questions about how to use them
B. I have a few questions about how to use them
C. I'm still digesting the information, check in again later
D. I think I can figure it out once I start
E. I'm confident I'll be able to use them

A	0%
B	0%
C	0%
D	0%
E	0%

Start the presentation to see live content. For screen share software, share the entire screen. Get help at **pollev.com/app**

Types of Ionic components

- Structural
- Items
- Icons
- Inputs
- Lists
- **Modals**

Modals

- Intended for quick entry or alerts
- Appear over the app's main content
- Two different styles
  - Modal dialogs
  - Modal pages
- Usually triggered in model or controller (`.ts`) rather than view (`.html`)

Modal dialogs

```
<!--HTML-->
<ion-button expand="full" color="primary" (click)="presentToast()">Send Toast</ion-button>

/*TypeScript*/
import { ToastController } from '@ionic/angular/standalone';

export class HomePage {
  /*Inject ToastController*/
  constructor(public toastController: ToastController) {}

  presentToast() {
      this.toastController.create({
        message: 'Hello, world!',
        duration: 2000
      }).then((toast) => {
        toast.present();
      });
    }
}
```



Modal dialogs

Async/await syntax (same functionality)

```
import { ToastController } from '@ionic/angular/
standalone';

export class HomePage {
  constructor(public toastController: ToastController)
{}

  presentToast() {
      this.toastController.create({
        message: 'Hello, world!',
        duration: 2000
      }).then((toast) => {
       toast.present();
      });
  }
}
```

```
import { ToastController } from '@ionic/angular/
standalone';

export class HomePage {
  constructor(public toastController: ToastController)
{}

  async presentToast() {
      var toast = await this.toastController.create({
        message: 'Hello, world!',
        duration: 2000
      });
      toast.present();
  }
}
```

Modal dialogs

```
presentAlert() {
      this.alertController.create({
        header: 'Alert',
        subHeader: 'Subtitle',
        message: 'This is an alert message.',
        buttons: ['OK']
      }).then((alert) => {
        alert.present();
      });
    }
```



Modal dialogs

```
presentActionSheet() {
  this.actionSheetController.create({
    header: 'Albums',
    buttons: [{
      text: 'Delete',
      role: 'destructive',
      icon: 'trash',
      handler: () => {
        console.log('Delete clicked');
      }
    }, {
      text: 'Cancel',
      icon: 'close',
      role: 'cancel',
      handler: () => {
        console.log('Cancel clicked');
      }
    }]
  }).then((actionSheet) => {
    actionSheet.present();
  });
}
```



Modal pages

- Opens up a new page over the current page
  - All pages are components themselves
- Useful for small entry, has more flexibility than dialogs

Modal pages

Create modal page

```
import { ModalController } from '@ionic/angular';
import { ModalPage } from '../modal/modal.page';

export class HomePage {
  constructor(public modalController: ModalController) {}

  presentModal() {
    this.modalController.create({
      component: ModalPage,
      componentProps: { name: "IN4MATX 133" }
    }).then((modal) => {
      modal.present();
    });
  }
}
```

Modal pages

Modal page's view & controller

```
<ion-content padding>
  Hello, {{name}}!
  <ion-button (click)="dismiss()">Dismiss</ion-button>
</ion-content>


import { ModalController } from '@ionic/angular';

export class ModalPage implements OnInit {
  @Input() name:string;
  constructor(public modalController:ModalController) { }

  dismiss() {
      this.modalController.dismiss();
  }
}
```



Modal pages

Getting data from modal pages

```
/*modal-page.ts*/
@Input() name:string;

constructor(public
modalController:ModalController) { }

dismiss() {
  this.modalController.dismiss('Hello from
modal!');
}
```

```
/*home-page.ts, creates ModalPage*/
presentModal() {
    this.modalController.create({
      component: ModalPage,
      componentProps: {name: "IN4MATX 133"}
    }).then((modal) => {
      modal.present();
      modal.onDidDismiss().then((data)=>{
        console.log(data);
        // “Hello from modal!”
      })
    });
}
```

Modals


iOS
12:34 PM
100%
My Shopping List
Broccoli
Bread
Orange Juice
Apples
Add Item
Delete Item(s)
Check Out

Question

How confident are you that you'll be able to use Ionic's components?

A. I have a lot of questions about how to use them

B. I have a few questions about how to use them

C. I'm still digesting the information, check in again later

D. I think I can figure it out once I start

E. I'm confident I'll be able to use them

So far, how confident are you that you'll be able to use Ionic's components?

A. I have a lot of questions about how to use them
B. I have a few questions about how to use them
C. I'm still digesting the information, check in again later
D. I think I can figure it out once I start
E. I'm confident I'll be able to use them

A	0%
B	0%
C	0%
D	0%
E	0%

Start the presentation to see live content. For screen share software, share the entire screen. Get help at **pollev.com/app**

Routing

Routing

- Like in Angular, `app.routes.ts` defines URL routes

- But there's no browser bar in your app…

```
const routes: Routes = [
  { path: '', redirectTo: 'home', pathMatch: 'full' },
  { path: 'home', component: HomeComponent },
  { path: 'page2',loadChildren:()=> import('./page2/page2.module').then(m => m.Page2Module)}
];
```

Lazy loading, will only load when page opens

https://ionicframework.com/docs/angular/navigation

Routing

Define an `href` attribute

```
<ion-content padding >
  <ion-button href="page2">Go to page 2</ion-button>
</ion-content>
```



Routing

Undo and history

- Ionic has additional methods for navigating the page history
  - Going back to a previous page
  - Non-linear navigation, breaking the typical undo/redo cycle
- Largely outside the scope of our class, but can be interesting to look in to

https://ionicframework.com/docs/angular/navigation

Today's goals

By the end of today, you should be able to…

- Use Ionic Components to make a mobile-friendly app
  - Display structured content with items and lists
  - Style content with colors, icons, and badges
  - Receive user input with inputs and modals
- Use routing to move between pages of your Ionic app

IN4MATX 133: User Interface Software

Lecture 13:
Ionic Components