

CO3 AT 2-PORT SCANNING

```
Shell No. 1

Session Actions Edit View Help
kali% theHarvester --help
Read proxies.yaml from /etc/theHarvester/proxies.yaml
*****
* theHarvester 4.8.2
* Coded by Christian Martorella
* Edge-Security Research
* cmartorella@edge-security.com
*
*****
usage: theHarvester [-h] -d DOMAIN [-l LIMIT] [-S START] [-p] [-s] [--screenshot SCREENSHOT] [-v] [-e DNS_SERVER]
                  [-t] [-r [DNS_RESOLVE]] [-n] [-c] [-f FILENAME] [-w WORDLIST] [-a] [-q] [-b SOURCE]

theHarvester is used to gather open source intelligence (OSINT) on a company or domain.

options:
  -h, --help                show this help message and exit
  -d, --domain DOMAIN        Company name or domain to search.
  -l, --limit LIMIT          Limit the number of search results, default=500.
  -S, --start START          Start with result number X, default=0.
  -p, --proxies              Use proxies for requests, enter proxies in proxies.yaml.
  -s, --shodan               Use Shodan to query discovered hosts.
  --screenshot SCREENSHOT    Take screenshots of resolved domains specify output directory: --screenshot
                              output_directory
  -v, --virtual-host          Verify host name via DNS resolution and search for virtual hosts.
  -e, --dns-server DNS_SERVER DNS server to use for lookup.
  -t, --take-over             Check for takeovers.
  -r, --dns-resolve [DNS_RESOLVE] Perform DNS resolution on subdomains with a resolver list or passed in resolvers, default
                              False.
  -n, --dns-lookup I          Enable DNS server lookup, default False.
  -c, --dns-brute             Perform a DNS brute force on the domain.
  -f, --filename FILENAME     Save the results to an XML and JSON file.
  -w, --wordlist WORDLIST      Specify a wordlist for API endpoint scanning.
  -a, --api-scan              Scan for API endpoints.
  -q, --quiet                 Suppress missing API key warnings.
  -b, --source SOURCE          baidu, bevigil, bing, bingapi, brave, bufferoverrun, builtwith, censys, certspotter,
                              criminalip, crtsh, dehashed, dnsdumpster, duckduckgo, fullhunt, github-code,
                              hackertarget, haveibeenpwned, hunter, hunterhow, intelx, leaklookup, netlas, onyphe, otx,
                              pentesttools, projectdiscovery, rapiddns, rocketreach, securityscorecard, securityTrails,
                              shodan, sitedossier, subdomaincenter, subdomainfinder99, threatminer, tomba, urlscan,
                              venacus, virustotal, whoisxml, yahoo, zoomeye
```


gather open source intelligence (OSINT) on a company or domain.

show this help message and exit

Company name or domain to search.

Limit the number of search results, default=500.

Start with result number X, default=0.

Use proxies for requests, enter proxies in proxies.yaml.

Use Shodan to query discovered hosts.

OT

Take screenshots of resolved domains specify output directory: --screenshot
output_directory

Verify host name via DNS resolution and search for virtual hosts.

SERVER

DNS server to use for lookup.

Check for takeovers.

S_RESOLVE]

Perform DNS resolution on subdomains with a resolver list or passed in resolvers, default
False.

Enable DNS server lookup, default False.

Perform a DNS brute force on the domain.

ME

Save the results to an XML and JSON file.

ST

Specify a wordlist for API endpoint scanning.

Scan for API endpoints.

Suppress missing API key warnings.

baidu, bevigil, bing, bingapi, brave, bufferoverrun, builtwith, censys, certspotter,

criminalip, crtsh, dehashed, dnsdumpster, duckduckgo, fullhunt, github-code,

hackertarget, haveibeenpwned, hunter, hunterhow, intelx, leaklookup, netlas, onyphe, otx,

pentesttools, projectdiscovery, rapiddns, rocketreach, securityscorecard, securityTrails,

shodan, sitedossier, subdomaincenter, subdomainfinder99, threatminer, tomba, urlscan,

venacus, virustotal, whoisxml, yahoo, zoomeye

r

ap.org

tps://nmap.org) at 2026-08-11 11:12 EDT

ap.org -oN scanme_aggressive.txt

tps://nmap.org) at 2026-08-11 11:16 EDT

iving up on port because retransmission cap hit (10).

Session Actions Edit View Help

Shell No:1

```
kalin@kali:~$ nmap -sn scanme.nmap.org
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:01 EDT
Nmap scan report for scanme.nmap.org (49.33.32.156)
Host is up (0.0011s latency).
Other addresses for scanme.nmap.org (not scanned): 2000:3c01::f03c:91ff:fe10:bb2f
Nmap done: 1 IP address (1 host up) scanned in 0.34 seconds
kalin@kali:~$ nmap -p- scanme.nmap.org
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:01 EDT
```

```
kalin@kali:~$ nmap -sC scanme.nmap.org
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:02 EDT
```

```
kalin@kali:~$ nmap -sn 192.168.56.101
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:03 EDT
Nmap scan report for 192.168.56.101
Host is up (0.0011s latency).
Nmap done: 1 IP address (1 host up) scanned in 0.06 seconds
```

```
kalin@kali:~$ nmap -sV 192.168.56.101
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:03 EDT
Nmap scan report for 192.168.56.101
Host is up (0.0021s latency).
Not shown: 999 filtered tcp ports (no-response)
PORT      STATE SERVICE VERSION
53/tcp    open  domain (generic dns response: NOTIMP)
1 service unrecognized despite returning data. If you know the service/version, please submit the following fingerprint at https://nmap.org/cgi-bin/submit.cgi?new-service :
_5F=Port53-TCP|V7.95NI=7ND=6/11NTime=6A7B39DAMP=x86_64-pe-linux-gnuNr(DNSV
5F:ersionBindReqTCP,E,"\\0\\0C\\0\\00\\x81\\x84\\0\\0\\0\\0\\0\\0")

Service detection performed. Please report any incorrect results at https://nmap.org/submit/.
Nmap done: 1 IP address (1 host up) scanned in 22.31 seconds
```

```
kalin@kali:~$ nmap -sC 192.168.56.101
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:04 EDT
Nmap scan report for 192.168.56.101
Host is up (0.0024s latency).
Not shown: 999 filtered tcp ports (no-response)
```

```
PORT      STATE SERVICE
53/tcp    open  domain
Nmap done: 1 IP address (1 host up) scanned in 20.66 seconds
```

```
kalin@kali:~$ nmap -sn 192.168.56.101
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:04 EDT
Nmap scan report for 192.168.56.101
Host is up (0.0019s latency).
```

```
Nmap done: 1 IP address (1 host up) scanned in 0.10 seconds
kalin@kali:~$ nmap -sV 192.168.56.101
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:05 EDT
```

```
kalin@kali:~$ nmap -p- -sV -O -sC 192.168.56.101 -oN window_workstation.txt
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:06 EDT
Stats: 0:00:02 elapsed; 0 hosts completed (1 up); 1 undergoing SYN Stealth Scan
```



```
Session Actions Edit View Help
Shell No. 1

kali% nmap -p- scanme.nmap.org
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:01 EDT

kali% nmap -sC scanme.nmap.org
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:02 EDT

kali% nmap -sn 192.168.56.101
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:03 EDT
Nmap scan report for 192.168.56.101
Host is up (0.0011s latency).
Nmap done: 1 IP address (1 host up) scanned in 0.06 seconds
kali% nmap -sV 192.168.56.101
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:03 EDT
Nmap scan report for 192.168.56.101
Host is up (0.0021s latency).
Not shown: 999 filtered tcp ports (no-response)
PORT      STATE SERVICE VERSION
53/tcp    open  domain (generic dns response: NOTIMP)
1 service unrecognized despite returning data. If you know the service/version, please submit the following fingerp
rint at https://nmap.org/cgi-bin/submit.cgi?new-service :
SF-Port53-TCP:V=7.95XI=7XD=8/11Time=6A7B39DA&P=x86_64-pc-linux-gnu&r(DNSV
SF:ersionBindReqTCP,E,"\\0\\x0c\\0\\x06\\x81\\x84\\0\\0\\0\\0\\0\\0\\0");

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 22.31 seconds
kali% nmap -sC 192.168.56.101
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:04 EDT
Nmap scan report for 192.168.56.101
Host is up (0.0024s latency).
Not shown: 999 filtered tcp ports (no-response)
PORT      STATE SERVICE
53/tcp    open  domain

Nmap done: 1 IP address (1 host up) scanned in 20.66 seconds
kali% nmap -sn 192.168.56.101
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:04 EDT
Nmap scan report for 192.168.56.101
Host is up (0.0019s latency).
Nmap done: 1 IP address (1 host up) scanned in 0.10 seconds
kali% nmap -sV 192.168.56.101
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:05 EDT

kali% nmap -p- -sV -O -sC 192.168.56.101 -oN window_workstation.txt
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:06 EDT
Stats: 0:00:02 elapsed; 0 hosts completed (1 up), 1 undergoing SYN Stealth Scan
SYN Stealth Scan Timing: About 0.47% done

kali% nmap -p- -sV -O -sC 192.168.56.103 -oN window_workstation.txt
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:08 EDT

kali% nmap -p- -sV -O -sC 192.168.56.103 -oN window_workstation.txt
```


Session Actions Edit View Help

Shell No. 1

```
kali% nmap -sn scanme.nmap.org
```

```
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:01 EDT
```

```
Nmap scan report for scanme.nmap.org (45.33.32.156)
```

```
Host is up (0.0011s latency).
```

```
Other addresses for scanme.nmap.org (not scanned): 2600:3c01::f03c:91ff:fe18:bb2f
```

```
Nmap done: 1 IP address (1 host up) scanned in 0.34 seconds
```

```
kali% nmap -p- scanme.nmap.org
```

```
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:01 EDT
```

```
kali% nmap -sC scanme.nmap.org
```

```
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:02 EDT
```

```
kali% nmap -sn 192.168.56.101
```

```
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:03 EDT
```

```
Nmap scan report for 192.168.56.101
```

```
Host is up (0.0011s latency).
```

```
Nmap done: 1 IP address (1 host up) scanned in 0.06 seconds
```

```
kali% nmap -sV 192.168.56.101
```

```
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:03 EDT
```

```
Nmap scan report for 192.168.56.101
```

```
Host is up (0.0021s latency).
```

```
Not shown: 999 filtered tcp ports (no-response)
```

```
PORT      STATE SERVICE VERSION
```

```
53/tcp open  domain (generic dns response: NOTIMP)
```

```
1 service unrecognized despite returning data. If you know the service/version, please submit the following fingerprint at https://nmap.org/cgi-bin/submit.cgi?new-service :
```

```
SF-Port53-TCP:V=7.95%I=7%D=8/11%Time=6A7B39DA%P=x86_64-pc-linux-gnu%r(DNSV
```

```
SF:ersionBindReqTCP,E,"\\0\\x0c\\0\\x06\\x81\\x84\\0\\0\\0\\0\\0\\0\\0\\0");
```

```
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
```

```
Nmap done: 1 IP address (1 host up) scanned in 22.31 seconds
```

```
kali% nmap -sC 192.168.56.101
```

```
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:04 EDT
```

```
Nmap scan report for 192.168.56.101
```

```
Host is up (0.0024s latency).
```

```
Not shown: 999 filtered tcp ports (no-response)
```

```
PORT      STATE SERVICE
```

```
53/tcp open  domain
```

```
Nmap done: 1 IP address (1 host up) scanned in 20.66 seconds
```

```
kali% nmap -sn 192.168.56.101
```

```
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:04 EDT
```

```
Nmap scan report for 192.168.56.101
```

```
Host is up (0.0019s latency).
```

```
Nmap done: 1 IP address (1 host up) scanned in 0.10 seconds
```

```
kali% nmap -sV 192.168.56.101
```

```
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:05 EDT
```

```
kali% nmap -p- -sV -O -sC 192.168.56.101 -oN window_workstation.txt
```

```
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:06 EDT
```

```
Stats: 0:00:02 elapsed; 0 hosts completed (1 up), 1 undergoing SYN Stealth Scan
```


Session Actions Edit View Help Shell No. 1

```
kali% nmap -p- scanme.nmap.org
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:01 EDT

kali% nmap -sC scanme.nmap.org
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:02 EDT

kali% nmap -sn 192.168.56.101
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:03 EDT
Nmap scan report for 192.168.56.101
Host is up (0.0011s latency).
Nmap done: 1 IP address (1 host up) scanned in 0.06 seconds
kali% nmap -sV 192.168.56.101
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:03 EDT
Nmap scan report for 192.168.56.101
Host is up (0.0021s latency).
Not shown: 999 filtered tcp ports (no-response)
PORT      STATE SERVICE VERSION
53/tcp    open  domain (generic dns response: NOTIMP)
1 service unrecognized despite returning data. If you know the service/version, please submit the following fingerprint at https://nmap.org/cgi-bin/submit.cgi?new-service :
SF-Port53-TCP:V=7.95%I=7%D=8/11%Time=6A7B39DA%P=x86_64-pc-linux-gnu%r(DNSV
SF:ersionBindReqTCP,E,"0x0c0x06x81x840x000x000x000");

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 22.31 seconds
kali% nmap -sC 192.168.56.101
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:04 EDT
Nmap scan report for 192.168.56.101
Host is up (0.0024s latency).
Not shown: 999 filtered tcp ports (no-response)
PORT      STATE SERVICE
53/tcp    open  domain

Nmap done: 1 IP address (1 host up) scanned in 20.66 seconds
kali% nmap -sn 192.168.56.101
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:04 EDT
Nmap scan report for 192.168.56.101
Host is up (0.0019s latency).
Nmap done: 1 IP address (1 host up) scanned in 0.10 seconds
kali% nmap -sV 192.168.56.101
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:05 EDT

kali% nmap -p- -sV -O -sC 192.168.56.101 -oN window_workstation.txt
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:06 EDT
Stats: 0:00:02 elapsed; 0 hosts completed (1 up), 1 undergoing SYN Stealth Scan
SYN Stealth Scan Timing: About 0.47% done

kali% nmap -p- -sV -O -sC 192.168.56.103 -oN window_workstation.txt
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-11 11:08 EDT

kali% nmap -p- -sV -O -sC 192.168.56.103 -oN window_workstation.txt
```


