



## KingsCounty

### County Statistics

#### Factors Influencing Exposure to Air Pollution




\*NL = Non-Latino



### Neighborhood Statistics

#### Air Pollutants

#### Latino Neighborhoods and Exposure to Particulate Matter 2.5 (PM2.5), 2015- 2017



Note:  $\mu\text{g}/\text{m}^3$  = one-millionth of a gram per cubic meter of air

Note: California's state standard for PM2.5 is an annual average of 12  $\mu\text{g}/\text{m}^3$ , while the federal standard is 9  $\mu\text{g}/\text{m}^3$ . There is no state or federal or state standard for Diesel PM.

#### PM2.5

**PM2.5** is produced from sources like vehicle exhaust, wildfires, and industrial activity. These fine air particles enter the lungs and bloodstream and worsen conditions like asthma and heart disease.

Latino neighborhoods had **lower exposure** to PM2.5 similar to NL neighborhoods.

**13.0  $\mu\text{g}/\text{m}^3$**

Latino neighborhoods

**14.0  $\mu\text{g}/\text{m}^3$**

NL neighborhoods

Annual mean concentration

#### Diesel PM

**Diesel emissions** from vehicles and heavy-duty equipment release harmful particulate matter. Exposure to diesel exhaust can raise blood pressure, trigger heart attacks, and worsen lung conditions.

Latino neighborhoods had **higher exposure** to diesel PM than NL neighborhoods.

**0.1 tons/year**

Latino neighborhoods

**0.08 tons/year**

NL neighborhoods

Emissions

Latino neighborhoods = Census tracts with 70%+ Latino residents  
 Non-Latino neighborhoods = Census tracts with 70%+ non-Latino residents

## Neighborhood Statistics (cont.)

### Proximity to Major Sources of Air Pollution

**Note:** Exposure and proximity scores take into account the number of sites/facilities and their proximity to neighborhoods.  
**Higher scores = more exposure to pollutants for residents.**

**Cleanup sites**, such as Superfunds, are polluted with materials like lead and asbestos. Examples include old and abandoned processing plants and manufacturing facilities.

**Exposure Score**

3	Latino neighborhoods
4	NL neighborhoods

**Hazardous waste facilities** are treatment, storage, and disposal sites. They can release toxic substances such as carcinogens, mercury, and asbestos into the air, water, and soil.

**Exposure Score**

0.3	Latino neighborhoods
0.3	NL neighborhoods

**RMP facilities** are sites where hazardous chemicals—like propane, pesticides, ammonia, and explosives—are present, posing risks to the environment and communities if released.

**Proximity Score**

1.1	Latino neighborhoods
0.7	NL neighborhoods

### Vehicle Types and Traffic

**Lower-emission vehicles (LEVs)** use battery electric, plug-in hybrid, or hybrid technology to reduce greenhouse gas emissions.

**% of LEVs owned**

1%	Latino neighborhoods
3%	NL neighborhoods

**Clunker vehicles** (vehicles 20 years or older) emit high levels of pollutants because they lack advanced emission-control equipment.

**% of clunker vehicles owned**

12%	Latino neighborhoods
11%	NL neighborhoods

**Traffic density** measures the concentration of vehicles on roads within an area. Neighborhoods near major roadways face greater exposure to harmful emissions released from vehicles.

**Vehicle kilometers per hour**

324 km/hr	Latino neighborhoods
398 km/hr	NL neighborhoods

### Vulnerable Groups

**Age**

Children and older adults are more vulnerable to air pollution and have a higher risk of developing respiratory and cardiovascular diseases.

9%	10%	8%	10%
ages 0-5	ages 65+	ages 0-5	ages 65+
Latino neighborhoods		NL neighborhoods	

**Health**

Air pollution worsens pre-existing health conditions like asthma and coronary heart disease, increasing emergency visits and health complications. Long-term exposure to air pollution can cause chronic illness and premature death.

**% of Adults (18+) with Pre-Existing Conditions**

6%	5%	11%	10%
Latino neighborhoods	NL neighborhoods	Latino neighborhoods	NL neighborhoods
Coronary Heart Disease		Asthma	

**Emergency Department Visits (per 10,000 people)**

23	25	76.6	89.1
Latino neighborhoods	NL neighborhoods	Latino neighborhoods	NL neighborhoods
Heart Attacks		Asthma Attacks	

**Low Birth Weight (LBW) Babies**

LBW babies are born under 5 lbs. LBW increases the risk of infant mortality, developmental delays, and chronic health conditions. Exposure to air pollution, such as PM2.5, contributes to higher rates of LBW babies.

**% of Infants**

5%	5%
Latino neighborhoods	NL neighborhoods

### Disadvantaged Communities

The CA Environmental Protection Agency defines disadvantaged communities based on their environmental pollution burden and population characteristics. Under Senate Bill 535, revenue from CA's Cap-and-Trade Program is partly directed toward these communities through the CA Climate Investments program to reduce pollution, enhance climate resilience, and improve health and economic well-being.

**% of Disadvantaged Communities**

75%	42%
Latino neighborhoods	NL neighborhoods