

Pick the angle. AI paints it.

Free sample pages from the 100-page book.

Inside this sample

- The contents and the map of the book
- What the method gives you, and the five-step flow
- Gray-box previz next to the H3 render
- Chapter 5: reading a symptom, fixing the timing, and the before/after scorecard

Page numbers are the book's own. Pages in between are skipped.

7 chapters + 3 appendices

01	Why this method	1
	A sequence, not a slot machine. Five-step roadmap, GPU options, cost per shot, folder layout	
02	Previz: set the path and camera in Blender	17
	Install, four panels, a box set, a stand-in runner, four keyframe moves, a target camera, export	
03	Prompt: GPT vs Claude on the same previz	35
	A fair test, character sheet · first frame · style, the official 6-slot prompt, side by side	
04	Render: ComfyUI and MiniMax H3	49
	Install, five models, the template, four loaders, image order, five numbers, ten minutes	
05	Fix: go back to the step that failed	65
	Symptom-to-step table, FIX A landing timing, FIX B first-frame guide node, before/after log	
06	Finish: cuts, captions, sound, upscale, export	74
	Two more cuts, 0.25 s dissolves, safe-zone captions, ACE-Step music + 8 SFX layers, RealESRGAN, Reels · Shorts · TikTok	
07	Make it yours: character, product, scene	86
	Swap three inputs, sheet rules, your product as the prop, run log, cloud GPU route, checklist	
Appendix A	Blender object values · runner keyframes · camera	32
Appendix B	Full H3 prompts · fill-in template	46
Appendix C	Final-cut commands · caption template · checks	84
Samples	Folders ch1 to ch7: blend · previz · reference images · prompts · workflow JSON · results · music · SFX · scripts	zip

One piece per chapter.

One finished video.

Every chapter builds the same shot: a courier leaping rooftops. New here? Go in order.

Ch.	What you do	What you make	Files you keep
1	Flow · requirements · local GPU check	Local or cloud route	work/
2	Install Blender · block with shapes	5s previz video	scene.blendpreviz.mp4
3	Character + prompt via GPT · Claude	Character sheet · first frame · H3 prompt	refs/ prompt.txt
4	Install ComfyUI + H3 · first run	5s final video + sound	h3_take01.mp4
App.	A: scene values · B: prompt + template · Ch.7: cloud route	Copy-paste material	in Appendix



How to read

Each STEP page: **screenshot** → **numbers** → **zoom-in**. Find the number on your screen and do the same.



Stuck?

See **When stuck** (end of Chapter 2) and Appendix A first. Files included: scene.blend · previz · characters.

Before tool tricks, you'll know **what to fix**.

Rewriting the prompt after every bad take?
The real cause sits in another step.

You learn		So you can
Tool roles	→	Bad output? You know which step to redo
Previz	→	Fix motion and camera before you click Run
H3's two modes	→	Put your assets in the right slot
Setup · rights	→	Skip the install snags in Chapter 4

This is for you if

- Same hero, different face every cut
- The camera won't move where you want
- Every bad take sends you back to square one
- You want a video model running on your PC

One video.

Five steps.

Each step leaves a file. Files are how you fix later.

1

Plan GPT · Claude

Hero · action · place · camera · look, one page

brief.md

2

Previz Blender

Shapes first: space · action order · camera path

previz.mp4

3

References Images

Make hero · set images, note each one's job

refs/

4

Generate MiniMax H3 · local

Previz + refs + prompt in, video and sound out

h3_take01.mp4

5


Review · Edit You

Checklist grade, then captions · music

final.mp4

Hate it? Don't restart. Redo only the step that broke.


Gray boxes in. **This** comes out.



1.0s
Low follow



2.4s
Leap, low angle



4.9s
Turn, city reveal

Top: **Blender previz** · Bottom: **MiniMax H3 Ref2VA** local, same moment
5s · 512×896 · 24fps · 20 steps · stills from one untouched run

Read the symptom.

Find the step to fix.

The classic mistake: rewriting the prompt again and again. Each symptom lives in its own step.

Symptom	Go back to	What to change
Right moves, wrong timing	2 Previz	Keyframe spacing. Update the prompt seconds too
Camera looks elsewhere	2 Previz	Target (CamTarget) position
Opening differs from input	4 Settings	Add a first-frame guide node
Outfit or hair shifts	3 Refs	Sharper character sheet, a "keep" line in the prompt
Stiff motion	3 Prompt	A "don't copy the stand-in" line
Style blurry or photoreal	3 Refs	Swap the style image
A different story entirely	1 Plan	Restart from the brief

Change one thing at a time. Change two and you won't know which one worked. This chapter adds A (timing), then B (first frame).

New previz timing?

Update the seconds too.

When video and prompt disagree on time, the model wavers.
Four edits lock it.

At 00:01.750, she plants her foot on the low parapet and leaps across the deep drop between the buildings. **She stays airborne for a full 1.4 seconds:** as she rises, the camera dips below the rooftop edge and looks up at her silhouetted against the rainy sky ... **and she reaches the top of her arc at 00:02.450 with the far rooftop still ahead of her. Only at 00:03.150** ~~At 00:02.900,~~ does she land on the lower rooftop in a deep crouch ...
From ~~00:03.300~~ **00:03.600** she rises, catching her breath, and from ~~00:03.900~~ **00:04.100** she turns three-quarters toward the camera ...

What changed	Why
"Airborne for 1.4 s"	State the length as a number or it ends short
"Peak at 2.45 s, far roof ahead"	One more midpoint stretches the arc
"Land only at 3.15 s"	"Only" means: no ground contact before then
Rise +0.3 s Turn +0.2 s	Land later, and the rise and turn shift too

Writing the seconds. Frame number ÷ 24 = seconds. Frame 76 is 3.17 s at 24 fps. The prompt says 3.15 s, a hair early, because the model reacts a touch late. Stay between 0.00 s and 5.17 s (124 frames).

Landing moved 0.29 s later. One timing fix did that.

Before



air



landing



ground



ground

FIX A



56 2.33 s · air



66 2.75 s · air



70 2.92 s · air



76 3.17 s · ground

Metric	Previz target	Before	FIX A
Foot-contact frame	76 (3.17 s)	64 (2.67 s)	71 (2.96 s)

Airborne through frame 70, shoes down at 71: 5 frames (0.21 s) ahead of the 76 target. Fix previz and prompt together and the model follows your direction, then settles into its own rhythm inside the clip length. Character holds, zero broken frames, same as before.

Two fixes, one run each: the scorecard

Metric	Before	FIX A	FIX B
Landing frame (target 76)	64	71	71
First-frame match	0.626	0.625	0.776
Character holds	Yes	Yes	Yes
Broken frames	0	0	0
Run time	581 s	572 s	491 s

Previz + prompt moved the landing 7 frames closer. A guide node pulled the opening toward the input. Two next moves: the landing is still 0.21 s early (push the "Only at" line harder or stretch the previz), and buildings block the jump at frames 47~48 · 65~67 (raise the camera target). Both go in the log for the next cut.

One run per fix. Repeat the comparison on your next scene to confirm.

End of sample

Want the **whole build?**

The full book is 100 pages: 7 chapters and 3 appendices. It comes with companion files for chapters 1 to 7: Blender scenes, previz clips, reference images, the H3 prompts I used, workflow/settings files, example renders, landing-fix samples, music, SFX and scripts.

Not run the free shot yet? Start there. You don't need the book to finish it.

[Free Rooftop Jump recipe](#)

Shot working and want more cuts, your own character or product, and a finished 1080 × 1920 edit?

[Pick the Angle. AI Paints It. - \\$25](#)

Documented route: local ComfyUI + MiniMax H3 on a 32GB-class GPU, or a rented one. Model weights are separate downloads and not included.