




TCN18-170 (li6 detector, single exponential fit, background subtracted, normalized to beam current)








# 60.0s irradiation




# Graph








he3 background rate (1/s)




he3 background rate during irradiation (1/(s  $\mu$ A))





# TCN18-170

Count



TCN18-170\_ch

Entries 52062


Mean 4.401

Std Dev 3.017

Integral 5.206e+04

# TCN18-170

Count



TCN18-170\_ch

Entries 1833


Mean 4.133

Std Dev 2.961

Integral 1833

# TCN18-170

Count



TCN18-170\_ch

Entries 38463


Mean 4.435

Std Dev 3.014

Integral 3.846e+04

# TCN18-170

Count



TCN18-170\_ch

Entries 5679

Mean 4.396


Std Dev 2.997

Integral 5679

Channel

# TCN18-170

Count



TCN18-170\_ch

Entries 19482


Mean 4.351

Std Dev 3.027

Integral 1.948e+04

# TCN18-170

Count



TCN18-170\_ch

Entries 10194


Mean 4.375

Std Dev 3.015

Integral 1.019e+04

# TCN18-170

Count



TCN18-170\_ch

Entries 27610

Mean 4.388

Std Dev 3.025

Integral 2.761e+04

# TCN18-170

