

S26-12 Frontiers

Repo Link: <https://github.com/ucsb-cs156-s26/proj-frontiers-s26-12>

Members: Lorenzo Zucca, Pengyu Chen, Arjun Malaviya, Pau Marsa Roper, Arjun Shah, Jay Yeung

Frontend Changes (For Users):

1. Staff can now optionally filter which teams get repositories created during Team Repository Assignment. Previously, submitting the form always created repos for all teams in the course. Now, an optional Team Regex field appears in the form which prompts the user to enter a regular expression (e.g. s26-12-.*) and only teams whose names match will receive a repository. Leaving the field blank preserves the original behavior: repos are created for all teams. The specific changes are:
 - The Team Repository Assignment form now has an optional Team Regex field;
 - Enter a regex (e.g. s26-4-.*) to create repos only for teams whose names match;
 - Leave blank to create repos for all teams (original behavior unchanged);
 - A tooltip (i) next to the field explains its purpose.

Team Repository Assignment

Team Repository Prefix

Private Repositories?

Team Permissions

Maintain

Team Regex ⓘ

Field Optional. Only teams whose names match this regex will have repositories created. Leave blank to create repos for all teams.

Create

2. Students added to a class can click into the course, and view their team members in the course. Staff members added into a course can also click into the course, with the same permissions and tabs as an instructor, except for the ability to edit/delete other staff members and the settings tab. This includes a student, staff, team, assignment, and job tabs for the staff.

- Modified StudentCourseShowPage.jsx and reused TeamsTabComponent
- Modified TeamsTabComponent.jsx to add instructorView prop
- Modified TeamTable.jsx to show team members for students
- Added StaffCourseShowPage.jsx, hides settings tab and reuses instructor tabs

CMPSC 138 Spring 2024

[Students](#)
[Staff](#)
[Teams](#)
[Assignments](#)
[Jobs](#)

Individual Repository Assignment

Repository Prefix

Private Repositories?

Student Permissions

Maintain

Create Repositories for

Students Only

Create

Team Repository Assignment

Team Repository Prefix

Private Repositories?

Team Permissions

Maintain

Team Regs

Create

CMPSC 138 Spring 2024

My Teams

Team01

First Name	Last Name	Email	GitHub ID
Jay	Yeung	jayeung@ucsb.edu	
Derek	Kirschbaum	dkirschbaum@ucsb.edu	
Phil	Conrad	phcon@ucsb.edu	

3. Instructors can download the students' information in a new tab called Downloads.

- Modified InstructorCourseShowPage.jsx to add the download tab.
- Modified/Created CourseDownloadsForm.jsx and DownloadsTabComponent.jsx to add a download student CSV button and the page inside the tab.

cs156 sadsadsadr

[Students](#)
[Staff](#)
[Teams](#)
[Assignments](#)
[Jobs](#)
[Downloads](#)
[Settings](#)

Course Downloads

Export utility options available for this course instance.

Download Students CSV

4. Default base permission warning on course page- Yellow warning on the instructor course show page when the org's default base permission is not None Explains that students may see each other's

private repos Link: "You can change that setting here" → GitHub org Member privileges Respects hideBasePermissionWarning on the course (warning hidden if already suppressed)

5. On the course header (below the GitHub org link), when the course has a linked org: Label: Default Base Permission Value: None, Read, or Write (from the API) Only shown when orgName and installationId are set
6. Staff CSV Upload
 - "Upload Staff CSV" button on Staff tab now functional (previously greyed out with "Coming Soon")
 - Instructors can upload a CSV file with columns firstName,lastName,email to add multiple staff members at once
 - Modal file picker opens on click; success toast appears and staff table auto-refreshes after upload
 - Help icon () next to button links to /help/csv#staff-information documentation in new tab
 - Help CSV page now includes "Staff Information" accordion section with format docs

Frontiers

SwaggerAdmin

GitHub: ArjunUCSB

Welcome, arjun_shah@ucsb.edu

Help

Log Out

cs156Spring2026

Students

Staff

Teams

Assignments

Jobs

Settings

Upload Staff CSV

Add Staff Member

Download Staff CSV

Search Staff:

id	First Name	Last Name	Email	GitHub Login	Status	Edit	Delete
1	Test	User	testuser@ucsb.edu		Pending	Edit	Delete
2	Another	Staff	anotherstaff@ucsb.edu		Pending	Edit	Delete
3	Test	User	testuser@ucsb.edu		Pending	Edit	Delete
4	Another	Staff	anotherstaff@ucsb.edu		Pending	Edit	Delete
8	Ada	Lovelace	ada-upload-test@example.org		Pending	Edit	Delete
9	Grace	Hopper	grace-upload-test@example.org		Pending	Edit	Delete
10	Arjun	Shah	arjun@gmail.com		Pending	Edit	Delete
11	sash	ja	sh@ucsb.edu		Pending	Edit	Delete

This is the MVP for the Frontiers project. See the repo on [Github](#)

Backend Changes(For Developers):

1. The POST `/api/repos/createTeamRepos` endpoint now accepts an optional `teamRegex` query parameter. When provided, only teams whose names match the regex will have repositories created. When omitted, all teams get repos (original behavior unchanged). The specific changes are:
 - POST `/api/repos/createTeamRepos` accepts new optional `teamRegex` query param
 - `CreateTeamRepositoriesJob` skips non-matching teams when `teamRegex` is set; null = no filtering (uses `String.matches()`)
 - `teamRegex` passed via `.teamRegex(teamRegex.orElse(null))` in `RepositoryController.java`. This resolves to null when param absent, which disables filtering in the job

The screenshot shows a web interface for the 'Repository Controller'. At the top, it displays the endpoint 'POST /api/repos/createTeamRepos'. Below this is a 'Parameters' section with a 'Cancel' button. The parameters are listed in a table with columns 'Name' and 'Description'. The parameters are: 'courseId' (integer, required, query) with a text input containing 'courseId'; 'repoPrefix' (string, required, query) with a text input containing 'repoPrefix'; 'isPrivate' (boolean, query) with a dropdown menu showing '--'; 'teamRegex' (string, query) with a text input containing 'teamRegex'; and 'permissions' (string, required, query) with a dropdown menu showing 'READ'. At the bottom of the parameters section is a blue 'Execute' button. Below the parameters section is a 'Responses' section.

Name	Description
courseId * required integer(\$int64) (query)	courseId
repoPrefix * required string (query)	repoPrefix
isPrivate boolean (query)	--
teamRegex string (query)	teamRegex
permissions * required string (query)	READ

Execute

Responses

2.

- Reused existing endpoints such as `GET/api/courses/list`
- Reused existing permissions, staff can access course data through `hasManagePermissions`, but not `hasInstructorPermissions`
- Updated `CourseControllerTests.java` for mutation testing

3. The `CreateStudentOrStaffRepositoriesJob` now produces more meaningful log output when repository creation jobs are started. Previously, the job only logged generic messages such as `Processing...` and `Done`, which made it difficult to identify what each job was doing. The specific changes are:

- `CreateStudentOrStaffRepositoriesJob` now logs key job parameters at the start of the job:
 - `repositoryPrefix`
 - `isPrivate`
 - `permissions`
 - `creationOption`
- The log output now clearly shows which type of repositories are being created and with what settings. For example:

```
repositoryPrefix=lab01
isPrivate=true
permissions=WRITE
creationOption=STUDENTS_ONLY
Done
```

- `CreateStudentOrStaffRepositoriesJobTest` was updated so that the expected log output matches the new detailed format.
- This change does not alter the repository creation logic; it only improves job visibility and debugging for instructors and developers.

id	Job Name	User Email	Course Name	Created	Updated	Status	Log
54	CreateStudentOrStaffRepositoriesJob	pengyu_chen@ucsb.edu	1	2026/5/30 14:41:14	2026/5/30 14:41:14	complete	repositoryPrefix=demo-log-19 isPrivate=false permissions=MAINTAIN creationOption=STUDENTS_ONLY Done
27	DeleteRepoJob	pengyu_chen@ucsb.edu	1	2026/5/26 18:04:11	2026/5/26 18:04:12	complete	Starting delete repository job for course ID: 1 prefix=1 Summary: found=0, deleted=0, retained=0, errors=0

4. added a backend delete repository job, `DeleteRepoJob`, that can be launched to clean up accidentally created repositories.

- The new delete flow takes a `courseId` and `prefix`.
- The job searches the linked GitHub organization for repositories whose names match the given prefix.
- The job is designed to delete only empty repositories.
- Repositories with commits are retained to avoid deleting student work.
- The job records detailed output in the Jobs tab, including:
 - `course ID`
 - `prefix`
 - number of repos found
 - number of repos deleted
 - number of repos retained
 - number of errors

Example from the Jobs tab:

Starting delete repository job for course ID: 1

`prefix=1`

Summary: found=0, deleted=0, retained=0, errors=0

This shows that the delete operation runs as a background job and gives instructors a clear summary of what happened.

5. Added `hideBasePermissionWarning` on Course (Liquibase migration)
Lets instructors suppress the default-base-permission warning once wired to UI
6. Hide warning endpoint (#1) POST
`/api/courses/warnings/hideBasePermissionWarning/{courseId}` Sets `hideBasePermissionWarning` to true on the course Requires manage permissions on the course
7. GET `/api/github/graphql/defaultbasepermission?courseId={courseId}`
Returns org default permission as a plain string (none, read, etc.)
`OrganizationLinkerService.getDefaultRepositoryPermission(Course)`
via GitHub REST GET `/orgs/{orgName}` (not GraphQL — field not on GraphQL type)
8. Staff CSV Upload Endpoint

- New POST /api/coursestaff/upload/csv endpoint accepts multipart CSV with headers firstName,lastName,email
- Returns {"count": N} with number of staff added
- Returns 400 on invalid headers, 404 on missing course, 403 on unauthorized user
- No duplicate checking — simpler than student CSV upload by design

Request body

multipart/form-data

file * required

string(\$binary)

Choose File

Staff.csv

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'https://frontiers-dev-arjunucsb.dokku-12.cs.ucsb.edu/api/coursestaff/upload/csv?courseId=1' \
  -H 'accept: */*' \
  -H 'Content-Type: multipart/form-data' \
  -H 'X-XSRF-TOKEN: 690845ce-c979-4d5e-b65c-c8ed67633153' \
  -F 'file=@Staff.csv;type=text/csv'
```

Request URL

```
https://frontiers-dev-arjunucsb.dokku-12.cs.ucsb.edu/api/coursestaff/upload/csv?courseId=1
```

Server response

Code

Details

200

Response body

```
{
  "count": 2
}
```

Download