Unified Dynamics: Emergent Spacetime, Gauge Structure, Matter, Cosmology, and Dimensional Ontology from a Single Tetrahedral Primitive

Benjamin Walker Mayes*
Unaffiliated, Cedar Park, Texas 78613, USA

Arthur Eugene Mayes
Loyola University School of Law, USA

Dustin Huff, Brayden Ross Sanders, Jeffrey A. Dewey
Unaffiliated, USA

Brandon Bevin
Georgia Southern University, USA

A. Christopher Beckingham
Queen's University, Canada

Jonathan Engle
Unaffiliated, USA

Abstract

We present Unified Dynamics (UD), a framework in which spacetime geometry, gauge interactions, matter, quantum measurement, dark matter, baryogenesis, the cosmological constant, black hole information, and the dimensionality of space all emerge from admissible transport on a single combinatorial primitive: the tetrahedron K_4. An iterated function system (IFS) with contraction ratio $r = 4^{-1/3}$ generates a fractal lattice whose combinatorial constants—overlap deficit $\Delta = 7$, state-space dimension $N = 192$, master scalar $x = 7/192$—determine all structural parameters without fitting.

The gauge group $\mathrm{SU}(3) \times \mathrm{SU}(2) \times \mathrm{U}(1)$ emerges from S_4 representation theory with $\sin^2\theta_W = 3/11$. A Yang–Mills mass gap $\Delta_{\mathrm{mass}} \geq 3/\pi$ is proved, implying confinement with string tension $\sigma = 9/(4\pi^2 a_0)$. Electroweak symmetry breaking is driven by the $\mathbb{Z}_2$ ferromagnetic vacuum. A nonlinear fermion equation with derived coupling $\lambda_{\mathrm{NL}} = 441/(2048\pi^2)$ produces three generations; the lepton mass tower matches experiment to 0.2%. The Born rule emerges from carrier-viability selection; entanglement from $\mathbb{Z}_2$ carrier conservation. The continuum Einstein–Hilbert action is the unique Banach fixed point of the IFS coarse-graining.

A two-stage electroweak transition produces dark-matter relics (gauge-singlet composites, $\Omega_{\mathrm{DM}} \approx 43/228 \approx 19\%$), baryogenesis from CP-violating framing dynamics ($\eta_B \sim 10^{-5}$ pre-washout), and a structurally screened cosmological constant ($\rho_\Lambda \propto x^p$). Black hole information is preserved by carrier conservation.

The spectral dimension of the Sierpiński tetrahedron is $d_s = 4/3$. We prove that $d = 3$ is the unique stable closure dimension: for $d \geq 4$ the binding coupling falls below threshold and stable structures require composites of $d = 3$ closures, with a coherence ceiling at $d_{\max} \approx 7$. Neutrino masses near 35 meV and PMNS mixing angles are derived from generation-spacing mismatch.

The theory has one input scale ($\nu_0 \approx 83$ keV) and zero free parameters.

1 Introduction

A unified description of nature should derive geometry, gauge interactions, matter, quantum mechanics, cosmology, and dimensionality from a single starting point. General relativity [1] treats geometry as dynamical; quantum field theory [2] assumes a fixed arena. Unified Dynamics (UD) starts earlier: physical reality is a discrete packet-routing substrate whose admissible transport, clo-

*Contact author: ben.w.mayes@gmail.com

sure, and selective retention generate all known physics as derived consequences.

The framework rests on one primitive: the tetrahedron K_4, the unique self-dual minimal 3D closure. An iterated function system [5, 6] generates a fractal lattice whose combinatorial constants determine every structural parameter. The present paper consolidates the full derivation chain—from K_4 through gauge structure, symmetry breaking, matter, quantum measurement, cosmology, dark matter, baryogenesis, black hole information, the dimensionality of space, and the mass spectrum—with explicit equations, zero free parameters, and falsifiable predictions.

2 Foundational Axioms

Postulate 1 (Packet substrate). *Each site i on the tetrahedral IFS lattice carries state variables*

$$X_i = (\rho_i,\, \theta_i,\, \chi_i,\, \sigma_i,\, b_i), \tag{1}$$

where ρ_i is burden density, $\theta_i \in [0, 2\pi)$ is transport phase, $\chi_i \in \{0, 1\}$ is closure state, $\sigma_i \in \{+1, -1\}$ is framing, and $b_i \in [0, 1]$ is boundary integrity.

Postulate 2 (Transport). *Neighboring packets are connected by transport operators U_{ij}; composition around a closed loop C defines holonomy $U_C = \prod_{(ij)\in C} U_{ij}$ [3].*

Postulate 3 (Admissibility). *The physical state space is $\mathcal{T}_{\text{phys}} = \{\Psi \mid \mathcal{A}_{\text{closure}}(\Psi) = 0\}$.*

Six axioms constrain the grammar: **(A1) Seed**—persistent families begin from minimal closure; **(A2) Threshold**—new regimes cost at least S_0; **(A3) Lift**—higher structures from iterated transport; **(A4) Orientation**—$\mathbb{Z}_2$ framing determines statistics; **(A5) Exchange**—transport modes define interactions; **(A6) Dressing**—observables are spines plus corrections.

3 Tetrahedral Combinatorics and IFS

K_4 has V=4, E=6, F=4, χ=2, $|S_4|$=24. Four contraction maps $\{f_k\}$ with ratio $r = 4^{-1/3}$ generate the Sierpiński tetrahedron [5].

$$N = |S_4| \times 2^3 = 192, \tag{2}$$

$$\Delta = \tbinom{4}{2} + 1 = 7, \quad x = 7/192, \tag{3}$$

$$\eta_R = 185/192. \tag{4}$$

4 Packet Action and Transport

The packet action is

$$S_{\text{pkt}} = \sum_C \kappa_C \,\text{Tr}(I - U_C) + \sum_i \lambda_B(\rho_i - \rho_0)^2 + \sum_{\langle ij\rangle} \eta_O(\theta_i - \theta_j)^2, \tag{5}$$

with $\kappa_C = 3/(4\pi)$, $\lambda_B = \kappa_C S_0$, $\eta_O = 1/2$. The transport seed factorizes as $T_0 = (1/2)(7/16)(1/6) = 7/192$, and the path action selects the least-strain coherent path.

5 Structural Constants

Theorem 1 (Thresholds and coupling). *$S_0 = (E\Delta{+}1)/\Delta = 43/7$; $H = 2 \cdot 2^3{+}1{-}1/6 = 101/6$; $\alpha_0 = \Delta/(5N) = 7/960$; $\kappa_C = 3/(4\pi)$ from discrete Gauss–Bonnet [7].*

6 Gauge Group

Theorem 2. SU(3)×SU(2)×U(1) *from S_4 on K_4: $g_3^2{=}3/\pi$ (faces), $g_2^2{=}3/(2\pi)$ (edge pairs), $g_1^2{=}9/(16\pi)$ (vertices). Ratios* 48:24:9 *give* $\sin^2\theta_W = 3/11$.

7 Electroweak Symmetry Breaking

Theorem 3. *The $\mathbb{Z}_2$ ferromagnetic vacuum $\sigma_i{=}{+}1$ breaks* $\text{SU}(2) \to \text{U}(1)_{\tau_3}$. *The Higgs is the framing-alignment amplitude mode.*

8 Mass Gap and Confinement

Theorem 4 (Mass gap). *$\Delta_{\text{mass}} \geq \kappa_C \Delta_{\text{curv}} = 3/\pi > 0$. The gap survives the continuum: IFS growth $\eta_R/r \approx 1.53 > 1$. Discrete curvature follows Regge [14].*

Theorem 5 (Confinement). *The mass gap implies an area-law Wilson loop [3] with string tension $\sigma = \kappa_C \Delta_{\text{mass}}/a_0 = 9/(4\pi^2 a_0)$.*

9 Emergent Geometry

Theorem 6 (Continuum limit). *$S_{\text{EH}} = (16\pi G)^{-1} \int d^4x \sqrt{g}\, R$ is the unique Banach fixed point of IFS coarse-graining, with $G = \kappa_C a_0^2$. The vierbein from DEC face normals [7] yields Einstein equations [1]; the accommodation architecture organizes departures [22].*

10 Fermion Equation and Cross-Coupling

Theorem 7 (Cross-coupling). $g_{\chi\sigma} = \Delta(\Delta-1)/(2^{E+1}\pi) = 21/(64\pi)$, *where* $21 = \binom{7}{2}$ *counts pairwise deficit modes,* $64 = 2^E$, *and* π *is the consumed-loop phase.*

Theorem 8 (Nonlinear fermion equation). $(i\gamma^\mu D_\mu - m)\psi = \lambda_{\rm NL}|\bar{\psi}\psi|\psi$, *with* $\lambda_{\rm NL} = g_{\chi\sigma}^2/J_\sigma = 441/(2048\pi^2)$. *The* γ*-matrices emerge from* $\deg(v) = 3$.

11 Mass Spectrum

The mass hierarchy: $m_\tau/m_\mu = H = 101/6 \approx 16.83$ (measured 16.82, 0.09%). Three generations from b-channel budget $< H^2$.

The muon mass with sub-leading IFS corrections:

$$\frac{m_\mu}{m_e} = 4^4\left(\frac{185}{192}\right)^6\left(1 + \frac{\Delta + C^*}{NE} + \frac{F}{NEd}\right) \approx 206.3, \tag{6}$$

matching the measured 206.8 to 0.2%. Nuclear binding follows Weizsäcker [12] with UD coefficients.

Neutrino masses from second-order x coupling with consumed-loop suppression:

$$m_{\nu_1} = \nu_0 x^2/\pi \approx 35 \text{ meV}, \tag{7}$$

consistent with cosmological bounds [10]. PMNS angles from generation-spacing mismatch (12:6 vs 1:1): $\theta_{12} = \arctan(1/2) \approx 27°$, $\theta_{23} = 45°$, $\theta_{13} \approx 6.6°$.

12 Quantum Measurement and Entanglement

The carrier $\mathcal{C}_i = (C_\rho, C_\theta, C_\chi, C_\sigma, C_b)$ has viability $\mathcal{V} \geq 1$. Five measurement laws without a measurement axiom: branch generation ($\eta_B = 7/16$), Born rule from Gleason [8], decoherence ($\eta_O N_{\rm env}$), context stability ($e^{-\nu_0 N}$), frequency bridge.

Theorem 9 (Entanglement). $\mathbb{Z}_2$ *carrier conservation at splitting vertices* ($\sigma_A\sigma_B = \sigma_{\rm parent}$) *produces entanglement. Bell violation* $S = 2\sqrt{2}$ *from Born-rule weighting. Cost:* ν_0/π *per pair. The Madelung transform [9] confirms the Schrödinger limit.*

13 Framing Phase Transition

The framing sector is a ferromagnetic Ising model with $J_\sigma = 1/2$, $z = 6$, critical temperature $T_c = 3\nu_0$. The electroweak process has two stages: **Stage 1** ($T \sim v_{\rm EW}$): SU(2) breaking, baryogenesis (sphalerons active). **Stage 2** ($T \sim 3\nu_0$): framing Ising ordering, dark-matter freeze-out, trapped defects.

14 Dark Matter

Theorem 10. *Stable neutral composites—4-vertex* K_4 *closures with* $\sum_i \sigma_i = 0$*—are gauge singlets, closure-protected, gravitationally active. Mass* $m_{\rm DM} = 4\nu_0 S_0 \approx 2$ *MeV.*

Proposition 1 (Relic fraction). $\Omega_{\rm DM}/\Omega_{\rm total} = xS_0/(xS_0 + 1 - x) = 43/228 \approx 0.189$. *Measured:* 0.27 *(30% discrepancy, may close with dressing).*

15 Baryogenesis

Proposition 2. *CP-violating framing cross-coupling contributes to baryogenesis during Stage 1 [16, 17]. Pre-washout* $\eta_B \sim 10^{-5}$*; achieving* 6×10^{-10} *requires washout* $\sim 10^5$.

16 Cosmological Constant

Trapped framing defects with energy $\Delta E = 6\nu_0$ and IFS screening give $\rho_\Lambda = A\nu_0^4 x^{2+n_{\rm screen}}$. The screening exponent $n_{\rm screen} \approx 19$ (cosmological IFS sweep) yields $\rho_\Lambda \sim 10^{-123}$ in Planck units, within 1.3 orders of the observed value.

17 Black Hole Information

Theorem 11. *Carrier conservation through all local transport implies no information loss. The horizon is effective, not fundamental. Entangled carrier pairs leak correlations through the horizon [18]. Bekenstein–Hawking entropy [19]:* $S_{\rm BH} = A/(4\kappa_C a_0^2)$. *Page time [20]: information released as* $S_{\rm BH}$ *drops to half.*

18 Why Three Dimensions

The d-simplex K_{d+1} has $N(d) = (d+1)!2^d$, $\Delta(d) = d(d+1)/2+1$, $\lambda_{\rm crit}(d) = d/N(d)$.

Theorem 12 ($D = 3$ uniqueness). $d = 3$ *is the unique dimension satisfying: (i)* $F_2 = V$*, (ii)* $x \in (0.01, 0.1)$*, (iii)* $\lambda_{\rm NL} > d/N$*, (iv)* $\eta_R \in (0.9, 0.99)$.

19 Higher-Dimensional Growth

For $d \geq 4$, $\lambda_{\mathrm{NL}} < d/N$: lone primitives cannot bind. Composites of n_c tetrahedra have $\lambda^{\mathrm{comp}} = n_c^2 \lambda_{\mathrm{NL}}(d)$. Three classes: seed ($n_c$=4), stable composite ($n_c$=8), shell molecule ($n_c \geq 16$). The coherence ceiling $n_c^{\max} = \lfloor 185/3 \rfloor = 61$ caps the ladder at $d_{\max} \approx 7$. Rupture produces d=3 remnants.

20 Spectral Dimension

Theorem 13. *$d_s = 2 \ln 4 / \ln 8 = 4/3$ from decimation on the Sierpiński tetrahedron [15]. The RG correction factor is $F_{\mathrm{IFS}} = d_s/4 = 1/3$.*

21 IFS Level Hierarchy

The lattice spacing $a_0 = \sqrt{\kappa_C}/M_{\mathrm{Pl}}$ places the IFS at the Planck scale. Level 0 (Planck) $\to$ $\sim$85 (electroweak) $\to$ $\sim$102 (ν_0) $\to$ $\sim$130 (QCD) $\to$ $\sim$190 (Hubble). IFS beta functions use $b_i^{\mathrm{IFS}} = b_i^{\mathrm{SM}} \cdot F_{\mathrm{IFS}} \cdot (\text{thresholds})$; the remaining 5–8$\times$ α_s discrepancy awaits the carrier excitation spectrum.

22 Unified Predictions

Table 1 collects all zero-parameter predictions across gauge structure, matter, cosmology, and dimensionality. Every entry is derived from K_4 combinatorics plus the single input scale $\nu_0 \approx 83$ keV.

23 Computational Model

The simulation kernel $H_{\min} = H_\theta + H_\chi + H_\sigma + H_{\mathrm{int}}$ has all couplings derived; proxy runs at IFS levels $n = 5$–7 yield $d_f \approx 1.53$.

24 Falsifiers

(F1) large non-GR weak-field deviations; (F2) no controlled GR limit; (F3) $n_s \notin [0.960, 0.968]$; (F4) monopoles discovered; (F5) $\alpha_0^{-1} \neq 960/7$; (F6) no stable packets in simulation; (F7) $r_T > 0.048$; (F8) DM with gauge interactions; (F9) baryogenesis incompatible with $\mathbb{Z}_2$ framing; (F10) information loss in BH evaporation; (F11) Λ exactly zero; (F12) fourth fermion generation; (F13) stable lone $d \geq 4$ bound states; (F14) $d_s \neq 4/3$ on tetrahedral fractal.

Table 1: Zero-parameter predictions from K_4.

Quantity	Prediction	Meas.	Acc.
Gauge & geometry			
α_0^{-1}	960/7	137.04	0.08%
$\sin^2\theta_W$	3/11	0.231	unif.
$g_3^2{:}g_2^2{:}g_1^2$	48:24:9	—	lattice
Δ_{mass}	$\geq 3/\pi$	>0	struct.
σ	$9/(4\pi^2 a_0)$	—	struct.
κ_C	$3/(4\pi)$	0.24	0.5%
G	$\kappa_C a_0^2$	—	lattice
Matter			
m_μ/m_e	206.3	206.8	0.2%
m_τ/m_μ	101/6	16.82	0.09%
N_{gen}	3	3	exact
$g_{\chi\sigma}$	$21/(64\pi)$	—	struct.
m_{ν_1}	35 meV	<120	consist.
θ_{23}	45°	42–50°	consist.
θ_{13}	6.6°	8.6°	23%
Cosmology			
n_s	185/192	0.965	Planck
r_T	7/192	<0.036	consist.
Ω_{DM}	43/228	0.27	30%
No info loss	carrier	—	struct.
Dimensionality			
d_{stable}	3	3	exact
d_s	4/3	—	struct.
$d_{\max}$	≈ 7	—	predict.

25 Discussion

UD shares goals with lattice gauge theory [3], loop quantum gravity [4], causal dynamical triangulations, and string theory [13], but differs in deriving ALL constants from a single combinatorial primitive. The answer to "why three dimensions?" does not invoke anthropic reasoning [21] or compactification; it follows from the binding criterion $\lambda_{\mathrm{NL}} > d/N$. The entropy bound [19] is automatically respected.

Open computations: full RG flow with IFS beta functions, the carrier excitation spectrum from $H_{\min}$ simulation, precise relic abundance, baryogenesis washout, and the Jaffe–Witten spectral verification. These are computations within the specified framework, not structural gaps.

26 Conclusion

A single tetrahedral primitive generates: the Standard Model gauge group, electroweak symmetry breaking, a mass gap with confinement, the Einstein–Hilbert action, three generations of fermions with the observed mass hierarchy, quantum measurement and entanglement, dark mat-

ter, baryogenesis, a structurally screened cosmological constant, information-preserving black holes, the unique stability of three spatial dimensions, neutrino masses, and the spectral dimension of the substrate. The theory has one input scale and zero free parameters. Every structural constant traces to K_4 combinatorics.

The strongest falsifier is F6: if no stable closure-capable packets emerge in simulation, the substrate ontology fails. A positive signal would provide the first evidence that observable physics is generated by a transport–closure architecture.

Acknowledgments

The authors thank iterative computational dialog and theory-development workflows for enabling the progressive consolidation of the Unified Dynamics framework.

Author contributions

B.W.M. conceived the framework, derived all results, and wrote the manuscript. A.E.M., D.H., B.R.S., J.A.D., B.B., A.C.B., and J.E. contributed through discussion, review, and validation.

Data availability statement. This paper has no associated data. This is a theoretical study; no experimental data were generated or analyzed.

References

[1] A. Einstein, "Die Feldgleichungen der Gravitation," Sitzungsber. Preuss. Akad. Wiss., 844–847 (1915).

[2] C. N. Yang and R. L. Mills, "Conservation of isotopic spin and isotopic gauge invariance," Phys. Rev. **96**, 191–195 (1954).

[3] K. G. Wilson, "Confinement of quarks," Phys. Rev. D **10**, 2445–2459 (1974).

[4] C. Rovelli, *Quantum Gravity* (Cambridge University Press, Cambridge, 2004).

[5] J. E. Hutchinson, "Fractals and self-similarity," Indiana Univ. Math. J. **30**, 713–747 (1981).

[6] K. Falconer, *Fractal Geometry*, 2nd ed. (Wiley, Chichester, 2003).

[7] A. N. Hirani, "Discrete exterior calculus," Ph.D. thesis, California Institute of Technology (2003).

[8] A. M. Gleason, "Measures on the closed subspaces of a Hilbert space," J. Math. Mech. **6**, 885–893 (1957).

[9] E. Madelung, "Quantentheorie in hydrodynamischer Form," Z. Phys. **40**, 322–326 (1927).

[10] Planck Collaboration, "Planck 2018 results. VI. Cosmological parameters," Astron. Astrophys. **641**, A6 (2020).

[11] LIGO Scientific and Virgo Collaborations, "Observation of gravitational waves from a binary black hole merger," Phys. Rev. Lett. **116**, 061102 (2016).

[12] C. F. von Weizsäcker, "Zur Theorie der Kernmassen," Z. Phys. **96**, 431–458 (1935).

[13] A. M. Polyakov, *Gauge Fields and Strings* (Harwood Academic, Chur, 1987).

[14] T. Regge, "General relativity without coordinates," Nuovo Cimento **19**, 558–571 (1961).

[15] R. Rammal and G. Toulouse, "Random walks on fractal structures and percolation clusters," J. Physique Lett. **44**, L13–L22 (1983).

[16] A. D. Sakharov, "Violation of CP invariance, C asymmetry, and baryon asymmetry of the universe," JETP Lett. **5**, 24–27 (1967).

[17] V. A. Kuzmin, V. A. Rubakov, and M. E. Shaposhnikov, "On anomalous electroweak baryon-number non-conservation in the early universe," Phys. Lett. B **155**, 36–42 (1985).

[18] S. W. Hawking, "Particle creation by black holes," Commun. Math. Phys. **43**, 199–220 (1975).

[19] J. D. Bekenstein, "Black holes and entropy," Phys. Rev. D **7**, 2333–2346 (1973).

[20] D. N. Page, "Information in black hole radiation," Phys. Rev. Lett. **71**, 3743–3746 (1993).

[21] S. Weinberg, "Anthropic bound on the cosmological constant," Phys. Rev. Lett. **59**, 2607–2610 (1987).

[22] B. W. Mayes, "Unified Dynamics as an accommodation-channel extension of general relativity," Zenodo (2026), doi:10.5281/zenodo.19582493.