FLEXI PERSONALIZATION REPORT

<< Start Personalization >>

Application Name: NSBP - Build PLT

Page Name: Palletize LPN

Personalization Level : Site

Personalization Value :

New Fields

Field Name	Type	Position
XX_LENGTH	Text	after textLPN
XX_WIDTH	Text	after XX_LENGTH
XX_HIGHT	Text	after XX_WIDTH
XX_STACKING	Text	after XX_HIGHT
XX_WEIGHT	Text	after XX_STACKING
XX_CAL_AREA	Text	after XX_WEIGHT
XX_CAL_CBM	Text	after XX_CAL_AREA
XX_TOTL_QTY_PACK	Text	after textNumberofLPNsinpallet
GET_INVENTORY_WS	Web Service	after btnPreviousscreen

Page Level Properties

Property Name	Property Value

Field Level Properties

Field Name: textLPN

Property Name	Property Value

_afterFocus	script:
	if(textPlt.getValue().length()>0)
	{
	GET_INVENTORY_WS.callWebService(null);
	if(GET_INVENTORY_WS.getResponseCode()==200)
	{
	JSONObject inv_json =new
	JSONObject(GET_INVENTORY_WS.getRawResponse());
	JSONArray inv_arr = inv_json.getJSONArray("results");
	//NEW CODE
	int reserveQty=0;
	for(int s=0; s<inv_arr.length(); s++)
	{
	reserveQty += inv_arr.get(s).getInt("curr_qty");
	}
	//flexi.setStatusMessage("Current Sum Value------>"+reserveQty);
	flexi.putObject("CURR_QTY_OBJ",reserveQty);
	String cntr=String.valueOf(flexi.getObject("CURR_QTY_OBJ"));
	XX_TOTL_QTY_PACK.setValue(cntr);
	}
	}
	XX_LENGTH.reset();
	XX_WIDTH.reset();
	XX_HIGHT.reset();
	XX_STACKING.reset();
	XX_WEIGHT.reset();
	XX_CAL_AREA.reset();
	XX_CAL_CBM.reset();

Field Name: XX_HIGHT

Property Name	**Property Value**

_onKeyPress	script:
	import java.math.BigDecimal;
	import java.math.RoundingMode;
	if(XX_HIGHT.getValue().length()>0)
	{
	flexi.putSessionObject("HIGHT_OBJ",XX_HIGHT.getValue());
	}
	
	//NEW CODE FOR CALCULATING L*W*H
	double l = Double.parseDouble(XX_LENGTH.getValue());
	double w = Double.parseDouble(XX_WIDTH.getValue());
	double h = Double.parseDouble(XX_HIGHT.getValue());
	//double tt = l*w*h;
	//flexi.putSessionObject("CAL_VALUE_OLD",tt);
	double l_w = (l*w/929.0341161);
	flexi.putSessionObject("CAL__VALUE",l_w);
	
	//NEW CODE 08/07/2024
	double originalNumber = flexi.getSessionObject("CAL__VALUE");
	BigDecimal bigDecimal = new BigDecimal(originalNumber);
	
	// Set the scale to 3 decimal places and round down
	BigDecimal roundedNumber = bigDecimal.setScale(3,
	RoundingMode.DOWN);
	String str=roundedNumber.toString();
	XX_CAL_AREA.setValue(str);
	//flexi.setStatusMessage("Original Number ---> "+originalNumber+"
	Rounded Number ---->"+roundedNumber);
	
	//String
	cntr_wight=String.valueOf(flexi.getSessionObject("CAL__VALUE"));
	//XX_CAL_AREA.setValue(cntr_wight);
	//flexi.setStatusMessage("Calculate area---------> "+cntr_wight);
	//flexi.setStatusMessage("Calculations:"+
	""+flexi.getSessionObject("CAL_VALUE"));
	double total_per = (l*w*h/1000000);
	flexi.putSessionObject("CAL_CBM__VALUE",total_per);
	String
	cntr=String.valueOf(flexi.getSessionObject("CAL_CBM__VALUE"));
	XX_CAL_CBM.setValue(cntr);
	//flexi.setStatusMessage("Calculate CBM----->
	"+flexi.getSessionObject("CAL_CBM__VALUE"));

_beforeExit	script:
	import java.math.BigDecimal;
	import java.math.RoundingMode;
	if(XX_HIGHT.getValue().length()>0)
	{
	flexi.putSessionObject("HIGHT_OBJ",XX_HIGHT.getValue());
	}
	
	//NEW CODE FOR CALCULATING L*W*H
	double l = Double.parseDouble(XX_LENGTH.getValue());
	double w = Double.parseDouble(XX_WIDTH.getValue());
	double h = Double.parseDouble(XX_HIGHT.getValue());
	//double tt = l*w*h;
	//flexi.putSessionObject("CAL_VALUE_OLD",tt);
	double l_w = (l*w/929.0341161);
	flexi.putSessionObject("CAL__VALUE",l_w);
	
	//NEW CODE 08/07/2024
	double originalNumber = flexi.getSessionObject("CAL__VALUE");
	BigDecimal bigDecimal = new BigDecimal(originalNumber);
	
	// Set the scale to 3 decimal places and round down
	BigDecimal roundedNumber = bigDecimal.setScale(3,
	RoundingMode.DOWN);
	String str=roundedNumber.toString();
	XX_CAL_AREA.setValue(str);
	//flexi.setStatusMessage("Original Number ---> "+originalNumber+"
	Rounded Number ---->"+roundedNumber);
	
	//String
	cntr_wight=String.valueOf(flexi.getSessionObject("CAL__VALUE"));
	//XX_CAL_AREA.setValue(cntr_wight);
	//flexi.setStatusMessage("Calculate area---------> "+cntr_wight);
	//flexi.setStatusMessage("Calculations:"+
	""+flexi.getSessionObject("CAL_VALUE"));
	double total_per = (l*w*h/1000000);
	flexi.putSessionObject("CAL_CBM__VALUE",total_per);
	String
	cntr=String.valueOf(flexi.getSessionObject("CAL_CBM__VALUE"));
	XX_CAL_CBM.setValue(cntr);
	//flexi.setStatusMessage("Calculate CBM----->
	"+flexi.getSessionObject("CAL_CBM__VALUE"));

label	Hight

Field Name: XX_CAL_AREA

Property Name	Property Value
label	Calculate Area

Field Name: XX_CAL_CBM

Property Name	Property Value
label	Calculate CBM

Field Name: XX_WIDTH

Property Name	Property Value

_onKeyPress	script:
	if(XX_WIDTH.getValue().length()>0)
	{
	flexi.putSessionObject("WIDTH_OBJ",XX_WIDTH.getValue());
	}

_beforeExit	script:
	if(XX_WIDTH.getValue().length()>0)
	{
	flexi.putSessionObject("WIDTH_OBJ",XX_WIDTH.getValue());
	}

label	Width

Field Name: XX_STACKING

Property Name	Property Value
_columnDisplay	true
_columnPrompt	Stacking
lovEnabled	true
_lovStatement	select MEANING from FLEXI_LOOKUPS where LOOKUP_TYPE='STACKING_VAL' and enabled_flag=1 and meaning like ?
_inputParameter	XX_STACKING
label	Stacking
_parameterTypes	SP

Field Name: XX_WEIGHT

Property Name	Property Value
label	Weight

Field Name: XX_TOTL_QTY_PACK

Property Name	Property Value
label	Total QTY Packed in Pallet
_readOnly	true

Field Name: XX_LENGTH

Property Name	Property Value

_onKeyPress	script:
	if(XX_LENGTH.getValue().length()>0)
	{
	flexi.putSessionObject("LENGTH_OBJ",XX_LENGTH.getValue());
	}

_beforeExit	script:
	if(XX_LENGTH.getValue().length()>0)
	{
	flexi.putSessionObject("LENGTH_OBJ",XX_LENGTH.getValue());
	}

label	Length

Field Name: GET_INVENTORY_WS

Property Name	Property Value
_passWS	${FLEXI_LOG_FIRE_PASSWORD}
_wsurl	${LOGFIRE_WEBSERVICE_URL}/wms/lgfapi/v10/entity/inventory/?container_id__pallet_id__pallet_nbr=${PLT_OBJ}&values_list=curr_qty
_operationType	GET
_description	To get current qty sum from this web service
_userWS	${FLEXI_LOG_FIRE_USER}
_contentType	application/json

Barcode Level Properties

<< End Personalization >>

<< Start Personalization >>

Application Name: NSBP - Build PLT

Page Name: NSBP - Build PLT

Personalization Level : Site

Personalization Value :

Field Level Properties

Field Name: textPlt

Property Name	Property Value

_beforeExit	script:
	if(textPlt.getValue().length()>0)
	{
	flexi.putSessionObject("PLT_OBJ",textPlt.getValue());
	}

Barcode Level Properties

<< End Personalization >>