FLEXI PERSONALIZATION REPORT

<< Start Personalization >>

Application Name: STD - Receiving BOX / LPN

Page Name: STD - Receiving BOX / LPN

Personalization Level : Site

Personalization Value :

New Fields

Field Name	Type	Position
XX_BAL_LPN_RECV	Text	after textLPN
XX_BAL_SKU_RECV	Text	after XX_BAL_LPN_RECV
XX_BAL_QTY_RECV	Text	after XX_BAL_SKU_RECV
XX_RECEIVED_LPN	Text	after XX_BAL_QTY_RECV
XX_TOTAL_LPN_SHIP	Text	after XX_RECEIVED_LPN
XX_TOTAL_SKU_SHIP	Text	after XX_TOTAL_LPN_SHIP
GET_SHIPMENT_WS	Web Service	after btnPreviousscreen
GET_BAL_LPN_RECV_WS	Web Service	after btnPreviousscreen
GET_RECV_LPN_SHIP_WS	Web Service	after btnPreviousscreen
GET_ALL_LPN_CNT_SHIP_WS	Web Service	after btnPreviousscreen
GET_SKU_BAL_SHIP_WS	Web Service	after btnPreviousscreen

Page Level Properties

Property Name	Property Value

Field Level Properties

Field Name: XX_BAL_SKU_RECV

Property Name	Property Value
_rendered	true
label	Balance SKU To Be Received
_readOnly	true

Field Name: XX_TOTAL_SKU_SHIP

Property Name	Property Value
label	Total SKUs in Shipment
_readOnly	true

Field Name: XX_BAL_QTY_RECV

Property Name	Property Value
label	Balance Qty To Be Received
_readOnly	true

Field Name: GET_RECV_LPN_SHIP_WS

Property Name	Property Value
_passWS	${FLEXI_LOG_FIRE_PASSWORD}
_wsurl	${LOGFIRE_WEBSERVICE_URL}/wms/lgfapi/v10/entity/ib_shipment_dtl/?ib_shipment_id__shipment_nbr=${SHIP_NBR}&container_nbr__isnull=false&received_qty!=0
_operationType	GET
_description	Get Received LPN from the Shipment
_userWS	${FLEXI_LOG_FIRE_USER}
_contentType	application/json

Field Name: GET_SKU_BAL_SHIP_WS

Property Name	Property Value
_passWS	${FLEXI_LOG_FIRE_PASSWORD}
_wsurl	${LOGFIRE_WEBSERVICE_URL}/wms/lgfapi/v10/entity/ib_shipment_dtl/?ib_shipment_id__shipment_nbr=${SHIP_NBR}&container_nbr__isnull=false&received_qty=0
_operationType	GET
_description	Get Balance SKU from Shipment
_userWS	${FLEXI_LOG_FIRE_USER}
_contentType	application/json

Field Name: XX_BAL_LPN_RECV

Property Name	Property Value
_rendered	true
label	Balance LPN To Be Received
_readOnly	true

Field Name: GET_ALL_LPN_CNT_SHIP_WS

Property Name	Property Value
_passWS	${FLEXI_LOG_FIRE_PASSWORD}
_wsurl	${LOGFIRE_WEBSERVICE_URL}/wms/lgfapi/v10/entity/ib_shipment_dtl/?ib_shipment_id__shipment_nbr=${SHIP_NBR}&container_nbr__isnull=false
_operationType	GET
_userWS	${FLEXI_LOG_FIRE_USER}
_contentType	application/json

Field Name: textASN

Property Name	Property Value
_lovSourceType	Web Service
_webService	GET_SHIPMENT_WS

_beforeExit	script:
	  if (textASN.getValue().length() > 0) {
	  flexi.putObject("SHIP_NBR", textShipment.getValue());
	
	  //Call web service to get balance lpn on shipment//
	  GET_BAL_LPN_RECV_WS.callWebService(null);
	  if (GET_BAL_LPN_RECV_WS.getResponseCode() == 200) {
	  JSONObject lpn_res = new
	JSONObject(GET_BAL_LPN_RECV_WS.getRawResponse());
	  JSONArray lpn_arr = lpn_res.getJSONArray("results");
	  flexi.putObject("BAL_LPN_CNT",
	String.valueOf(lpn_res.get("result_count")));
	  //flexi.setStatusMessage("Balance LPN---
	>"+flexi.getObject("BAL_LPN_CNT"));
	
	  if (flexi.getObject("BAL_LPN_CNT") != null) {
	  XX_BAL_LPN_RECV.setValue(flexi.getObject("BAL_LPN_CNT"));
	  } else {
	  XX_BAL_LPN_RECV.setValue("");
	  }
	
	  }
	
	  //End Web Service call to get balance lpn on shipment
	
	  //Call web service to get lpn received on shipment//
	  GET_RECV_LPN_SHIP_WS.callWebService(null);
	  if (GET_RECV_LPN_SHIP_WS.getResponseCode() == 200) {
	  JSONObject recv_res = new
	JSONObject(GET_RECV_LPN_SHIP_WS.getRawResponse());
	  JSONArray recv_arr = recv_res.getJSONArray("results");
	  flexi.putObject("LPN_RECV_CNT",
	String.valueOf(recv_res.get("result_count")));
	  //flexi.setStatusMessage("Balance LPN---
	>"+flexi.getObject("LPN_RECV_CNT"));
	  if (flexi.getObject("LPN_RECV_CNT") != null) {
	  XX_RECEIVED_LPN.setValue(flexi.getObject("LPN_RECV_CNT"));
	  } else {
	  XX_RECEIVED_LPN.setValue("");
	  }
	  }
	  //End Web Service call to get lpn received on shipment
	
	  //Call web service to get all lpn on shipment//
	  GET_ALL_LPN_CNT_SHIP_WS.callWebService(null);
	  if (GET_ALL_LPN_CNT_SHIP_WS.getResponseCode() == 200) {
	  JSONObject all_lpn_res = new
	JSONObject(GET_ALL_LPN_CNT_SHIP_WS.getRawResponse());
	  JSONArray all_lpn_arr = all_lpn_res.getJSONArray("results");
	  flexi.putObject("ALL_LPN_CNT",
	String.valueOf(all_lpn_res.get("result_count")));
	  //flexi.setStatusMessage("Balance LPN---
	>"+flexi.getObject("ALL_LPN_CNT"));
	  if (flexi.getObject("ALL_LPN_CNT") != null) {
	  XX_TOTAL_LPN_SHIP.setValue(flexi.getObject("ALL_LPN_CNT"));
	  } else {
	  XX_TOTAL_LPN_SHIP.setValue("");
	  }
	  }
	  //End Web Service call to get all lpn on shipment
	
	  }

_columnDisplay	true,false
_columnPrompt	Shipment Number,Id
_lovValidation	true
lovEnabled	true

Field Name: XX_TOTAL_LPN_SHIP

Property Name	Property Value
label	Total LPNs in Shipment
_readOnly	true

Field Name: GET_SHIPMENT_WS

Property Name	Property Value
_columnmap	results.shipment_nbr,results.id
_passWS	${FLEXI_LOG_FIRE_PASSWORD}
_wsurl	${LOGFIRE_WEBSERVICE_URL}/wms/lgfapi/v10/entity/ib_shipment?status_id__in=10,20&fields=shipment_nbr,id&page_size=1250${SHIP_STARTS}
_operationType	GET
_description	Get Shipment to show in LOV Web Service
_userWS	${FLEXI_LOG_FIRE_USER}
_contentType	application/json

_onCallingRequest	script:
	if(textShipment.getValue().length()>0){
	flexi.putObject("SHIP_STARTS","&shipment_nbr__startswith="+textShipment.getValue());
	}
	else{
	flexi.putObject("SHIP_STARTS","");
	}
	
	if(textShipment.getValue().length()>0){
	flexi.putObject("SHIP_STARTS","&shipment_nbr__startswith="+textShipment.getValue());
	}
	else{
	flexi.putObject("SHIP_STARTS","");
	}

Field Name: GET_BAL_LPN_RECV_WS

Property Name	Property Value
_passWS	${FLEXI_LOG_FIRE_PASSWORD}
_wsurl	${LOGFIRE_WEBSERVICE_URL}/wms/lgfapi/v10/entity/ib_shipment_dtl/?ib_shipment_id__shipment_nbr=${SHIP_NBR}&container_nbr__isnull=false&received_qty=0
_operationType	GET
_description	Get the Balanced LPN Count from Web Service
_userWS	${FLEXI_LOG_FIRE_USER}
_contentType	application/json

Field Name: textShipment

Property Name	Property Value
_lovSourceType	Web Service

_webService	GET_SHIPMENT_WS

_beforeExit	script:
	  if (textShipment.getValue().length() > 0) {
	    flexi.putObject("SHIP_NBR", textShipment.getValue());
	
	    //Call web service to get balance lpn on shipment//
	    GET_BAL_LPN_RECV_WS.callWebService(null);
	    if (GET_BAL_LPN_RECV_WS.getResponseCode() == 200) {
	      JSONObject lpn_res = new
	JSONObject(GET_BAL_LPN_RECV_WS.getRawResponse());
	      JSONArray lpn_arr = lpn_res.getJSONArray("results");
	      flexi.putObject("BAL_LPN_CNT",
	String.valueOf(lpn_res.get("result_count")));
	      //flexi.setStatusMessage("Balance LPN---
	>"+flexi.getObject("BAL_LPN_CNT"));
	
	      if (flexi.getObject("BAL_LPN_CNT") != null) {
	        XX_BAL_LPN_RECV.setValue(flexi.getObject("BAL_LPN_CNT"));
	      } else {
	        XX_BAL_LPN_RECV.setValue("");
	      }
	
	    }
	
	    //End Web Service call to get balance lpn on shipment
	
	    //Call web service to get lpn received on shipment//
	    GET_RECV_LPN_SHIP_WS.callWebService(null);
	    if (GET_RECV_LPN_SHIP_WS.getResponseCode() == 200) {
	      JSONObject recv_res = new
	JSONObject(GET_RECV_LPN_SHIP_WS.getRawResponse());
	      JSONArray recv_arr = recv_res.getJSONArray("results");
	      flexi.putObject("LPN_RECV_CNT",
	String.valueOf(recv_res.get("result_count")));
	      //flexi.setStatusMessage("Balance LPN---
	>"+flexi.getObject("LPN_RECV_CNT"));
	      if (flexi.getObject("LPN_RECV_CNT") != null) {
	        XX_RECEIVED_LPN.setValue(flexi.getObject("LPN_RECV_CNT"));
	      } else {
	        XX_RECEIVED_LPN.setValue("");
	      }
	    }
	    //End Web Service call to get lpn received on shipment
	
	      //Call web service to get all lpn on shipment//
	    GET_ALL_LPN_CNT_SHIP_WS.callWebService(null);
	    if (GET_ALL_LPN_CNT_SHIP_WS.getResponseCode() == 200) {
	      JSONObject all_lpn_res = new
	JSONObject(GET_ALL_LPN_CNT_SHIP_WS.getRawResponse());
	      JSONArray all_lpn_arr = all_lpn_res.getJSONArray("results");
	  ArrayList arr = new ArrayList();
	  int flag1 = 0;
	
	      flexi.putObject("ALL_LPN_CNT",
	String.valueOf(all_lpn_res.get("result_count")));
	      //flexi.setStatusMessage("Balance LPN---
	>"+flexi.getObject("ALL_LPN_CNT"));
	      if (flexi.getObject("ALL_LPN_CNT") != null) {
	        XX_TOTAL_LPN_SHIP.setValue(flexi.getObject("ALL_LPN_CNT"));
	      } else {
	        XX_TOTAL_LPN_SHIP.setValue("");
	      }
	int ship_sum=0;
	int recv_sum=0;
	  for(int i =0; i<all_lpn_arr.length(); i++)
	{
	flag = 0;
	if(flexi.getObject("ITEM_LIST") != null) {
	ArrayList arrList = flexi.getObject("ITEM_LIST");
	for(int j=0; j<arrList.size(); j++)
	{
	if(String.valueOf(all_lpn_arr.get(i).get("item_id")).equals(String.valueOf(ar
	rList.get(j))))

```
{
flag = 1;
break;
}
}

if(flag==0) {
arr.add(String.valueOf(all_lpn_arr.get(i).get("item_id")));
}
}else {
ArrayList arrList = new ArrayList();
arrList.add(String.valueOf(all_lpn_arr.get(i).get("item_id")));
flexi.putObject("ITEM_LIST",arrList);
arr.add(String.valueOf(all_lpn_arr.get(i).get("item_id")) );
}

//New code for get diff of Shipped quantity and received qty---17-08-23

if(ship_sum==0){
        ship_sum
=Integer.parseInt(String.valueOf(all_lpn_arr.get(i).get("shipped_qty")));
        recv_sum
=Integer.parseInt(String.valueOf(all_lpn_arr.get(i).get("received_qty")));
    }else{
        ship_sum
+=Integer.parseInt(String.valueOf(all_lpn_arr.get(i).get("shipped_qty")));
        recv_sum
+=Integer.parseInt(String.valueOf(all_lpn_arr.get(i).get("received_qty")));
    }

}
int dif_qty=ship_sum - recv_sum;
flexi.putObject("DIF_QTY",String.valueOf(dif_qty));
//--end code 17-08-23
flexi.putObject("SKU_COUNT",String.valueOf(arr.size()) );
XX_TOTAL_SKU_SHIP.setValue(flexi.getObject("SKU_COUNT"));
  XX_BAL_QTY_RECV.setValue(flexi.getObject("DIF_QTY"));
    }
    //End Web Service call to get all lpn on shipment


    // New Code to Call web service and show the Balance SKU on
Shipment
GET_SKU_BAL_SHIP_WS.callWebService(null);
if (GET_SKU_BAL_SHIP_WS.getResponseCode() == 200) {
JSONObject sku_bal_res = new
JSONObject(GET_SKU_BAL_SHIP_WS.getRawResponse());
JSONArray sku_bal_arr = sku_bal_res.getJSONArray("results");
ArrayList arr1 = new ArrayList();
int flag = 0;
for(int i =0; i<sku_bal_arr.length(); i++)
{
flag = 0;
if(flexi.getObject("ITEM_LIST") != null) {
ArrayList arrList = flexi.getObject("ITEM_LIST");
for(int j=0; j<arrList.size(); j++)
{
if(String.valueOf(sku_bal_arr.get(i).get("item_id")).equals(String.valueOf(
arrList.get(j))))
{
flag = 1;
break;
}
}

if(flag==0) {
arr1.add(String.valueOf(sku_bal_arr.get(i).get("item_id")));
}
}else {
ArrayList arrList = new ArrayList();
arrList.add(String.valueOf(sku_bal_arr.get(i).get("item_id")));
flexi.putObject("ITEM_LIST",arrList);
arr1.add(String.valueOf(sku_bal_arr.get(i).get("item_id")) );
```

	}
	
	}
	flexi.putObject("SKU_SIZE",String.valueOf(arr1.size()));
	}
	XX_BAL_SKU_RECV.setValue(flexi.getObject("SKU_SIZE"));
	// web service and show the Balance SKU on Shipment
	
	  }

_columnDisplay	true,false
_columnPrompt	Shipment Number,Id
lovEnabled	true

Field Name: XX_RECEIVED_LPN

Property Name	Property Value
label	Received LPN
_readOnly	true

Barcode Level Properties

<< End Personalization >>