FLEXI PERSONALIZATION REPORT

<< Start Personalization >>

Application Name: STD - Assign LPN/PLT to OB

Page Name: STD - Assign LPN/PLT to OBLo

Personalization Level : Site

Personalization Value :

New Fields

Field Name	Type	Position
XX_LPN_PLT_NO	Text	before textLoadNumber
GET_ALLOCATION_WS	Web Service	after btnPreviousscreen
XX_ASSIGN_SKU_QTY	Text	after textOrderNbr
XX_ASSIGN_LPN_CONT	Text	after XX_ASSIGN_SKU_QTY
XX_ASSIGN_PLT_CONT	Text	after XX_ASSIGN_LPN_CONT
GET_ORDER_DTL_WS	Web Service	after btnPreviousscreen
GET_ALLOC_WS	Web Service	after btnPreviousscreen

Page Level Properties

Property Name	Property Value

Field Level Properties

Field Name: XX_ASSIGN_SKU_QTY

Property Name	Property Value
label	Assign SKU Qty

Field Name: XX_LPN_PLT_NO

Property Name	Property Value

_beforeExit	script:
	if(XX_LPN_PLT_NO.getValue().length()>0)
	{
	flexi.putObject("OBLPN_OBJ",XX_LPN_PLT_NO.getValue());
	}

label	LPN/PLT Number

Field Name: XX_ASSIGN_PLT_CONT

Property Name	Property Value
label	Assign PLT Count
_readOnly	true

Field Name: XX_ASSIGN_LPN_CONT

Property Name	Property Value
label	Assign LPN Count

Field Name: textOrderNbr

Property Name	Property Value

_onKeyPress	script:
	flexi.putObject("ORDER_OBJ_NEW",textOrderNbr.getValue());
	
	GET_ORDER_DTL_WS.callWebService(null);
	if(GET_ORDER_DTL_WS.getResponseCode()==200){
	JSONObject ordjson = new
	JSONObject(GET_ORDER_DTL_WS.getRawResponse());
	JSONArray ordarr = ordjson.getJSONArray("results");
	flexi.putObject("ORDER_QTY_NEW",ordarr.get(0).get("ord_qty").toString
	());
	XX_ASSIGN_SKU_QTY.setValue(flexi.getObject("ORDER_QTY_NEW"))
	;
	}
	
	//To get packed LPN result count from this web service
	GET_ALLOC_WS.callWebService(null);
	if(GET_ALLOC_WS.getResponseCode()==200)
	{
	org.json.JSONObject getRes = new
	org.json.JSONObject(GET_ALLOC_WS.getRawResponse());
	Integer resultCount = getRes.get("result_count");
	
	flexi.putObject("LPN_COUNT1",String.valueOf(getRes.get("result_count")
	));
	XX_TOTL_LPN_PACK.setValue(flexi.getObject("LPN_COUNT1"));
	//flexi.setStatusMessage("LPN count Object value-----
	>"+flexi.getObject("LPN_COUNT1"));
	}

_afterFocus	script:
	if(flexi.getObject("ORDER_OBJ_NEW") != null){
	textOrderNbr.setValue(flexi.getObject("ORDER_OBJ_NEW"));
	logger.trace("on focus============================");
	
	}
	logger.trace("on focus_outside =============================");

_lovSourceType	Web Service
_webService	GET_ALLOCATION_WS

_beforeExit	script:
	flexi.putObject("ORDER_OBJ_NEW",textOrderNbr.getValue());
	
	GET_ORDER_DTL_WS.callWebService(null);
	if(GET_ORDER_DTL_WS.getResponseCode()==200){
	JSONObject ordjson = new
	JSONObject(GET_ORDER_DTL_WS.getRawResponse());
	JSONArray ordarr = ordjson.getJSONArray("results");
	flexi.putObject("ORDER_QTY_NEW",ordarr.get(0).get("ord_qty").toString
	());
	XX_ASSIGN_SKU_QTY.setValue(flexi.getObject("ORDER_QTY_NEW"))
	;
	}
	
	//To get packed LPN result count from this web service
	GET_ALLOC_WS.callWebService(null);
	if(GET_ALLOC_WS.getResponseCode()==200)
	{
	org.json.JSONObject getRes = new
	org.json.JSONObject(GET_ALLOC_WS.getRawResponse());
	Integer resultCount = getRes.get("result_count");
	
	flexi.putObject("LPN_COUNT1",String.valueOf(getRes.get("result_count")
	));
	XX_ASSIGN_LPN_CONT.setValue(flexi.getObject("LPN_COUNT1"));
	//flexi.setStatusMessage("LPN count Object value-----
	>"+flexi.getObject("LPN_COUNT1"));
	}

_columnDisplay	true,false
_columnPrompt	Order Number,Id
_lovValidation	true

Field Name: GET_ALLOCATION_WS

Property Name	Property Value
_columnmap	results.orderNo,results.id
_passWS	${FLEXI_LOG_FIRE_PASSWORD}
_wsurl	${LOGFIRE_WEBSERVICE_URL}/wms/lgfapi/v10/entity/allocation/?to_inventory_id__container_id__container_nbr=${OBLPN_OBJ}&values_list=order_dtl_id__order_id__order_nbr:orderNo,id
_operationType	GET
_description	To get Order number from this web service
_userWS	${FLEXI_LOG_FIRE_USER}
_contentType	application/json

Field Name: GET_ALLOC_WS

Property Name	Property Value
_passWS	${FLEXI_LOG_FIRE_PASSWORD}
_wsurl	${LOGFIRE_WEBSERVICE_URL}/wms/lgfapi/v10/entity/allocation?order_dtl_id__order_id__order_nbr=${textOrderNbr}&to_inventory_id__container_id__status_id__description=Packed&values_list=id,order_dtl_id__order_id__order_nbr:orderNo,order_dtl_id__item_id__description:itemDesc,to_inventory_id__pack_qty:toInvPckQty,to_inventory_id__orig_qty:toInvOrgQty,to_inventory_id__curr_qty:toInvCurQty,from_inventory_id__pack_qty:fromInvPckQty,from_inventory_id__orig_qty:fromInvOrgQty,from_inventory_id__curr_qty:fromInvCurQty,to_inventory_id__id,order_dtl_id__order_id__id,to_inventory_id__container_id__status_id__description

_operationType	GET
_description	To get LPN Count from this web service
_userWS	${FLEXI_LOG_FIRE_USER}
_contentType	application/json

Field Name: GET_ORDER_DTL_WS

Property Name	Property Value
_passWS	${FLEXI_LOG_FIRE_PASSWORD}
_wsurl	${LOGFIRE_WEBSERVICE_URL}/wms/lgfapi/v10/entity/order_dtl?order_id__order_nbr=${ORDER_OBJ_NEW}
_operationType	GET
_description	To get order qty from this web service
_userWS	${FLEXI_LOG_FIRE_USER}
_contentType	application/json

Field Name: textLoadNumber

Property Name	Property Value

_onKeyPress	script:
	GET_ALLOCATION_WS.callWebService(null);
	if(GET_ALLOCATION_WS.getResponseCode()==200){
	JSONObject json = new
	JSONObject(GET_ALLOCATION_WS.getRawResponse());
	JSONArray arr = json.getJSONArray("results");
	flexi.putObject("ORDER_OBJ_NEW",arr.get(0).get("orderNo").toString());
	if(arr.length()==1){
	logger.trace("inside if ==========> ==1");
	flexi.gotoComponent("textOrderNbr");
	textOrderNbr.setValue(flexi.getObject("ORDER_OBJ_NEW"));
	}
	}

_beforeExit	script:
	GET_ALLOCATION_WS.callWebService(null);
	if(GET_ALLOCATION_WS.getResponseCode()==200){
	JSONObject json = new
	JSONObject(GET_ALLOCATION_WS.getRawResponse());
	JSONArray arr = json.getJSONArray("results");
	flexi.putObject("ORDER_OBJ_NEW",arr.get(0).get("orderNo").toString());
	if(arr.length()==1){
	logger.trace("inside if ==========> ==1");
	flexi.gotoComponent("textOrderNbr");
	textOrderNbr.setValue(flexi.getObject("ORDER_OBJ_NEW"));
	}else{
	flexi.removeObject("ORDER_OBJ_NEW");
	}
	}

Barcode Level Properties

<< End Personalization >>