FLEXI PERSONALIZATION REPORT

<< Start Personalization >>

Application Name: STD - Receiving On PLT

Page Name: STD - Receiving On PLT

Personalization Level : Site

Personalization Value :

New Fields

Field Name	Type	Position
XX_BAL_LPN_RECV	Text	after textLPN
XX_BAL_SKU_RECV	Text	after XX_BAL_LPN_RECV
XX_BAL_QTY_RECV	Text	after XX_BAL_SKU_RECV
XX_RECEIVED_LPN	Text	after XX_BAL_QTY_RECV
XX_TOTAL_LPN_SHIP	Text	after XX_RECEIVED_LPN
XX_TOTAL_SKU_SHIP	Text	after XX_TOTAL_LPN_SHIP
GET_SHIPMENT_WS	Web Service	after btnPreviousscreen
GET_BAL_LPN_RECV_WS	Web Service	after btnPreviousscreen
GET_RECV_LPN_SHIP_WS	Web Service	after btnPreviousscreen
GET_ALL_LPN_CNT_SHIP_WS	Web Service	after btnPreviousscreen
GET_SKU_BAL_SHIP_WS	Web Service	after btnPreviousscreen
XX_BILLING_INFO	Button	after btnPreviousscreen
GET_SHIPMENT_WS_CPY	Web Service	after btnPreviousscreen
XX_HAND_TYPE	Text	after textPlt
XX_TEMP	Text	after XX_HAND_TYPE
XX_LPN_AS_PLT	Text	after textPlt
GET_LPN_REC_WS	Web Service	after btnPreviousscreen
GET_BAL_SKU_REC_WS	Web Service	after btnPreviousscreen
GET_BAL_QTY_WS	Web Service	after btnPreviousscreen
GET_REC_LPN_WS	Web Service	after btnPreviousscreen
GET_LPN_SHIPMENT_WS	Web Service	after btnPreviousscreen
GET_IB_SHIP_WS_NEW_LPN	Web Service	after btnPreviousscreen

Page Level Properties

Property Name	Property Value
_afterPageEntered	script: XX_TEMP.setHidden(true);

Field Level Properties

Field Name: textLPN

Property Name	Property Value

_afterFocus	script:
	if("Y".equals(flexi.getSessionObject("TXN_COMPLETED"))){
	//Call web service to get balance lpn on shipment//
	GET_BAL_LPN_RECV_WS.callWebService(null);
	if (GET_BAL_LPN_RECV_WS.getResponseCode() == 200) {
	JSONObject lpn_res = new
	JSONObject(GET_BAL_LPN_RECV_WS.getRawResponse());
	JSONArray lpn_arr = lpn_res.getJSONArray("results");
	flexi.putObject("TOT_LPN_CNT",
	String.valueOf(lpn_res.get("result_count")));
	//NEW CODE MODIFY
	if (flexi.getObject("TOT_LPN_CNT") != null) {
	
	XX_TOTAL_LPN_SHIP.setValue(flexi.getObject("TOT_LPN_CNT"));
	} else {
	XX_TOTAL_LPN_SHIP.setValue("");
	}
	
	//flexi.setStatusMessage("Total Balance LPN---
	>"+flexi.getObject("TOT_LPN_CNT"));
	
	// NEW CODE 11-06-2024
	GET_LPN_REC_WS.callWebService(null);
	if (GET_LPN_REC_WS.getResponseCode() == 200) {
	JSONObject lpn_ress = new
	JSONObject(GET_LPN_REC_WS.getRawResponse());
	JSONArray lpn_arrr = lpn_ress.getJSONArray("results");
	flexi.putObject("RES_LPN_CNT",
	String.valueOf(lpn_ress.get("result_count")));
	
	//NEW CODE MODIFY
	
	if (flexi.getObject("RES_LPN_CNT") != null) {
	XX_RECEIVED_LPN.setValue(flexi.getObject("RES_LPN_CNT"));
	} else {
	XX_RECEIVED_LPN.setValue("");
	}
	//flexi.setStatusMessage("Received Balance LPN---
	>"+flexi.getObject("RES_LPN_CNT"));
	double total_qty =
	Double.parseDouble(flexi.getObject("TOT_LPN_CNT"));
	double recei_qty =
	Double.parseDouble(flexi.getObject("RES_LPN_CNT"));
	//double balance_qty = total_qty - recei_qty;
	int balance_qty = total_qty - recei_qty;
	flexi.putObject("BAL_QTY",balance_qty);
	String kp=String.valueOf(flexi.getObject("BAL_QTY"));
	//int value = (int)kp;
	//XX_ORDER_BAL_QTY.setValue(kp);
	//flexi.setStatusMessage("Balance qty difference----------
	>"+flexi.getObject("BAL_QTY"));
	
	if (flexi.getObject("BAL_QTY") != null) {
	XX_BAL_LPN_RECV.setValue(balance_qty.toString());
	} else {
	XX_BAL_LPN_RECV.setValue("");
	}
	
	}
	
	}
	
	//End Web Service call to get balance lpn on shipment
	
	//Call web service to get balance sku to be received//
	GET_BAL_SKU_REC_WS.callWebService(null);
	if (GET_BAL_SKU_REC_WS.getResponseCode() == 200) {
	ArrayList task_loc_list =new ArrayList();
	JSONObject sku_res = new
	JSONObject(GET_BAL_SKU_REC_WS.getRawResponse());
	JSONArray sku_arr = sku_res.getJSONArray("results");
	HashSet newHp =new HashSet();
	for(int k =0; k < sku_arr.length(); k++) {

```
      newHp.add(sku_arr.getJSONObject(k).get("item_id").get("key"));
      logger.trace("^^^
```

	}
	}
	*/
	/*
	//TOTAL LPNS FOR SHIPMENT
	GET_LPN_SHIPMENT_WS.callWebService(null);
	if (GET_LPN_SHIPMENT_WS.getResponseCode() == 200) {
	JSONObject lpn_res_ship = new JSONObject(GET_LPN_SHIPMENT_WS.getRawResponse());
	JSONArray lpn_arr_ship = lpn_res_ship.getJSONArray("results");
	flexi.putObject("TOT_LPN_SHIP", String.valueOf(lpn_res_ship.get("result_count")));
	//flexi.setStatusMessage("Total Balance LPN---->"+flexi.getObject("TOT_LPN_SHIP"));
	if (flexi.getObject("TOT_LPN_SHIP") != null) {
	
	XX_TOTAL_LPN_SHIP.setValue(flexi.getObject("TOT_LPN_SHIP"));
	} else {
	XX_TOTAL_LPN_SHIP.setValue("");
	}
	}
	*/

_lovSourceType	Web Service
_webService	GET_IB_SHIP_WS_NEW_LPN

_beforeExit	script:
	if(textLPN.getValue().length()>0)
	{
	flexi.putSessionObject("LPN_NUM",textLPN.getValue());
	}

_columnDisplay	true
_columnPrompt	Container No

Field Name: XX_TOTAL_SKU_SHIP

Property Name	Property Value
label	Total SKUs in Shipment
_readOnly	true

Field Name: XX_TEMP

Property Name	Property Value
_columnDisplay	true
_columnPrompt	Temprature
lovEnabled	true
_lovStatement	select MEANING from FLEXI_LOOKUPS where LOOKUP_TYPE='TEMPRATURE_LIST' and enabled_flag=1 and meaning like ?
_inputParameter	XX_TEMP
label	Temprature
_parameterTypes	SP

Field Name: XX_BAL_QTY_RECV

Property Name	Property Value
label	Balance Qty To Be Received
_readOnly	true

Field Name: GET_REC_LPN_WS

Property Name	Property Value
_passWS	${FLEXI_LOG_FIRE_PASSWORD}
_wsurl	${LOGFIRE_WEBSERVICE_URL}/wms/lgfapi/v10/entity/ib_shipment_dtl/?ib_shipment_id__shipment_nbr=${SHIP_NBR}&container_nbr__isnull=false&received_qty__gt=0&fields=container_nbr
_operationType	GET
_description	To get received LPN from this web service
_userWS	${FLEXI_LOG_FIRE_USER}
_contentType	application/json

Field Name: GET_SKU_BAL_SHIP_WS

Property Name	Property Value
_passWS	${FLEXI_LOG_FIRE_PASSWORD}
_wsurl	${LOGFIRE_WEBSERVICE_URL}/wms/lgfapi/v10/entity/ib_shipment_dtl/?ib_shipment_id__shipment_nbr=${SHIP_NBR}&container_nbr__isnull=false&received_qty=0
_operationType	GET
_description	Get Balance SKU from Shipment
_userWS	${FLEXI_LOG_FIRE_USER}
_contentType	application/json

Field Name: btnPreviousscreen

Property Name	Property Value
_rendered	default

Field Name: XX_BAL_LPN_RECV

Property Name	Property Value
_rendered	true
label	Balance LPN To Be Received
_readOnly	true

Field Name: XX_TOTAL_LPN_SHIP

Property Name	Property Value
label	Total LPNs in Shipment
_readOnly	true

Field Name: textContainerType

Property Name	Property Value
_rendered	false

Field Name: textTrailer

Property Name	Property Value
_rendered	false

Field Name: btnExitApp

Property Name	Property Value
_rendered	false

Field Name: GET_LPN_REC_WS

Property Name	Property Value
_passWS	${FLEXI_LOG_FIRE_PASSWORD}
_wsurl	${LOGFIRE_WEBSERVICE_URL}/wms/lgfapi/v10/entity/ib_shipment_dtl/?ib_shipment_id__shipment_nbr=${SHIP_NBR}&container_nbr__isnull=false&received_qty__gt=0&fields=container_nbr
_operationType	GET
_description	to get lpn count from this web service
_userWS	${FLEXI_LOG_FIRE_USER}
_contentType	application/json

Field Name: btnApplyLock

Property Name	Property Value
_rendered	false

Field Name: textShipment

Property Name	Property Value
_lovSourceType	Web Service

_webService	GET_SHIPMENT_WS

_beforeExit	script:
	
	  if (textShipment.getValue().length() > 0) {
	  flexi.putSessionObject("SHIP_NBR", textShipment.getValue());
	
	  //Call web service to get balance lpn on shipment//
	  GET_BAL_LPN_RECV_WS.callWebService(null);
	  if (GET_BAL_LPN_RECV_WS.getResponseCode() == 200) {
	  JSONObject lpn_res = new
	JSONObject(GET_BAL_LPN_RECV_WS.getRawResponse());
	  JSONArray lpn_arr = lpn_res.getJSONArray("results");
	  flexi.putObject("TOT_LPN_CNT",
	String.valueOf(lpn_res.get("result_count")));
	  //NEW CODE MODIFY
	  if (flexi.getObject("TOT_LPN_CNT") != null) {
	
	XX_TOTAL_LPN_SHIP.setValue(flexi.getObject("TOT_LPN_CNT"));
	  } else {
	  XX_TOTAL_LPN_SHIP.setValue("");
	  }
	
	  //flexi.setStatusMessage("Total Balance LPN---
	>"+flexi.getObject("TOT_LPN_CNT"));
	
	// NEW CODE 11-06-2024
	GET_LPN_REC_WS.callWebService(null);
	  if (GET_LPN_REC_WS.getResponseCode() == 200) {
	  JSONObject lpn_ress = new
	JSONObject(GET_LPN_REC_WS.getRawResponse());
	  JSONArray lpn_arrr = lpn_ress.getJSONArray("results");
	  flexi.putObject("RES_LPN_CNT",
	String.valueOf(lpn_ress.get("result_count")));
	
	//NEW CODE MODIFY
	
	  if (flexi.getObject("RES_LPN_CNT") != null) {
	  XX_RECEIVED_LPN.setValue(flexi.getObject("RES_LPN_CNT"));
	  } else {
	  XX_RECEIVED_LPN.setValue("");
	  }
	  //flexi.setStatusMessage("Received Balance LPN---
	>"+flexi.getObject("RES_LPN_CNT"));
	double total_qty =
	Double.parseDouble(flexi.getObject("TOT_LPN_CNT"));
	 double recei_qty =
	Double.parseDouble(flexi.getObject("RES_LPN_CNT"));
	 //double balance_qty = total_qty - recei_qty;
	int balance_qty = total_qty - recei_qty;
	 flexi.putObject("BAL_QTY",balance_qty);
	String kp=String.valueOf(flexi.getObject("BAL_QTY"));
	//int value = (int)kp;
	//XX_ORDER_BAL_QTY.setValue(kp);
	//flexi.setStatusMessage("Balance qty difference----------
	>"+flexi.getObject("BAL_QTY"));
	
	  if (flexi.getObject("BAL_QTY") != null) {
	  XX_BAL_LPN_RECV.setValue(balance_qty.toString());
	  } else {
	  XX_BAL_LPN_RECV.setValue("");
	  }
	
	}
	
	  }
	}
	  //End Web Service call to get balance lpn on shipment
	
	//Call web service to get balance sku to be received//
	 GET_BAL_SKU_REC_WS.callWebService(null);
	  if (GET_BAL_SKU_REC_WS.getResponseCode() == 200) {
	  ArrayList task_loc_list =new ArrayList();
	  JSONObject sku_res = new
	JSONObject(GET_BAL_SKU_REC_WS.getRawResponse());

```
      JSONArray sku_arr = sku_res.getJSONArray("results");
      HashSet newHp =new HashSet();
      for(int k =0; k < sku_arr.length(); k++) {
      newHp.add(sku_arr.getJSONObject(k).get("item_id").get("key"));
      logger.trace("^^^
```

	XX_RECEIVED_LPN.setValue(flexi.getObject("LPN_CNT"));
	} else {
	XX_RECEIVED_LPN.setValue("");
	}
	}
	*/
	/*
	//TOTAL LPNS FOR SHIPMENT
	GET_LPN_SHIPMENT_WS.callWebService(null);
	if (GET_LPN_SHIPMENT_WS.getResponseCode() == 200) {
	JSONObject lpn_res_ship = new JSONObject(GET_LPN_SHIPMENT_WS.getRawResponse());
	JSONArray lpn_arr_ship = lpn_res_ship.getJSONArray("results");
	flexi.putObject("TOT_LPN_SHIP", String.valueOf(lpn_res_ship.get("result_count")));
	//flexi.setStatusMessage("Total Balance LPN---->"+flexi.getObject("TOT_LPN_SHIP"));
	if (flexi.getObject("TOT_LPN_SHIP") != null) {
	
	XX_TOTAL_LPN_SHIP.setValue(flexi.getObject("TOT_LPN_SHIP"));
	} else {
	XX_TOTAL_LPN_SHIP.setValue("");
	}
	}
	*/

_columnDisplay	true,false
_columnPrompt	Shipment Number,Id
lovEnabled	true

Field Name: XX_LPN_AS_PLT

Property Name	Property Value

_beforeExit	script:
	if("YES".equals(XX_LPN_AS_PLT.getValue()))
	{
	textLPN.setValue(flexi.getSessionObject("PLT_NUM"));
	}
	else if ("NO".equals(XX_LPN_AS_PLT.getValue()))
	{
	textLPN.setValue("");
	}

_columnDisplay	true
_columnPrompt	LPN AS PALLET
_lovValidation	true
lovEnabled	true
_lovStatement	select MEANING from FLEXI_LOOKUPS where LOOKUP_TYPE='LPN_AS_PLT' and enabled_flag=1 and meaning like ?
_inputParameter	XX_LPN_AS_PLT
label	LPN as Pallet
_parameterTypes	SP

Field Name: XX_BAL_SKU_RECV

Property Name	Property Value
_rendered	true
label	Balance SKU To Be Received

_readOnly	true

Field Name: XX_HAND_TYPE

Property Name	Property Value
_afterFocus	script: XX_TEMP.setHidden(true);

_beforeExit	script:
	flexi.putSessionObject("HANDLING_OBJ_NEW",XX_HAND_TYPE.getValue());
	flexi.putSessionObject("HANDLING_OBJ_NEW_SHORT",XX_HAND_TYPE.getSelectedValues().get(1));
	
	if("PLT-GENERAL-REEFER".equals(XX_HAND_TYPE.getValue()))
	{
	XX_TEMP.setHidden(false);
	}
	else if("NPLT-GENERAL-REEFER".equals(XX_HAND_TYPE.getValue()))
	{
	XX_TEMP.setHidden(false);
	}
	else{
	XX_TEMP.setHidden(true);
	}

_columnDisplay	true,false
_columnPrompt	Handling Type,Code
lovEnabled	true
_lovStatement	select MEANING,lookup_code from FLEXI_LOOKUPS where LOOKUP_TYPE='HANDLING_TYPE' and enabled_flag=1 and meaning like ?
_inputParameter	XX_HAND_TYPE
label	Handling-Type
_parameterTypes	SP

Field Name: GET_RECV_LPN_SHIP_WS

Property Name	Property Value
_passWS	${FLEXI_LOG_FIRE_PASSWORD}
_wsurl	${LOGFIRE_WEBSERVICE_URL}/wms/lgfapi/v10/entity/ib_shipment_dtl/?ib_shipment_id__shipment_nbr=${SHIP_NBR}&container_nbr__isnull=false&received_qty!=0
_operationType	GET
_description	Get Received LPN from the Shipment
_userWS	${FLEXI_LOG_FIRE_USER}
_contentType	application/json

Field Name: GET_ALL_LPN_CNT_SHIP_WS

Property Name	Property Value
_passWS	${FLEXI_LOG_FIRE_PASSWORD}

_wsurl	${LOGFIRE_WEBSERVICE_URL}/wms/lgfapi/v10/entity/ib_shipment_dtl/?ib_shipment_id__shipment_nbr=${SHIP_NBR}&container_nbr__isnull=false
_operationType	GET
_userWS	${FLEXI_LOG_FIRE_USER}
_contentType	application/json

Field Name: GET_SHIPMENT_WS_CPY

Property Name	Property Value
_columnmap	results.shipment_nbr,results.id
_passWS	${FLEXI_LOG_FIRE_PASSWORD}
_wsurl	${LOGFIRE_WEBSERVICE_URL}/wms/lgfapi/v10/entity/ib_shipment?status_id__in=10,20&fields=shipment_nbr,id&page_size=1250${SHIP_STARTS}
_operationType	GET
_userWS	${FLEXI_LOG_FIRE_USER}
_contentType	application/json

_onCallingRequest	script:
	if(textASN.getValue().length()>0){
	flexi.putObject("SHIP_STARTS","&shipment_nbr__startswith="+textASN.getValue());
	}
	else{
	flexi.putObject("SHIP_STARTS","");
	}

Field Name: GET_IB_SHIP_WS_NEW_LPN

Property Name	Property Value
_columnmap	results.container_nbr
_passWS	${FLEXI_LOG_FIRE_PASSWORD}
_wsurl	${LOGFIRE_WEBSERVICE_URL}/wms/lgfapi/v10/entity/ib_shipment_dtl/?ib_shipment_id__shipment_nbr=${textShipment}&received_qty=0&container_nbr__isnull=false&values_list=container_nbr
_operationType	GET
_description	To get LPN which is less than received_status
_userWS	${FLEXI_LOG_FIRE_USER}
_contentType	application/json

Field Name: textASN

Property Name	Property Value
_lovSourceType	Web Service
_webService	GET_SHIPMENT_WS_CPY

_beforeExit	script:
	
	if (textASN.getValue().length() > 0) {
	flexi.putObject("SHIP_NBR", textASN.getValue());
	
	//Call web service to get balance lpn on shipment//
	GET_BAL_LPN_RECV_WS.callWebService(null);
	if (GET_BAL_LPN_RECV_WS.getResponseCode() == 200) {
	JSONObject lpn_res = new
	JSONObject(GET_BAL_LPN_RECV_WS.getRawResponse());
	JSONArray lpn_arr = lpn_res.getJSONArray("results");
	flexi.putObject("TOT_LPN_CNT",
	String.valueOf(lpn_res.get("result_count")));
	//flexi.setStatusMessage("Total Balance LPN---
	>"+flexi.getObject("TOT_LPN_CNT"));
	
	// NEW CODE 11-06-2024
	GET_LPN_REC_WS.callWebService(null);
	if (GET_LPN_REC_WS.getResponseCode() == 200) {
	JSONObject lpn_ress = new
	JSONObject(GET_LPN_REC_WS.getRawResponse());
	JSONArray lpn_arrr = lpn_ress.getJSONArray("results");
	flexi.putObject("RES_LPN_CNT",
	String.valueOf(lpn_ress.get("result_count")));
	//flexi.setStatusMessage("Received Balance LPN---
	>"+flexi.getObject("RES_LPN_CNT"));
	}
	double total_qty =
	Double.parseDouble(flexi.getObject("TOT_LPN_CNT"));
	double recei_qty =
	Double.parseDouble(flexi.getObject("RES_LPN_CNT"));
	double balance_qty = total_qty - recei_qty;
	flexi.putObject("BAL_QTY",balance_qty);
	String rp=String.valueOf(flexi.getObject("BAL_QTY"));
	//XX_ORDER_BAL_QTY.setValue(rp);
	//flexi.setStatusMessage("Balance qty difference----------
	>"+flexi.getObject("BAL_QTY"));
	
	if (flexi.getObject("BAL_QTY") != null) {
	XX_BAL_LPN_RECV.setValue(rp);
	} else {
	XX_BAL_LPN_RECV.setValue("");
	}
	
	}
	}
	//End Web Service call to get balance lpn on shipment
	
	//Call web service to get balance sku to be received//
	GET_BAL_SKU_REC_WS.callWebService(null);
	if (GET_BAL_SKU_REC_WS.getResponseCode() == 200) {
	ArrayList task_loc_list =new ArrayList();
	JSONObject sku_res = new
	JSONObject(GET_BAL_SKU_REC_WS.getRawResponse());
	JSONArray sku_arr = sku_res.getJSONArray("results");
	HashSet newHp =new HashSet();
	for(int k =0; k < sku_arr.length(); k++) {
	newHp.add(sku_arr.getJSONObject(k).get("item_id").get("key"));
	logger.trace("^^^

	JSONObject(GET_BAL_QTY_WS.getRawResponse());
	JSONArray ship_arr = ship_json.getJSONArray("results");
	//NEW CODE
	int reserveQty=0;
	for(int s=0; s<ship_arr.length(); s++)
	{
	reserveQty += ship_arr.get(s).getInt("shipped_qty");
	}
	//flexi.setStatusMessage("shipped qty Sum Value------>"+reserveQty);
	flexi.putObject("SHIPPED_QTY_OBJ",reserveQty);
	}
	GET_BAL_QTY_WS.callWebService(null);
	if(GET_BAL_QTY_WS.getResponseCode()==200)
	{
	JSONObject rece_json =new
	JSONObject(GET_BAL_QTY_WS.getRawResponse());
	JSONArray rece_arr = rece_json.getJSONArray("results");
	//NEW CODE
	int recevQty=0;
	for(int k=0; k<rece_arr.length(); k++)
	{
	recevQty+= rece_arr.get(k).getInt("received_qty");
	}
	//flexi.setStatusMessage("received qty Sum Value------>"+recevQty);
	flexi.putObject("RECEIV_QTY_OBJ",recevQty);
	}
	int shipp_qty = flexi.getObject("SHIPPED_QTY_OBJ");
	int rece_qty =flexi.getObject("RECEIV_QTY_OBJ");
	int bal_qty = shipp_qty - rece_qty;
	flexi.putObject("BALANCE_QTY",bal_qty);
	//flexi.setStatusMessage("Qty--->"+flexi.getObject("BALANCE_QTY"));
	String pp=String.valueOf(flexi.getObject("BALANCE_QTY"));
	XX_BAL_QTY_RECV.setValue(pp);
	
	//Received LPN's
	GET_REC_LPN_WS.callWebService(null);
	if (GET_REC_LPN_WS.getResponseCode() == 200) {
	JSONObject res = new
	JSONObject(GET_REC_LPN_WS.getRawResponse());
	JSONArray arr = res.getJSONArray("results");
	flexi.putObject("LPN_CNT", String.valueOf(res.get("result_count")));
	//flexi.setStatusMessage("Total Balance LPN---
	>"+flexi.getObject("LPN_CNT"));
	if (flexi.getObject("LPN_CNT") != null) {
	XX_RECEIVED_LPN.setValue(flexi.getObject("LPN_CNT"));
	} else {
	XX_RECEIVED_LPN.setValue("");
	}
	}
	
	//TOTAL LPNS FOR SHIPMENT
	GET_LPN_SHIPMENT_WS.callWebService(null);
	if (GET_LPN_SHIPMENT_WS.getResponseCode() == 200) {
	JSONObject lpn_res_ship = new
	JSONObject(GET_LPN_SHIPMENT_WS.getRawResponse());
	JSONArray lpn_arr_ship = lpn_res_ship.getJSONArray("results");
	flexi.putObject("TOT_LPN_SHIP",
	String.valueOf(lpn_res_ship.get("result_count")));
	//flexi.setStatusMessage("Total Balance LPN---
	>"+flexi.getObject("TOT_LPN_SHIP"));
	if (flexi.getObject("TOT_LPN_SHIP") != null) {
	
	XX_TOTAL_LPN_SHIP.setValue(flexi.getObject("TOT_LPN_SHIP"));
	} else {
	XX_TOTAL_LPN_SHIP.setValue("");
	}
	}

_columnDisplay	true,false
_columnPrompt	Shipment Number,Id
_lovValidation	true
lovEnabled	true

Field Name: GET_SHIPMENT_WS

Property Name	Property Value
_columnmap	results.shipment_nbr,results.id
_passWS	${FLEXI_LOG_FIRE_PASSWORD}
_wsurl	${LOGFIRE_WEBSERVICE_URL}/wms/lgfapi/v10/entity/ib_shipment?status_id__in=10,20&fields=shipment_nbr,id&page_size=1250${SHIP_STARTS}
_operationType	GET
_description	Get Shipment to show in LOV Web Service
_userWS	${FLEXI_LOG_FIRE_USER}
_contentType	application/json

_onCallingRequest	script:
	try{
	if(textShipment.getValue().length()>0){
	flexi.putObject("SHIP_STARTS","&shipment_nbr__startswith="+textShipment.getValue());
	}
	else{
	flexi.putObject("SHIP_STARTS","");
	}
	}
	catch(Exception e)
	{
	
	}

Field Name: textPlt

Property Name	Property Value

_afterFocus	script:
	if("Y".equals(flexi.getSessionObject("TXN_COMPLETED"))){
	//Call web service to get balance lpn on shipment//
	GET_BAL_LPN_RECV_WS.callWebService(null);
	if (GET_BAL_LPN_RECV_WS.getResponseCode() == 200) {
	JSONObject lpn_res = new
	JSONObject(GET_BAL_LPN_RECV_WS.getRawResponse());
	JSONArray lpn_arr = lpn_res.getJSONArray("results");
	flexi.putObject("TOT_LPN_CNT",
	String.valueOf(lpn_res.get("result_count")));
	//NEW CODE MODIFY
	if (flexi.getObject("TOT_LPN_CNT") != null) {
	
	XX_TOTAL_LPN_SHIP.setValue(flexi.getObject("TOT_LPN_CNT"));
	} else {
	XX_TOTAL_LPN_SHIP.setValue("");
	}
	
	//flexi.setStatusMessage("Total Balance LPN---
	>"+flexi.getObject("TOT_LPN_CNT"));
	
	// NEW CODE 11-06-2024
	GET_LPN_REC_WS.callWebService(null);
	if (GET_LPN_REC_WS.getResponseCode() == 200) {
	JSONObject lpn_ress = new
	JSONObject(GET_LPN_REC_WS.getRawResponse());
	JSONArray lpn_arrr = lpn_ress.getJSONArray("results");
	flexi.putObject("RES_LPN_CNT",
	String.valueOf(lpn_ress.get("result_count")));
	
	//NEW CODE MODIFY
	
	if (flexi.getObject("RES_LPN_CNT") != null) {
	XX_RECEIVED_LPN.setValue(flexi.getObject("RES_LPN_CNT"));
	} else {
	XX_RECEIVED_LPN.setValue("");
	}
	//flexi.setStatusMessage("Received Balance LPN---
	>"+flexi.getObject("RES_LPN_CNT"));
	double total_qty =
	Double.parseDouble(flexi.getObject("TOT_LPN_CNT"));
	double recei_qty =
	Double.parseDouble(flexi.getObject("RES_LPN_CNT"));
	//double balance_qty = total_qty - recei_qty;
	int balance_qty = total_qty - recei_qty;
	flexi.putObject("BAL_QTY",balance_qty);
	String kp=String.valueOf(flexi.getObject("BAL_QTY"));
	//int value = (int)kp;
	//XX_ORDER_BAL_QTY.setValue(kp);
	//flexi.setStatusMessage("Balance qty difference----------
	>"+flexi.getObject("BAL_QTY"));
	
	if (flexi.getObject("BAL_QTY") != null) {
	XX_BAL_LPN_RECV.setValue(balance_qty.toString());
	} else {
	XX_BAL_LPN_RECV.setValue("");
	}
	
	}
	
	}
	
	//End Web Service call to get balance lpn on shipment
	
	//Call web service to get balance sku to be received//
	GET_BAL_SKU_REC_WS.callWebService(null);
	if (GET_BAL_SKU_REC_WS.getResponseCode() == 200) {
	ArrayList task_loc_list =new ArrayList();
	JSONObject sku_res = new
	JSONObject(GET_BAL_SKU_REC_WS.getRawResponse());
	JSONArray sku_arr = sku_res.getJSONArray("results");
	HashSet newHp =new HashSet();
	for(int k =0; k < sku_arr.length(); k++) {

```
      newHp.add(sku_arr.getJSONObject(k).get("item_id").get("key"));
      logger.trace("^^^
```

	}
	}
	*/
	/*
	//TOTAL LPNS FOR SHIPMENT
	GET_LPN_SHIPMENT_WS.callWebService(null);
	if (GET_LPN_SHIPMENT_WS.getResponseCode() == 200) {
	JSONObject lpn_res_ship = new JSONObject(GET_LPN_SHIPMENT_WS.getRawResponse());
	JSONArray lpn_arr_ship = lpn_res_ship.getJSONArray("results");
	flexi.putObject("TOT_LPN_SHIP", String.valueOf(lpn_res_ship.get("result_count")));
	//flexi.setStatusMessage("Total Balance LPN---->"+flexi.getObject("TOT_LPN_SHIP"));
	if (flexi.getObject("TOT_LPN_SHIP") != null) {
	
	XX_TOTAL_LPN_SHIP.setValue(flexi.getObject("TOT_LPN_SHIP"));
	} else {
	XX_TOTAL_LPN_SHIP.setValue("");
	}
	}
	*/

_beforeExit	script:
	if(textPlt.getValue().length()>0)
	{
	flexi.putSessionObject("PLT_NUM",textPlt.getValue());
	}

label	Pallet

Field Name: GET_BAL_SKU_REC_WS

Property Name	Property Value
_passWS	${FLEXI_LOG_FIRE_PASSWORD}
_wsurl	${LOGFIRE_WEBSERVICE_URL}/wms/lgfapi/v10/entity/ib_shipment_dtl/?ib_shipment_id__shipment_nbr=${SHIP_NBR}&container_nbr__isnull=false&fields=item_id&distinct=1
_operationType	GET
_description	To count of distict item id's
_userWS	${FLEXI_LOG_FIRE_USER}
_contentType	application/json

Field Name: GET_BAL_QTY_WS

Property Name	Property Value
_passWS	${FLEXI_LOG_FIRE_PASSWORD}
_wsurl	${LOGFIRE_WEBSERVICE_URL}/wms/lgfapi/v10/entity/ib_shipment_dtl/?ib_shipment_id__shipment_nbr=${SHIP_NBR}&fields=shipped_qty,received_qty
_operationType	GET
_description	To get shipped and received qty from this web service
_userWS	${FLEXI_LOG_FIRE_USER}
_contentType	application/json

Field Name: GET_BAL_LPN_RECV_WS

Property Name	Property Value
_passWS	${FLEXI_LOG_FIRE_PASSWORD}
_wsurl	${LOGFIRE_WEBSERVICE_URL}/wms/lgfapi/v10/entity/ib_shipment_dtl/?ib_shipment_id__shipment_nbr=${SHIP_NBR}&fields=container_nbr
_operationType	GET
_description	Get the Balanced LPN Count from Web Service
_userWS	${FLEXI_LOG_FIRE_USER}
_contentType	application/json

Field Name: XX_BILLING_INFO

Property Name	Property Value
_rendered	false

_afterClick	script:
	flexi.putSessionObject("PLT_NUM",textPlt.getValue());
	flexi.openApplication("BILLING_INFORMATION_CAPTURE_CUSTOM");

text	Billing Information to Capture

Field Name: XX_RECEIVED_LPN

Property Name	Property Value
label	Received LPN
_readOnly	true

Field Name: btnEndPallet

Property Name	Property Value

_afterClick	script:
	flexi.putSessionObject("PLT_NUM",textPlt.getValue());
	flexi.openApplication("BILLING_INFORMATION_CAPTURE_CUSTOM");
	/*
	textPlt.reset();
	*/

Field Name: GET_LPN_SHIPMENT_WS

Property Name	Property Value
_passWS	${FLEXI_LOG_FIRE_PASSWORD}
_wsurl	${LOGFIRE_WEBSERVICE_URL}/wms/lgfapi/v10/entity/ib_shipment_dtl/?ib_shipment_id__shipment_nbr=${SHIP_NBR}&fields=container_nbr
_operationType	GET
_description	To get the Lpns from shipment
_userWS	${FLEXI_LOG_FIRE_USER}
_contentType	application/json

Barcode Level Properties

<< End Personalization >>

<< Start Personalization >>

Application Name: STD - Receiving On PLT

Page Name: Receiving

Personalization Level : Site

Personalization Value :

New Fields

Field Name	Type	Position
GET_SKU_BAR_LOV_WS	Web Service	after btnPreviousscreen

Page Level Properties

Property Name	Property Value

Field Level Properties

Field Name: GET_SKU_BAR_LOV_WS

Property Name	Property Value
_columnmap	results.item_id__barcode
_passWS	${FLEXI_LOG_FIRE_PASSWORD}
_wsurl	${LOGFIRE_WEBSERVICE_URL}/wms/lgfapi/v10/entity/ib_shipment_dtl?ib_shipment_id__shipment_nbr=${SHIP_NBR}&values_list=item_id__barcode&distinct=1
_operationType	GET
_description	To get item from this web service
_userWS	${FLEXI_LOG_FIRE_USER}
_contentType	application/json

Field Name: btnEndLPN

Property Name	Property Value
_afterClick	script: flexi.putSessionObject("TXN_COMPLETED","Y");

Field Name: textSKU

Property Name	Property Value
_lovSourceType	Web Service
_webService	GET_SKU_BAR_LOV_WS
_columnDisplay	true
_columnPrompt	Item
_lovValidation	true
lovEnabled	true

Barcode Level Properties

<< End Personalization >>

<< Start Personalization >>

Application Name: STD - Receiving On PLT

Page Name:

Personalization Level : Site

Personalization Value :

New Fields

Field Name	Type	Position
GET_IB_SHIP_BATCH	Web Service	after textInputable
XX_PREV_BTN	Button	after textInputable

Page Level Properties

Property Name	Property Value

_afterPageEntered	script:
	if(textInputable!=void){
	 if(textInputable.getLabel().contains("Expiry Date")) {
	  textInputable.setDateTimeFormat("dd-MM-yyyy");
	 }
	
	if(textInputable.getLabel().contains("Batch"))
	{
	XX_PREV_BTN.setHidden(false);
	}
	else
	{
	XX_PREV_BTN.setHidden(true);
	
	}
	
	}

Field Level Properties

Field Name: textInputable

Property Name	Property Value
_onKeyPress	script: flexi.putSessionObject("TXN_COMPLETED","Y");

_afterFocus	script:
	if(textInputable.getLabel().contains("=>"))
	{
	 flexi.automate("enter");
	}

_lovSourceType	Web Service
_webService	GET_IB_SHIP_BATCH
_beforeExit	script: flexi.putSessionObject("TXN_COMPLETED","Y");
_columnDisplay	true
_columnPrompt	Batch
lovEnabled	true
_dateFormat	dd-MM-yyyy

Field Name: GET_IB_SHIP_BATCH

Property Name	Property Value
_columnmap	results.batch_nbr

_onResponseReceived	script:
	if(GET_IB_SHIP_BATCH.getResponseCode() ==200){
	//==========
	
	org.json.JSONObject json = new
	org.json.JSONObject(GET_IB_SHIP_BATCH.getRawResponse());
	org.json.JSONArray jsonArray = json.getJSONArray("results");
	JSONArray newArray = new JSONArray();
	ArrayList list = new ArrayList();
	ArrayList list1 = new ArrayList();
	for(int i = 0; i < jsonArray.length(); i++)
	{
	// list.add(jsonArray.getJSONObject(i).get("item_id").get("key"));
	list.add(jsonArray.getJSONObject(i).get("batch_nbr"));
	}
	for(int i=0; i<list.size();i++)
	{
	for(int j=i+1;j<list.size();j++)
	{
	if(list.get(i).equals(list.get(j)))
	{
	list.remove(j);
	j--;
	}
	}
	}
	for(int i=0;i<list.size();i++)
	{
	list1.add(list.get(i));
	}
	for(int i=0;i<list1.size();i++)
	{
	jsonArray.getJSONObject(i).put("batch_nbr",list1.get(i));
	newArray.put(jsonArray.getJSONObject(i));
	}
	
	json.put("results",newArray);
	json.put("result_count",newArray.length());
	
	GET_IB_SHIP_BATCH.updateRawResponse(json.toString());
	}

_passWS	${FLEXI_LOG_FIRE_PASSWORD}
_wsurl	${LOGFIRE_WEBSERVICE_URL}/wms/lgfapi/v10/entity/ib_shipment_dtl/?ib_shipment_id__shipment_nbr=${SHIP_NBR}&batch_nbr__isnull=false&values_list=batch_nbr
_operationType	GET
_description	To get batch number from this web service
_userWS	${FLEXI_LOG_FIRE_USER}
_contentType	application/json

Field Name: XX_PREV_BTN

Property Name	Property Value
_afterClick	script: flexi.automate("ctrl","X");
text	Previous Screen

Barcode Level Properties

<< End Personalization >>