

AMENDMENT NO. 6 JULY 2017
TO
IS 15328 : 2003 UNPLASTICIZED NON-PRESSURE
POLYVINYL CHLORIDE (PVC-U) PIPES FOR USE IN
UNDERGROUND DRAINAGE AND SEWERAGE
SYSTEMS — SPECIFICATION

(Page 1, *clause 2*) — Substitute the following for the existing entries for various parts of IS 12235 :

<i>IS No.</i>	<i>Title</i>
12235	Thermoplastic pipes and fittings — Methods of tests (<i>first revision</i>)
(Part 1) : 2004	Measurement of dimensions
(Part 2) : 2004	Determination of Vicat softening temperature
(Part 5/Sec 1) : 2004	Longitudinal reversion
(Part 8/Sec 1) : 2004	Resistance to internal hydraulic pressure, Section 1 Resistance to internal hydrostatic pressure at constant internal water pressure
(Part 18) : 2004	Determination of ring stiffness

(Page 4, *clause 7.3, line 2*) — Substitute ‘IS 12235 (Part 2)’ for ‘Annex A’.

(Page 4, *clause 8.2, line 2*) — Substitute ‘IS 12235(Part 18)’ for ‘Annex C’.

(Page 4, *clause 8.2*) — Insert the following at the end of the clause:

‘In case of socket-ended pipes, this test shall be carried out on the plain portion of the pipe, taken at least 100 mm away from the root of the socket.’

(Page 9, *Annex A*) — Delete.

(Page 14, *Annex C*) — Delete.