


| Feature | | Scenario | | | | Step | | | |
|--------------------------------|----------|----------|---|---|---|------|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| Verify the Amazon Login screen | 24.806 s | 3 | 1 | 2 | 0 | 12 | 4 | 0 | 8 |

FEATURES SUMMARY -- 3 --



| # | Feature Name | T | P | F | S | Duration | |
|---|--------------------------------|---|---|---|---|----------|--|
| 1 | Verify the Amazon Login screen | 3 | 1 | 2 | 0 | 24.806 s | |

SCENARIOS SUMMARY -- 4 -




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------------------------|---|---|---|---|---|----------|
| 1 | Verify the Amazon Login screen | : Unsuccessful login with invalid credentials | 4 | 0 | 0 | 4 | 24.797 s |
| 2 | Verify the Amazon Login screen | : Unsuccessful login with invalid credentials | 4 | 0 | 0 | 4 | 24.795 s |
| 3 | Verify the Amazon Login screen | Successfully login with valid credentials | 4 | 4 | 0 | 0 | 12.320 s |

DETAILED SECTION -- 5 --

Verify the Amazon Login screen

| FAILED | DURATION - 24.806 s | Scenarios | | Steps | |
|----------------------|---------------------|-----------|---|------------|----|
| | | Total - 3 | | Total - 12 | |
| / 12:06:27.723 PM // | 12:06:52.529 PM / | Pass - 1 | 3 | Pass - 4 | 12 |
| | | Fail - 2 | | Fail - 0 | '- |
| | | Skip - 0 | | Skip - 8 | |
| | | | | | |

: Unsuccessful login with invalid credentials




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - org.amazon.stepdefs.LoginPageStepDef.setUp() | FAILED | 24.781 s |
| | org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'AADHYA', ip: '192.168.0.6' | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:536) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:159) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108)</init></init> | | |
| | at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:88)</init> | | |
| | at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:83) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:72)</init></init> | | |
| | at org.amazon.stepdefs.LoginPageStepDef.setUp(LoginPageStepDef.java:32) Caused by: org.openqa.selenium.WebDriverException: Timed out waiting for driver process to start. Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.2' Driver info: driver.version: | | |
| | ChromeDriver at org.openga.selenium.remote.service.DriverService.start(DriverService.java:203) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:119) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:159)</init> | | |
| | at org.openqa.selenium.chromium.ChromiumDriver. <init>(ChromiumDriver.java:108)</init> | | |
| | at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:88)</init> | | |
| | at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:83)</init> | | |
| | at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:72)</init> | | |
| | at org.amazon.stepdefs.LoginPageStepDef.setUp(LoginPageStepDef.java:32) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) | | |
| | at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) | | |
| | at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:56) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:78) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) | | |
| | $at\ io. cucumber. core. runtime. Cucumber Execution Context. lambda \$run Test Case \$5 (Cucumber Execution Context. java: 137)$ | | |
| | $at\ io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (Rethrowing Throwable Collector. java: 23)$ | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | $at\ org. testng. internal. Method Invocation Helper. invoke Method (Method Invocation Helper. java: 134)$ | | |
| | at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:597) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) | | |
| | $at\ or g. testng. in ternal. Test Method With Data Provider Method Worker. call (Test Method With Data Provider Method Worker. java: 77)$ | | |
| | $at\ org. testng. internal. Test Method With Data Provider Method Worker. call (Test Method With Data Provider Method Worker. java: 15)$ | | |
| | at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) | | |
| | at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:577) | | |
| | at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) | | |
| | at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) | | |
| | at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) | | |
| | at java.base/java.lang.Thread.run(Thread.java:1623) | | |
| 1 | Given open the amazon site | SKIPPED | 0.001 s |
| 2 | Given I have enter invalid "1234@dsflk.com" and "" | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 3 | When I have click on Login button | SKIPPED | 0.001 s |
| 4 | Then I should see the error message indicating "Please enter a usernames and" | SKIPPED | 0.000 s |
| | AFTER - org.amazon.stepdefs.LoginPageStepDef.tearDown(io.cucumber.java.Scenario) | FAILED | 0.005 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at org.amazon.stepdefs.LoginPageStepDef.tearDown(LoginPageStepDef.java:40) | | |

: Unsuccessful login with invalid credentials




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE - org.amazon.stepdefs.LoginPageStepDef.setUp() | FAILED | 24.778 s |
| | org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'AADHYA', ip: '192.168.0.6' | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:536) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:159)</init> | | |
| | at org.openqa.selenium.chromium.ChromiumDriver. <init>(ChromiumDriver.java:108)</init> | | |
| | at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:88)</init> | | |
| | at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:83)</init> | | |
| | at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:72)</init> | | |
| | at org.amazon.stepdefs.LoginPageStepDef.setUp(LoginPageStepDef.java:32) | | |
| | Caused by: org.openqa.selenium.WebDriverException: Timed out waiting for driver process to start. Build info: version: '4.11.0', revision: | | |
| | '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.2' Driver info: driver.version: ChromeDriver | | |
| | at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:203) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:119) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:159)</init> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.chromium.ChromiumDriver. <init>(ChromiumDriver.java:108)</init> | | |
| | at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:88)</init> | | |
| | at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:83)</init> | | |
| | at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:72)</init> | | |
| | at org.amazon.stepdefs.LoginPageStepDef.setUp(LoginPageStepDef.java:32) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) | | |
| | at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) | | |
| | at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:56) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:78) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:134) | | |
| | at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:597) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) | | |
| | at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) | | |
| | at org. testng. internal. Test Method With Data Provider Method Worker. call (Test Method With Data Provider Method Worker. java: 15) | | |
| | at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) | | |
| | at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:577) | | |
| | at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) | | |
| | at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) | | |
| | at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) | | |
| | at java.base/java.lang.Thread.run(Thread.java:1623) | | |
| 1 | Given open the amazon site | SKIPPED | 0.001 s |
| 2 | Given I have enter invalid "abcd" and "abcd" | SKIPPED | 0.000 s |
| 3 | When I have click on Login button | SKIPPED | 0.000 s |

| # | # | Step / Hook Details | Status | Duration |
|---|---|---|---------|----------|
| 4 | | Then I should see the error message indicating "The username and password could not be verified." | SKIPPED | 0.001 s |
| | A | AFTER - org.amazon.stepdefs.LoginPageStepDef.tearDown(io.cucumber.java.Scenario) | FAILED | 0.002 s |
| | | ava.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" pecause "ts" is null | | |
| | | at org.amazon.stepdefs.LoginPageStepDef.tearDown(LoginPageStepDef.java:40) | | |

Successfully login with valid credentials



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given open the amazon site | PASSED | 4.490 s |
| 2 | Given I have enter valid "Testing@gmail.com" and "abcd123" | PASSED | 0.113 s |
| 3 | When I have click on Login button | PASSED | 0.700 s |
| 4 | Then I should be logged into Amazon site successfully | PASSED | 0.000 s |