

---

## ✓ Step 1: Install MySQL Server

Update package index:

```
sudo apt update
```

1.

Install MySQL server:

```
sudo apt install mysql-server -y
```

2.

Check MySQL service status:

```
sudo systemctl status mysql
```

You should see it **active (running)**. If not, start it:

```
sudo systemctl start mysql
```

3.

---

## ✓ Step 2: Run Security Configuration

Run the MySQL secure installation script to set a root password and remove insecure defaults:

```
sudo mysql_secure_installation
```

Follow the prompts:

- Set up VALIDATE PASSWORD plugin? (Optional)
- Set root password? (If not already set)

- Remove anonymous users? (Yes)
  - Disallow root login remotely? (Yes for security)
  - Remove test database? (Yes)
  - Reload privilege tables? (Yes)
- 

## Step 3: Log Into MySQL

Depending on the installation, the root user may authenticate via **UNIX socket**. Log in like this:

```
sudo mysql
```

If you want to use a password with `mysql -u root -p`, change auth method:

```
ALTER USER 'root'@'localhost' IDENTIFIED WITH mysql_native_password BY  
'YourStrongPassword';  
FLUSH PRIVILEGES;  
EXIT;
```

Now you can log in using:

```
mysql -u root -p
```

---

## Step 4: Basic Configuration

Edit the MySQL config file if needed:

```
sudo nano /etc/mysql/mysql.conf.d/mysqld.cnf
```

Common changes:

**Bind Address** (allow remote connections):

Change:

bind-address = 127.0.0.1

To:

bind-address = 0.0.0.0

•

Then restart MySQL:

```
sudo systemctl restart mysql
```

 **Important:** Also allow remote access in your firewall and add user privileges (see below).

---

## Step 5: Create a New Database and User

```
CREATE DATABASE mydb;
```

```
CREATE USER 'myuser'@'%' IDENTIFIED BY 'mypassword';
```

```
GRANT ALL PRIVILEGES ON mydb.* TO 'myuser'@'%';
```

```
FLUSH PRIVILEGES;
```

---

## Step 6: Allow MySQL Through Firewall (if UFW is enabled)

```
sudo ufw allow 3306
```

```
sudo ufw reload
```

---

## Step 7: Test Remote Connection (Optional)

From another machine:

```
mysql -h your-server-ip -u myuser -p
```

---