

Launch an instance | EC2 | us-east-1

New repository

New tab

github.com/new

New repository

Type / to search

1

General

Owner *

Repository name *

udaya-38

udayarepo

udayarepo is available.

Great repository names are short and memorable. How about laughing-octo-broccoli?

Description

0 / 350 characters

2

Configuration

Choose visibility *

Public

Choose who can see and commit to this repository

Launch an instance | EC2 | us-east-1

udaya-38/udayarepo

New tab

github.com/udaya-38/udayarepo

udaya-38 / udayarepo

Type to search

<> Code

Issues

Pull requests

Actions

Projects

Wiki

Security

Insights

Settings

udayarepo

Public

Pin

Watch 0

Fork 0

Star 0

main

1 Branch

0 Tags

Go to file

+

Code

udaya-38

Initial commit

b01793e · now

1 Commit

README.md

Initial commit

now

README

udayarepo

About

No description, website, or topics provided.

Readme

Activity

0 stars

0 watching

0 forks

Releases

No releases published

Create a new release

Launch an instance | EC2 | us-east-1

udaya-36/udayarepo

New tab

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

aws

Search

[Alt+S]

United States (N. Virginia)

Account ID: 0703-8476-5254

Udaya Giri

EC2

Instances

Launch an instance

It seems like you may be new to launching instances in EC2. Take a walkthrough to learn about EC2, how to launch instances and about best practices

Take a walkthrough

Do not show me this message again.

Launch an instance

Info

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

Name and tags

Info

Name

udayarepo

Add additional tags

Application and OS Images (Amazon Machine Image)

Info

An AMI contains the operating system, application server, and applications for your instance. If you don't see a

Summary

Number of instances

Info

1

Software Image (AMI)

Amazon Linux 2023 AMI 2023.9.2...read more

ami-052064a798f08fd3

Virtual server type (instance type)

t3.micro

Firewall (security group)

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Launch an instance | EC2 | us-east-1

udaya-38/udayarapo

New tab

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

aws

Search

[Alt+S]

United States (N. Virginia)

Account ID: 0703-8476-5254

Udaya Giri

EC2

Instances

Launch an instance

Search our full catalog including 1000s of application and OS images

Recents

Quick Start

Amazon Linux

aws

macOS

Mac

Ubuntu

ubuntu

Windows

Microsoft

Red Hat

Red Hat

SUS

S

Browse more AMIs

Including AMIs from AWS, Marketplace and the Community

Amazon Machine Image (AMI)

Ubuntu Server 24.04 LTS (HVM), SSD Volume Type
ami-0360c520857e3138f (64-bit (x86)) / ami-026fccd88446aa0bf (64-bit (Arm))
Virtualization: hvm ENA enabled: true Root device type: ebs

Free tier eligible

Description

Ubuntu Server 24.04 LTS (HVM),EBS General Purpose (SSD) Volume Type. Support available from Canonical

Summary

Number of instances [Info](#)

1

Software Image (AMI)
Canonical, Ubuntu, 24.04, amd64...[read more](#)
ami-0360c520857e3138f

Virtual server type (instance type)
t3.micro

Firewall (security group)

Cancel

Launch instance

[Preview code](#)

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Launch an instance | EC2 | us-east-1

udaya-38/udayarapo

New tab

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

aws

Search

[Alt+S]

United States (N. Virginia)

Account ID: 0703-8476-5254

Udaya Giri

EC2

Instances

Launch an instance

Key pair (login)

You can use a key pair to securely connect to your instance before you launch the instance.

Key pair name - required

Select

Network settings

Network

vpc-038c63f6b0761d1a8

Subnet

No preference (Default subnet in any availability zone)

Create key pair

Key pair name

Key pairs allow you to connect to your instance securely.

ug

The name can include up to 255 ASCII characters. It can't include leading or trailing spaces.

Key pair type

☒ RSA

RSA encrypted private and public key pair

☐ ED25519

ED25519 encrypted private and public key pair

Private key file format

☒ .pem

For use with OpenSSH

Cancel

Create key pair

Launch instance

Preview code

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Launch an instance | EC2 | us-east-1

udaya-36/udayarapo

New tab

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

aws

Search

[Alt+S]

United States (N. Virginia)

Account ID: 0703-8476-5254

Udaya Giri

EC2

Instances

Launch an instance

Launching instance

Creating security group rules

33%

Details

Please wait while we launch your instance.

Do not close your browser while this is loading.

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Launch an instance | EC2 | us-east-1

udaya-36/udayarapo

New tab

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

aws

Search

[Alt+S]

United States (N. Virginia)

Account ID: 0703-8476-5254

Udaya Giri

EC2

Instances

Launch an instance

Success

Successfully initiated launch of instance (i-08bbb17821b6e1e15)

Launch log

Next Steps

What would you like to do next with this instance, for example "create alarm" or "create backup"

Create billing usage alerts

To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.

Connect to your instance

Once your instance is running, log into it from your local computer.

Connect an RDS database

Configure the connection between an EC2 instance and a database to allow traffic flow between them.

Create EBS snapshot policy

Create a policy that automates the creation, retention, and deletion of EBS snapshots

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Launch an instance | EC2 | us-east-1

Connect to instance | EC2 | us-east-1

udaya-38/udayarepo

New tab

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#ConnectToInstance:instanceId=i-08bbb17821b6e1e15

aws

Search

[Alt+S]

United States (N. Virginia)

Account ID: 0703-8476-5254

Udaya Giri

EC2

Instances

i-08bbb17821b6e1e15

Connect to instance

Connect

Info

Connect to an instance using the browser-based client.

EC2 Instance Connect

Session Manager

SSH client

EC2 serial console

Instance ID

i-08bbb17821b6e1e15 (udayarepo)

Connection type

☒ Connect using a Public IP

Connect using a public IPv4 or IPv6 address

☐ Connect using a Private IP

Connect using a private IP address and a VPC endpoint

☒ Public IPv4 address

54.163.26.240

☐ IPv6 address

-

Username

Enter the username defined in the AMI used to launch the instance. If you didn't define a custom username, use the default username, ubuntu.

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Launch an instance | EC2 | us-east-1

Instances | EC2 | us-east-1

EC2 Instance Connect | us-east-1

udaya-38/udayarepo

New tab

us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-08bbb17821b...

Account ID: 0703-8476-5254

United States (N. Virginia)

Udaya Giri

ubuntu@ip-172-31-30-125:~\$ sudo apt update

Hit:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble InRelease

Get:2 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates InRelease [126 kB]

Get:3 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports InRelease [126 kB]

Get:4 http://security.ubuntu.com/ubuntu noble-security InRelease [126 kB]

Get:5 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 Packages [15.0 MB]

Get:6 http://security.ubuntu.com/ubuntu noble-security/main amd64 Packages [1213 kB]

Get:7 http://security.ubuntu.com/ubuntu noble-security/main Translation-en [202 kB]

Get:8 http://security.ubuntu.com/ubuntu noble-security/main amd64 Components [21.5 kB]

Get:9 http://security.ubuntu.com/ubuntu noble-security/main amd64 c-n-f Metadata [8748 B]

Get:10 http://security.ubuntu.com/ubuntu noble-security/universe amd64 Packages [882 kB]

Get:11 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/universe Translation-en [5982 kB]

Get:12 http://security.ubuntu.com/ubuntu noble-security/universe Translation-en [196 kB]

Get:13 http://security.ubuntu.com/ubuntu noble-security/universe amd64 Components [52.3 kB]

Get:14 http://security.ubuntu.com/ubuntu noble-security/universe amd64 c-n-f Metadata [18.1 kB]

Get:15 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 Packages [1967 kB]

Get:16 http://security.ubuntu.com/ubuntu noble-security/restricted Translation-en [448 kB]

Get:17 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 Components [212 B]

i-08bbb17821b6e1e15 (udayarepo)

PublicIPs: 54.163.26.240 PrivateIPs: 172.31.30.125

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Launch an instance | EC2 | us-east-1

Instances | EC2 | us-east-1

EC2 Instance Connect | us-east-1

udaya-38/udayarepo

New tab

us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-08bbb17821b...

aws

Search

[Alt+S]

United States (N. Virginia)

Account ID: 0703-8476-5254

Udaya Giri

Get:45 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports/main amd64 Packages [40.4 kB]
Get:46 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports/main Translation-en [9208 B]
Get:47 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports/main amd64 Components [7156 B]
Get:48 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports/main amd64 c-n-f Metadata [368 B]
Get:49 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports/universe amd64 Packages [28.9 kB]
Get:50 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports/universe Translation-en [17.5 kB]
Get:51 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports/universe amd64 Components [11.0 kB]
Get:52 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports/universe amd64 c-n-f Metadata [1444 B]
Get:53 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports/restricted amd64 Components [216 B]
Get:54 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports/restricted amd64 c-n-f Metadata [116 B]
Get:55 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports/multiverse amd64 Components [212 B]
Get:56 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports/multiverse amd64 c-n-f Metadata [116 B]
Fetched 37.9 MB in 6s (6438 kB/s)
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
41 packages can be upgraded. Run 'apt list --upgradable' to see them.
ubuntu@ip-172-31-30-125:~\$

i-08bbb17821b6e1e15 (udayarepo)

PublicIPs: 54.163.26.240 PrivateIPs: 172.31.30.125

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

```
ubuntu@ip-172-31-30-125:~$ sudo apt install git -y
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
git is already the newest version (1:2.43.0-lubuntu7.3).
git set to manually installed.
0 upgraded, 0 newly installed, 0 to remove and 41 not upgraded.
ubuntu@ip-172-31-30-125:~$
```

i-08bbb17821b6e1e15 (udayarepo)

PublicIPs: 54.163.26.240 PrivateIPs: 172.31.30.125

Launch an instance | EC2 | us-east-1

Instances | EC2 | us-east-1

EC2 Instance Connect | us-east-1

udaya-38/udayarepo

New tab

us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-08bbb17821b...

Account ID: 0703-8476-5254

United States (N. Virginia)

Udaya Giri

ubuntu@ip-172-31-30-125:~\$ git --version

git version 2.43.0

ubuntu@ip-172-31-30-125:~\$

i-08bbb17821b6e1e15 (udayarepo)

PublicIPs: 54.163.26.240 PrivateIPs: 172.31.30.125

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Launch an instance | EC2 | us-east-1

Instances | EC2 | us-east-1

EC2 Instance Connect | us-east-1

udaya-38/udayarepo

New tab

us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-08bbb17821b...

Account ID: 0703-8476-5254

United States (N. Virginia)

Udaya Giri

ubuntu@ip-172-31-30-125:~\$ mkdir demoug

ubuntu@ip-172-31-30-125:~\$ ls

demoug

ubuntu@ip-172-31-30-125:~\$

i-08bbb17821b6e1e15 (udayarepo)

PublicIPs: 54.163.26.240 PrivateIPs: 172.31.30.125

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Launch an instance | EC2 | us-east-1

Instances | EC2 | us-east-1

EC2 Instance Connect | us-east-1

udaya-38/udayarepo

New tab

us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-08bbb17821b...

Account ID: 0703-8476-5254

United States (N. Virginia)

Udaya Giri

ubuntu@ip-172-31-30-125:~/demoug\$ git init

hint: Using 'master' as the name for the initial branch. This default branch name

hint: is subject to change. To configure the initial branch name to use in all

hint: of your new repositories, which will suppress this warning, call:

hint:

hint: git config --global init.defaultBranch <name>

hint:

hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and

hint: 'development'. The just-created branch can be renamed via this command:

hint:

hint: git branch -m <name>

Initialized empty Git repository in /home/ubuntu/demoug/.git/

ubuntu@ip-172-31-30-125:~/demoug\$

i-08bbb17821b6e1e15 (udayarepo)

PublicIPs: 54.163.26.240 PrivateIPs: 172.31.30.125

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Launch an instance | EC2 | us-east-1

Instances | EC2 | us-east-1

EC2 Instance Connect | us-east-1

udaya-38/udayarepo

New tab

us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-08bbb17821b...

Account ID: 0703-8476-5254

United States (N. Virginia)

Udaya Giri

ubuntu@ip-172-31-30-125:~/demoug\$ cd ../

ubuntu@ip-172-31-30-125:~\$ ls

demoug

ubuntu@ip-172-31-30-125:~\$

i-08bbb17821b6e1e15 (udayarepo)

PublicIPs: 54.163.26.240 PrivateIPs: 172.31.30.125

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

```
total 12
drwxr-x--- 5 ubuntu ubuntu 4096 Oct  8 15:48 ..
-rw-rw-r-- 1 ubuntu ubuntu   0 Oct  8 15:49 file1
-rw-rw-r-- 1 ubuntu ubuntu   0 Oct  8 15:49 file2
drwxrwxr-x 3 ubuntu ubuntu 4096 Oct  8 15:50 .
drwxrwxr-x 7 ubuntu ubuntu 4096 Oct  8 15:52 .git
ubuntu@ip-172-31-30-125:~/demoug$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    file1
    file2

nothing added to commit but untracked files present (use "git add" to track)
ubuntu@ip-172-31-30-125:~/demoug$
```

i-08bbb17821b6e1e15 (udayarepo)

PublicIPs: 54.163.26.240 PrivateIPs: 172.31.30.125

Launch an instance | EC2 | us-east-1

Instances | EC2 | us-east-1

EC2 Instance Connect | us-east-1

udaya-38/udayarepo

New tab

us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-08bbb17821b...

Account ID: 0703-8476-5254

United States (N. Virginia)

Udaya Giri

```
ubuntu@ip-172-31-30-125:~/demoug$ git add .
ubuntu@ip-172-31-30-125:~/demoug$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   file1
        new file:   file2

ubuntu@ip-172-31-30-125:~/demoug$
```

i-08bbb17821b6e1e15 (udayarepo)

PublicIPs: 54.163.26.240 PrivateIPs: 172.31.30.125

```
ubuntu@ip-172-31-30-125:~/demoug$ git commit -m "first commit"
[master (root-commit) acc9280] first commit
Committer: Ubuntu <ubuntu@ip-172-31-30-125.ec2.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 file1
create mode 100644 file2
```

i-08bbb17821b6e1e15 (udayarepo)

PublicIPs: 54.163.26.240 PrivateIPs: 172.31.30.125

Launch an instance | EC2 | us-east-1

Instances | EC2 | us-east-1

EC2 Instance Connect | us-east-1

udaya-38/udayarepo

New tab

us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-08bbb17821b...

Account ID: 0703-8476-5254

United States (N. Virginia)

Udaya Giri

ubuntu@ip-172-31-30-125:~/demoug\$ git status

On branch master

nothing to commit, working tree clean

ubuntu@ip-172-31-30-125:~/demoug\$

i-08bbb17821b6e1e15 (udayarepo)

PublicIPs: 54.163.26.240 PrivateIPs: 172.31.30.125

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Launch an instance | EC2 | us-east-1

Instances | EC2 | us-east-1

EC2 Instance Connect | us-east-1

Your profile

New tab

github.com/settings/profile

Settings

Type / to search

U


+

🕒

🔍

📧

👤



Udaya Giri (udaya-38)

Your personal account

Go to your personal profile

Public profile

Account

Appearance

Accessibility

Notifications

Access

Billing and licensing

Emails

Password and authentication

Sessions

SSH and GPG keys

Organizations

Public profile

Name

Udaya Giri

Your name may appear around GitHub where you contribute or are mentioned. You can remove it at any time.

Public email

Select a verified email to display


You can manage verified email addresses in your [email settings](#)

Bio

Tell us a little bit about yourself

You can @mention other users and organizations to link to them.

Profile picture



Edit

Launch an instance | EC2 | us-east-1

Instances | EC2 | us-east-1

EC2 Instance Connect | us-east-1

Your profile

New tab

github.com/settings/profile

Applications

Scheduled reminders

Archives

Security log

Sponsorship log

Developer settings

☐ Display current local time

Other users will see the time difference from their local time.

ORCID iD

ORCID provides a persistent identifier - an ORCID iD - that distinguishes you from other researchers. Learn more at [ORCID.org](#).

Connect your ORCID iD

All of the fields on this page are optional and can be deleted at any time, and by filling them out, you're giving us consent to share this data wherever your user profile appears. Please see our [privacy statement](#) to learn more about how we use this information.

Update profile

Contributions & activity

☐ Make profile private and hide activity

Enabling this will hide your contributions and activity from your GitHub profile and from social features like followers, stars, feeds, leaderboards and releases.

☐ Include private contributions on my profile

Your contribution graph, achievements, and activity overview will show your private contributions without revealing any repository or organization

https://github.com/settings/apps

Launch an instance | EC2 | us-east-1

Instances | EC2 | us-east-1

EC2 Instance Connect | us-east-1

New Personal Access Token | us-east-1

New tab

github.com/settings/tokens/new

Settings / Developer Settings

Type / to search

GitHub Apps

OAuth Apps

Personal access tokens

Fine-grained tokens

Tokens (classic)

New personal access token (classic)

Personal access tokens (classic) function like ordinary OAuth access tokens. They can be used instead of a password for Git over HTTPS, or can be used to [authenticate to the API over Basic Authentication](#).

Note

ug

What's this token for?

Expiration

30 days (Nov 07, 2025)

The token will expire on the selected date

Select scopes

Scopes define the access for personal tokens. [Read more about OAuth scopes.](#)

<input type="checkbox"/> repo	Full control of private repositories
<input type="checkbox"/> repo:status	Access commit status
<input type="checkbox"/> repo_deployment	Access deployment status

Launch an instance | EC2 | us-east-1

Instances | EC2 | us-east-1

EC2 Instance Connect | us-east-1

New Personal Access Token | us-east-1

New tab

github.com/settings/tokens/new

Select scopes

Scopes define the access for personal tokens. [Read more about OAuth scopes.](#)

☒ repo

Full control of private repositories

☒ repo:status

Access commit status

☒ repo_deployment

Access deployment status

☒ public_repo

Access public repositories

☒ repo:invite

Access repository invitations

☒ security_events

Read and write security events

☐ workflow

Update GitHub Action workflows

☐ write:packages

Upload packages to GitHub Package Registry

☐ read:packages

Download packages from GitHub Package Registry

☐ delete:packages

Delete packages from GitHub Package Registry

☐ admin:org

Full control of orgs and teams, read and write org projects

☐ write:org

Read and write org and team membership, read and write org projects

☐ read:org

Read org and team membership, read org projects

☐ manage_runners:org

Manage org runners and runner groups

☐ admin:public_key

Full control of user public keys

```
ubuntu@ip-172-31-30-125:~/demoug$ git remote add origin https://github.com/udaya-38/udayarepo.git
ubuntu@ip-172-31-30-125:~/demoug$ git push origin master
Username for 'https://github.com': udaya-38
Password for 'https://udaya-38@github.com':
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 2 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 222 bytes | 222.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'master' on GitHub by visiting:
remote:   https://github.com/udaya-38/udayarepo/pull/new/master
remote:
To https://github.com/udaya-38/udayarepo.git
 * [new branch]      master -> master
ubuntu@ip-172-31-30-125:~/demoug$
```

i-08bbb17821b6e1e15 (udayarepo)

PublicIPs: 54.163.26.240 PrivateIPs: 172.31.30.125

Launch an instance | EC2 | us-east-1

Instances | EC2 | us-east-1

EC2 Instance Connect | us-east-1

udaya-38/udayarepo

New tab

us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-08bbb17821b...

Account ID: 0703-8476-5254

United States (N. Virginia)

Udaya Giri

ubuntu@ip-172-31-30-125:~/demoug\$ git clone https://github.com/udaya-38/udayarepo

Cloning into 'udayarepo'...

remote: Enumerating objects: 6, done.

remote: Counting objects: 100% (6/6), done.

remote: Compressing objects: 100% (3/3), done.

remote: Total 6 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)

Receiving objects: 100% (6/6), done.

ubuntu@ip-172-31-30-125:~/demoug\$

i-08bbb17821b6e1e15 (udayarepo)

PublicIPs: 54.163.26.240 PrivateIPs: 172.31.30.125

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Launch an instance | EC2 | us-east-1

Instances | EC2 | us-east-1

EC2 Instance Connect | us-east-1

udaya-38/udayarepo

New tab

us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-08bbb17821b...

aws

Search

[Alt+S]

United States (N. Virginia)

Account ID: 0703-8476-5254

Udaya Giri

```
ubuntu@ip-172-31-30-125:~/demoug$ git clone https://github.com/udaya-38/udayarepo
Cloning into 'udayarepo'...
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 6 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (6/6), done.
ubuntu@ip-172-31-30-125:~/demoug$ ls
file1  file2  udayarepo
ubuntu@ip-172-31-30-125:~/demoug$ cd udayarepo
ubuntu@ip-172-31-30-125:~/demoug/udayarepo$ ls
README.md
ubuntu@ip-172-31-30-125:~/demoug/udayarepo$
```

i-08bbb17821b6e1e15 (udayarepo)

PublicIPs: 54.163.26.240 PrivateIPs: 172.31.30.125

```
ubuntu@ip-172-31-30-125:~/demoug/udayarepo$ git pull https://github.com/udaya-38/udayarepo
From https://github.com/udaya-38/udayarepo
* branch      HEAD      -> FETCH_HEAD
Already up to date.
ubuntu@ip-172-31-30-125:~/demoug/udayarepo$ cd
ubuntu@ip-172-31-30-125:~$ mkdir democlone
ubuntu@ip-172-31-30-125:~$ cd democlone
ubuntu@ip-172-31-30-125:~/democlone$ git clone https://github.com/udaya-38/udayarepo
Cloning into 'udayarepo'...
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 6 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (6/6), done.
ubuntu@ip-172-31-30-125:~/democlone$
```

i-08bbb17821b6e1e15 (udayarepo)

PublicIPs: 54.163.26.240 PrivateIPs: 172.31.30.125

```
ubuntu@ip-172-31-30-125:~/democlone$ ls -ltr
total 4
drwxrwxr-x 3 ubuntu ubuntu 4096 Oct  8 16:05 udayarepo
ubuntu@ip-172-31-30-125:~/democlone$ cd udayarepo
ubuntu@ip-172-31-30-125:~/democlone/udayarepo$ ls -ltr
total 4
-rw-rw-r-- 1 ubuntu ubuntu 11 Oct  8 16:05 README.md
ubuntu@ip-172-31-30-125:~/democlone/udayarepo$ ls -ltr
total 4
-rw-rw-r-- 1 ubuntu ubuntu 11 Oct  8 16:05 README.md
ubuntu@ip-172-31-30-125:~/democlone/udayarepo$ ls -ltra
total 16
drwxrwxr-x 3 ubuntu ubuntu 4096 Oct  8 16:05 ..
-rw-rw-r-- 1 ubuntu ubuntu  11 Oct  8 16:05 README.md
drwxrwxr-x 3 ubuntu ubuntu 4096 Oct  8 16:05 .
drwxrwxr-x 8 ubuntu ubuntu 4096 Oct  8 16:05 .git
ubuntu@ip-172-31-30-125:~/democlone/udayarepo$
```

i-08bbb17821b6e1e15 (udayarepo)

PublicIPs: 54.163.26.240 PrivateIPs: 172.31.30.125

Launch an instance | EC2 | us-east-1

Instances | EC2 | us-east-1

EC2 Instance Connect | us-east-1

udaya-38/udayarepo

New tab

us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-08bbb17821b...

Account ID: 0703-8476-5254

United States (N. Virginia)

Udaya Giri

```
ubuntu@ip-172-31-30-125:~/democlone/udayarepo$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
ubuntu@ip-172-31-30-125:~/democlone/udayarepo$
```

i-08bbb17821b6e1e15 (udayarepo)

PublicIPs: 54.163.26.240 PrivateIPs: 172.31.30.125

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Launch an instance | EC2 | us-east-1

Instances | EC2 | us-east-1

EC2 Instance Connect | us-east-1

udaya-38/udayarepo

New tab

us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-08bbb17821b...

Account ID: 0703-8476-5254

United States (N. Virginia)

Udaya Giri

ubuntu@ip-172-31-30-125:~/democlone/udayarepo\$ cd ../ ../ udayarepo/
-bash: cd: too many arguments
ubuntu@ip-172-31-30-125:~/democlone/udayarepo\$

i-08bbb17821b6e1e15 (udayarepo)

PublicIPs: 54.163.26.240 PrivateIPs: 172.31.30.125

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

```
ubuntu@ip-172-31-30-125:~$ cd demoug
ubuntu@ip-172-31-30-125:~/demoug$ touch file3
ubuntu@ip-172-31-30-125:~/demoug$ git add .
warning: adding embedded git repository: udayarepo
hint: You've added another git repository inside your current repository.
hint: Clones of the outer repository will not contain the contents of
hint: the embedded repository and will not know how to obtain it.
hint: If you meant to add a submodule, use:
hint:
hint:   git submodule add <url> udayarepo
hint:
hint: If you added this path by mistake, you can remove it from the
hint: index with:
hint:
hint:   git rm --cached udayarepo
hint:
hint: See "git help submodule" for more information.
ubuntu@ip-172-31-30-125:~/demoug$
```

i-08bbb17821b6e1e15 (udayarepo)

PublicIPs: 54.163.26.240 PrivateIPs: 172.31.30.125

Launch an instance | EC2 | us-east-1

Instances | EC2 | us-east-1

EC2 Instance Connect | us-east-1

udaya-38/udayarepo

New tab

us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-08bbb17821b...

Account ID: 0703-8476-5254

United States (N. Virginia)

Udaya Giri

ubuntu@ip-172-31-30-125:~/demoug\$ git commit -m "second commit"

[master 8de4d9a] second commit

Committer: Ubuntu <ubuntu@ip-172-31-30-125.ec2.internal>

Your name and email address were configured automatically based on your username and hostname. Please check that they are accurate. You can suppress this message by setting them explicitly. Run the following command and follow the instructions in your editor to edit your configuration file:

git config --global --edit

After doing this, you may fix the identity used for this commit with:

git commit --amend --reset-author

2 files changed, 1 insertion(+)

create mode 100644 file3

create mode 160000 udayarepo

i-08bbb17821b6e1e15 (udayarepo)

PublicIPs: 54.163.26.240 PrivateIPs: 172.31.30.125

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Launch an instance | EC2 | us-east-1

Instances | EC2 | us-east-1

EC2 Instance Connect | us-east-1

Edit Personal Access Token (EC2 Instance Connect) | us-east-1

New tab

us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-08bbb17821b...

aws [Alt+S] United States (N. Virginia) Account ID: 0703-8476-5254 Udaya Giri

```
ubuntu@ip-172-31-30-125:~/demoug$ git push origin master
Username for 'https://github.com': udaya-38
Password for 'https://udaya-38@github.com':
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 2 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 281 bytes | 281.00 KiB/s, done.
Total 2 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/udaya-38/udayarepo.git
   acc9280..8de4d9a  master -> master
ubuntu@ip-172-31-30-125:~/demoug$
```

i-08bbb17821b6e1e15 (udayarepo)

PublicIPs: 54.163.26.240 PrivateIPs: 172.31.30.125

Launch an instance | EC2 | us-east-1

Instances | EC2 | us-east-1

EC2 Instance Connect | us-east-1

Edit Personal Access Token (EC2 Instance Connect) | us-east-1

udaya-35/udayarepo

us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-08bbb17821b...

Account ID: 0703-8476-5254

United States (N. Virginia)

Udaya Giri

ubuntu@ip-172-31-30-125:~/demoug\$
Broadcast message from root@ip-172-31-30-125 (Wed 2025-10-08 16:25:21 UTC):
The system will power off now!

i-08bbb17821b6e1e15 (udayarepo)

PublicIPs: 54.163.26.240 PrivateIPs: 172.31.30.125

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences