

```

mysql> CREATE DATABASE student_db;
Query OK, 1 row affected (0.08 sec)

mysql> USE student_db;
Database changed
mysql> CREATE TABLE student_marks (
->     roll_no INT PRIMARY KEY,
->     name VARCHAR(50),
->     subject VARCHAR(50),
->     marks DECIMAL(5,2)
-> );
Query OK, 0 rows affected (0.08 sec)

mysql> db
-> ^C
mysql> INSERT INTO student_marks VALUES
-> (1, 'Ravi', 'Math', 85.50);
Query OK, 1 row affected (0.02 sec)

mysql> INSERT INTO student_marks (roll_no, name, subject, marks) VALUES
-> (1, 'Ravi', 'Math', 85.50),
-> (2, 'Sita', 'Math', 92.75),
-> (3, 'Anil', 'Math', 78.40),
-> (4, 'Priya', 'Math', 88.90),
-> (5, 'Vijay', 'Math', 80.25),
-> (6, 'subbusir', 'aws', 98.50),
-> (7, 'dwaraka', 'dbms', 95.75),
-> (8, 'ranjani', 'english', 97.40),
-> (9, 'kavithamam', 'aws1', 99.90),
-> (10, 'seetha', 'azure', 82.25);
ERROR 1062 (23000): Duplicate entry '1' for key 'student_marks.PRIMARY'
mysql> INSERT INTO student_marks (roll_no, name, subject, marks) VALUES
-> (2, 'Sita', 'Math', 92.75),
-> (3, 'Anil', 'Math', 78.40),
-> (4, 'Priya', 'Math', 88.90),
-> (5, 'Vijay', 'Math', 80.25),
-> (6, 'subbusir', 'aws', 98.50),
-> (7, 'dwaraka', 'dbms', 95.75),
-> (8, 'ranjani', 'english', 97.40),

```

```
-> (8, 'ranjani', 'english', 97.40),  
-> (9, 'kavithamam', 'aws1', 99.90),  
-> (10, 'seetha', 'azure', 82.25);  
Query OK, 9 rows affected (0.01 sec)  
Records: 9 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM student_marks;
```

roll_no	name	subject	marks
1	Ravi	Math	85.50
2	Sita	Math	92.75
3	Anil	Math	78.40
4	Priya	Math	88.90
5	Vijay	Math	80.25
6	subbusir	aws	98.50
7	dwaraka	dbms	95.75
8	ranjani	english	97.40
9	kavithamam	aws1	99.90
10	seetha	azure	82.25

```
10 rows in set (0.01 sec)
```

```
mysql> SELECT name, marks FROM student_marks;
```

name	marks
Ravi	85.50
Sita	92.75
Anil	78.40
Priya	88.90
Vijay	80.25
subbusir	98.50
dwaraka	95.75
ranjani	97.40
kavithamam	99.90
seetha	82.25

```
10 rows in set (0.01 sec)
```

```
mysql> SELECT COUNT(*) FROM student_marks;
```

COUNT(*)
10

```
1 row in set (0.01 sec)
```

```
mysql> SELECT SUM(marks) FROM student_marks;
```

SUM(marks)
899.60

```
1 row in set (0.01 sec)
```

```
mysql> SELECT AVG(marks) FROM student_marks;
```

```
+-----+  
| AVG(marks) |  
+-----+  
| 89.960000 |  
+-----+
```

```
1 row in set (0.01 sec)
```

```
mysql> SELECT MAX(marks) FROM student_marks;
```

```
+-----+  
| MAX(marks) |  
+-----+  
| 99.90 |  
+-----+
```

```
1 row in set (0.01 sec)
```

```
mysql> SELECT MIN(marks) FROM student_marks;
```

```
+-----+  
| MIN(marks) |  
+-----+  
| 78.40 |  
+-----+
```

```
1 row in set (0.00 sec)
```

```
mysql> SELECT * FROM student_marks  
-> WHERE marks > 85;
```

```
+-----+-----+-----+-----+  
| roll_no | name | subject | marks |  
+-----+-----+-----+-----+  
| 1 | Ravi | Math | 85.50 |  
| 2 | Sita | Math | 92.75 |  
| 4 | Priya | Math | 88.90 |  
| 6 | subbusir | aws | 98.50 |  
| 7 | dwaraka | dbms | 95.75 |  
| 8 | ranjani | english | 97.40 |  
| 9 | kavithamam | aws1 | 99.90 |  
+-----+-----+-----+-----+
```

```
7 rows in set (0.01 sec)
```

```
mysql> SELECT * FROM student_marks  
-> WHERE marks BETWEEN 80 AND 90;
```

```
+-----+-----+-----+-----+  
| roll_no | name | subject | marks |  
+-----+-----+-----+-----+  
| 1 | Ravi | Math | 85.50 |  
| 4 | Priya | Math | 88.90 |  
| 5 | Vijay | Math | 80.25 |  
| 10 | seetha | azure | 82.25 |  
+-----+-----+-----+-----+
```

```
4 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM student_marks
-> WHERE name LIKE 'P%';
```

roll_no	name	subject	marks
4	Priya	Math	88.90

```
1 row in set (0.01 sec)
```

```
mysql> SELECT * FROM student_marks
-> WHERE name IN ('Ravi', 'Sita', 'Vijay');
```

roll_no	name	subject	marks
1	Ravi	Math	85.50
2	Sita	Math	92.75
5	Vijay	Math	80.25

```
3 rows in set (0.01 sec)
```

```
mysql> WHERE marks > 85
```

```
-> AND (subject = 'Math' OR name LIKE 'P%');
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'WHERE marks > 85
AND (subject = 'Math' OR name LIKE 'P%')' at line 1
```

```
mysql> UPDATE student_marks
```

```
-> SET marks = 90.00
-> WHERE roll_no = 3;
```

```
Query OK, 1 row affected (0.02 sec)
```

```
Rows matched: 1 Changed: 1 Warnings: 0
```

```
mysql> UPDATE student_marks
```

```
-> SET marks = 90;
```

```
Query OK, 9 rows affected (0.02 sec)
```

```
Rows matched: 10 Changed: 9 Warnings: 0
```

```
mysql> DELETE FROM student_marks
```

```
-> WHERE roll_no = 5;
```

```
Query OK, 1 row affected (0.01 sec)
```

```
mysql> SELECT * FROM student_marks
```

```
-> ORDER BY marks ASC;
```

roll_no	name	subject	marks
1	Ravi	Math	90.00
2	Sita	Math	90.00
3	Anil	Math	90.00
4	Priya	Math	90.00
6	subbusir	aws	90.00
7	dwaraka	dbms	90.00
8	ranjani	english	90.00
9	kavithamam	aws1	90.00
10	seetha	azure	90.00

```
mysql> SELECT * FROM student_marks
-> ORDER BY marks DESC;
```

roll_no	name	subject	marks
1	Ravi	Math	90.00
2	Sita	Math	90.00
3	Anil	Math	90.00
4	Priya	Math	90.00
6	subbusir	aws	90.00
7	dwaraka	dbms	90.00
8	ranjani	english	90.00
9	kavithamam	aws1	90.00
10	seetha	azure	90.00

```
9 rows in set (0.00 sec)
```



```
mysql> SELECT subject, AVG(marks)
-> FROM student_marks
-> GROUP BY subject;
```

subject	AVG(marks)
Math	90.000000
aws	90.000000
dbms	90.000000
english	90.000000
aws1	90.000000
azure	90.000000

```
6 rows in set (0.01 sec)
```



```
mysql> SELECT subject, SUM(marks)
-> FROM student_marks
-> GROUP BY subject;
```

subject	SUM(marks)
Math	360.00
aws	90.00
dbms	90.00
english	90.00
aws1	90.00
azure	90.00

```
6 rows in set (0.00 sec)
```



```
mysql> SELECT subject, AVG(marks) AS avg_marks
-> FROM student_marks
-> GROUP BY subject
-> HAVING AVG(marks) > 90;
Empty set (0.01 sec)
```

```
mysql> SELECT subject, AVG(marks) AS avg_marks
-> FROM student_marks
-> GROUP BY subject
-> HAVING AVG(marks) > 90;
Empty set (0.01 sec)
```

```
mysql> UPDATE student_marks
-> SET subject = 'Remedial Math'
-> WHERE marks < 80;
Query OK, 0 rows affected (0.00 sec)
Rows matched: 0 Changed: 0 Warnings: 0
```

```
mysql> DELETE FROM student_marks
-> WHERE marks < 75;
Query OK, 0 rows affected (0.00 sec)
```

```
mysql> SELECT * FROM student_marks;
+-----+-----+-----+-----+
| roll_no | name      | subject | marks |
+-----+-----+-----+-----+
| 1       | Ravi      | Math    | 90.00 |
| 2       | Sita      | Math    | 90.00 |
| 3       | Anil      | Math    | 90.00 |
| 4       | Priya     | Math    | 90.00 |
| 6       | subbusir  | aws     | 90.00 |
| 7       | dwaraka   | dbms    | 90.00 |
| 8       | ranjani   | english | 90.00 |
| 9       | kavithamam | aws1    | 90.00 |
| 10      | seetha    | azure   | 90.00 |
+-----+-----+-----+-----+
9 rows in set (0.00 sec)
```

```
mysql>
```