

Scheduling Algorithms

1.FCFS Scheduling algorithm

```
udayasri@SURABHIUDAYASRI x + v
udayasri@SURABHIUDAYASRI:~$ cd OSLab
udayasri@SURABHIUDAYASRI:~/OSLab$ gedit fcfs.c &
[1] 517
udayasri@SURABHIUDAYASRI:~/OSLab$ gcc fcfs.c -o fcfs
[1]+  Done                  gedit fcfs.c
udayasri@SURABHIUDAYASRI:~/OSLab$ ./fcfs
Enter number of processes: 3
Enter burst time for each process:
P1: 4
P2: 3
P3: 5

Process BT      WT      TAT
P1      4      0      4
P2      3      4      7
P3      5      7     12
udayasri@SURABHIUDAYASRI:~/OSLab$
```

2. SJF_NONpreemptive

```
udayasri@SURABHIUDAYASRI:~/OSLab$ gcc sjf.c -o sjf
udayasri@SURABHIUDAYASRI:~/OSLab$ ./sjf
Enter number of processes: 3
Enter burst time:
P1: 5
P2: 2
P3: 3

Process BT      WT      TAT
P1      2      0      2
P2      3      2      5
P3      5      5     10
udayasri@SURABHIUDAYASRI:~/OSLab$ |
```

3.Priority

```

udayasri@SURABHIUDAYASRI:~/OSLab$ ^C
udayasri@SURABHIUDAYASRI:~/OSLab$ gedit priority.c &
[3] 666
udayasri@SURABHIUDAYASRI:~/OSLab$ gcc priority.c -o priority
[3]+  Done                  gedit priority.c
udayasri@SURABHIUDAYASRI:~/OSLab$ ./priority
Enter number of processes: 3
Enter burst time and priority:
P1 Burst Time: 5
P1 Priority: 3
P2 Burst Time: 2
P2 Priority: 4
P3 Burst Time: 3
P3 Priority: 5

Process BT      Priority      WT      TAT
P1      5        3          0       5
P2      2        4          5       7
P3      3        5          7      10
udayasri@SURABHIUDAYASRI:~/OSLab$ |

```

4.ROUND ROBIN

```

udayasri@SURABHIUDAYASRI:~/OSLab$ gedit roundrobin.c &
[3] 685
udayasri@SURABHIUDAYASRI:~/OSLab$ gcc roundrobin.c -o roundrobin
[3]+  Done                  gedit roundrobin.c
udayasri@SURABHIUDAYASRI:~/OSLab$ ./roundrobin
Enter number of processes: 3
Enter burst time:
P1: 2
P2: 4
P3: 6
Enter time quantum: 3

Process BT      WT      TAT
P1      2        0       2
P2      4        5       9
P3      6        6      12
udayasri@SURABHIUDAYASRI:~/OSLab$ |

```