

KEI INDUSTRIES LIMITED (MUMBAI)

Nirvan Corporate, 7th Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East, Mumbai - 400 093. Tel.: 022-2837 5642 / 2823 9673 Fax: 2825 8277 spa.mumbai@kei-ind.com



ALUMINUM UN ARMOURED / ARMOURED

"KEI" BRAND Power Cables, Solid Aluminum conductor up to 10 sqmm balance stranded conductor, XLPE Insulated, cores laid up, PVC tape innersheathed, unarmoured/Armour (Aluminium wire for single core up to 70 sqmm balance Aluminium strip, Glavanised wire for cables upto 2x16 sqmm, 3x10 sqmm, 4x10 sqmm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/1100V grade as per IS 7098 (Part 1) 1988

(Rate in Rs. Per Mtr.)

PRICE LIST: 01-03-2025

Cable		1U	N ARMOUR	ED			ARMOURED				
Size in	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4	Cable Size	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
sq.mm	A2XY	A2XY	A2XY	A2XY	A2XY	in sq.mm	A2XWaY A2XFaY	A2XWY A2XFY	A2XWY A2XFY	A2XFY	A2XWY A2XFY
4		77	93		110	4		150	167		190
6		97	117		140	6		177	197		227
10		133	163		207	10		227	253	R/W ⇒	303
10		133	103		201	10		221	255	*F/A =>	277
16		173	217		280	16	R/W ⇒	260	283		357
10		173	217		200	10	*F/A =>	233	203		331
25	110	227	317	380	417	25	197	283	383	450	490
35	143	293	420	483	550	35	243	357	490	567	633
50	197	400	570	667	760	50	310	470	650	747	847
70	263	540	787	917	1037	70	393	623	877	1010	1140
95	343	710	1030	1207	1357	95	480	800	1130	1313	1463
120	427	883	1287	1527	1717	120	573	980	1393	1653	1823
150	533	1103	1620	1847	2133	150	683	1193	1720	1970	2247
185	650	1340	1970	2310	2620	185	827	1453	2100	2447	2757
240	830	1710	2533	2940	3353	240	1027	1830	2667	3080	3493
300	1027	2113	3133	3643	4170	300	1247	2247	3280	3807	4317
400	1357	2787	4120	4797	5490	400	1610	2937	4270	4943	5653
500	1677					500	1947				
630	2103					630	2403				
800	2650					800	2993				
1000	3313					1000	3650				

R/W= ROUND WIRE ARMOUR, F/A= FLAT STRIP ARMOUR

EXTRAS FOR SPECIAL CONSTRUCTION:

E] Oxygen Index (FR)

4.00%

F] PVC Cables

12 00%

		12.00/0							
A] ROUND WIRE ARMOURING			FRLS Loading Factor						
1C95 sq.mm & Above	30.00%	Cable Size	Inner	Outer Sheath		Inner	Outer		
3C & 4C 16 sq.mm & Above	30.00%	(Sq.mm)	Sheath			Sheath	Sheath		
2C & 3.5C 25 sq.mm & Above	30.00%			Armd.	Unarmd.				
B] Stranding		Power (Al.)							
10 sq.mm & Below	5.00%	Upto 16	5.0%	5.0%	5.0%	22.5%	30.0%		
C] Extructed PVC Inner Sheath		25 - 50	5.0%	5.0%	5.0%	18.0%	22.5%		
Upto 50 sq.mm	5.00%	70 & above	5.0%	5.0%	5.0%	22.5%	18.0%		
70 sq.mm & Above	4.00%	Power Single Core (Al.)							
D] HR PVC		Upto 16	-N.A-	5.0%	5.0%	-N.A-	37.5%		
Insulation	10.00%	25 - 70	-N.A-	5.0%	5.0%	-N.A-	30.0%		
Inner/Outer Sheath (EACH)	5.00%	95 & above	-N.A-	5.0%	5.0%	-N.A-	26.0%		

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.

KEI WIRES & CABLES

Page 01 of 03

^{*} FLAT STRIP ARMOURED (F/A) CABLES ARE NOT CONFIRMING TO IS 7098-1.



KEI INDUSTRIES LIMITED (MUMBAI)

Nirvan Corporate, 7^{th} Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East, Mumbai - 400 093. Tel. : 022-2837 5642 / 2823 9673 Fax : 2825 8277



spa.mumbai@kei-ind.com

CU UNARMOURED / ARMOURED

"KEI" BRAND Power/Control Copper Cables,Solid Copper conductor,XLPE Insulated,cores laid up, PVC tape innersheathed,Unarmoured/Armour(Glavanised wire for cables up to 14x1.5 sqmm, 9x2.5 sqmm,2x16 sqmm, 3x10 sqmm,4x10 sqmm balance all galvanised steel strip),extruded PVC Type ST2 Sheathed, 650/1100 V grade as per IS 7098 (Part 1) 1988

(Rate in Rs. Per Mtr.)

PRICE LIST: 01-03-2025

										(Rate in Re	i. Per Mtr	
Cable		10	N ARMOUR	ED				A	RMOURE)		
Size in	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4	Cable Size	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4	
sq.mm	2XY	2XY	2XY	2XY	2XY	in sq.mm	2XaY	2XWY	2XWY	2XFY	2XWY	
4		200	400		550	4	2XFaY	2XFY	2XFY		2XFY	
6		300 430	423 613		553 807	4 6		363 493	480 660		608 855	
10		690	993		1310	10		753	1040		1350	
16	523	1060	1513		2010	16	507	1103	1553		2020	
25	837	1613	2393	2900	3187	25	587 897	1677	2470	2983	3277	
35	1160	2233	3330	3833	4427	35	1220	2303	3410	3930	4527	
50	1647	3170	4723	5510	6297	50	1703	3253	4820	5613	6417	
70	2293	4417	6600	7697	8790	70	2343	4513	6713	7817	8920	
95	2973	5973	8920	10490	11897	95	3120	6080	9047	10630	12040	
120	3750	7530	11250	13437	15000	120	3910	7647	11397	13603	15163	
150	4687	9417	14077	16247	18747	150	4853	9533	14227	16423	18930	
185	5770	11590	17333	20303	23113	185	5970	11733	17523	20507	23320	
240	7470	15017	22460	26200	29940	240	7693	15177	22650	26417	30170	
300	9327	18747	28047	32733	37413	300	9580	18917	28270	32993	37700	
400	12427	24947	37347	43160	50093	400	12727	25150	37630	43620	50377	
500	15520	2.0	0.0	10100	00000	500	15840	20.00	0.000	10020		
630	19550					630	19907					
800	24807					800	25203					
1000	30993					1000	31413					
	CABLES					1000				(Rate in Re	. Per Mt	
Num	ber of	_	IOURED KY	ARMOURED - 2XWY/2XFY		Number of			IOURED (Y	ARMOI 2XWY	URED - /2XFY	
Co	res	1.5	2.5	1.5	2.5	Cores		1.5	2.5	1.5	2.5	
	2	133	197	185	248	1:	2	653	1040	733	1080	
;	3	180	277	225	320	1-	4	753	1207	843	1253	
	4	233	357	280	400	1	6	857	1383	910	1420	
	5	297	460	357	517	1:	9	1007	1630	1067	1660	
	6	343	537	413	610	2	4	1280	2053	1330	2083	
	7	393	617	460	687	2	7	1427	2297	1473	2317	
	8	447	707	523	780	3	0	1580	2547	1627	2563	
1	10	550	873	633	920	3	7	1937	3127	1973	3133	
-VTD 40 I		AL CONCT	DUGTION			F] FRLS						
EXTRAS I	FOR SPECI	AL CONST	RUCTION:			Upto 6 Sgmm 5.00%						
A] Tinning	g			3.00%		10 Sqmm & Above 5.00%						
3] Strandi	i ng (Upto 6	sq.mm)		4.00%		G) HR PVC INSULATION 7.50%						
				H) HR I.SH/O/SH. (EACH) 5.00%								
						I] PVC Cables 7.50%						
1C 95 sq.mm & above 9.00%				FRLS L	oading Fact	or- Control (Cable	LS	ZH			
·			18.00%			Inner			Inner	Outer		
3C & 4C 16 sq.mm & Above			18.00%		Cores	Sheath	Outer	Sheath	Sheath	Sheath		
	- 16 Core &			18.00%				Armd.	Unarmd.			
	- 10 Core &			18.00%		2 - 4	5.0%	5.0%	5.0%	22.5%	22.5%	
	Index (FR)			4.00%		5 - 10	5.0%	5.0%	5.0%	22.5%	22.5%	
.,,8-11				1.0070		12 & Above	5.0%	5.0%	5.0%	18.0%	18.0%	
The - 1		avalus - to sa	LOCT 0			11 ba alaawa	3.070	3.070	5.070	10.070	10.07	

• The above rates are exclusive of GST & any other taxes which shall be charged extra.

• This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



KEI INDUSTRIES LIMITED (MUMBAI)

Nirvan Corporate, 7th Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East, Mumbai - 400 093. Tel.: 022-2837 5642 / 2823 9673 Fax: 2825 8277



spa.mumbai@kei-ind.com

1C HT CABLE FLAT & ROUND

"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND, XLPE INSULATED, INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE (0.18kA FOR 1 SEC), AL FLAT STRIP ARMOURED & AL ROUND WIRE ARMOURED, AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Mtr.)

PRICE LIST: 01-03-2025

1 CORE HT XLPE												
Cable	A2XCEFaY								A2XCEWaY			
Size in sq.mm	6.6 KV [E] / 3.3 KV [UE]	6.6 KV [UE] / 11 KV [E]	11 KV [UE]	22 KV [E]	33 KV [E]	Cable Size in sq.mm	6.6 KV [E] / 3.3 KV [UE]	6.6 KV [UE] / 11 KV [E]	11 KV [UE]	22 KV [E]	33 KV [E]	
240	1357	1417	1617	1667	2000	240	1573	1643	1880	1930	2310	
300	1603	1657	1870	1920	2273	300	1837	1890	2143	2203	2753	
400	2030	2060	2303	2360	2717	400	2247	2277	2553	2607	3193	
500	2433	2453	2710	2760	3143	500	2700	2727	3170	3240	3677	
630	2937	2950	3217	3277	3697	630	3273	3280	3760	3823	4300	
800	3573	3590	3880	3953	4387	800	4137	4157	4490	4567	5053	
1000	4340	4347	4680	4737	5213	1000	5007	5007	5363	5450	6277	

EXTRAS FOR SPECIAL CONSTRUCTION:-

1) FRLS PVC SHEATH -

Inner Sheath 5.0%
Outer Sheath 5.0%
2) FR Sheath with Oxygen Index 2.5%



3C HT CABLE FLAT & ROUND

"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND, , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE (0.3kA FOR 1 SEC 3CORE COMBINED) , CORES LAID UP, INNERSHEATH OF PVC TAPE , GALVANISED STEEL FLAT STRIP ARMOURED & ROUND WIRE ARMOURED , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Mtr.)

Page 03 of 03

PRICE LIST: 01-03-2025

3 CORE HT XLPE												
Cable			A2XCEFY			Cable	A2XCEWY					
Size in sq.mm	6.6 KV [E] / 3.3 KV [UE]	6.6 KV [UE] / 11 KV [E]	11 KV [UE]	22 KV [E]	33 KV [E]	Size in sq.mm	6.6 KV [E] / 3.3 KV [UE]	6.6 KV [UE] / 11 KV [E]	11 KV [UE]	22 KV [E]	33 KV [E]	
35						35						
50						50						
70						70						
95	2077	2250	2770	2910	3760	95	2410	2607	3390	3557	4530	
120	2387	2553	3110	3220	4097	120	2720	2900	3730	3883	5260	
150	2767	2920	3517	3637	4583	150	3117	3340	4160	4323	5740	
185	3137	3363	3937	4063	5043	185	3543	3950	4603	4757	6200	
240	3853	4070	4663	4803	5813	240	4467	4713	5400	5927	7073	
300	4587	4747	5393	5617	6570	300	5243	5437	6523	6710	7890	
400	5897	5973	6683	6850	7853	400	6957	7057	7897	8053	9333	

EXTRAS FOR SPECIAL CONSTRUCTION:-

1) Extruded PVC Inner Sheath 5.0%
2) Pressure Extruded PVC Innersheath 20.0%

3) FRLS PVC SHEATH -

Inner Sheath
Outer Sheath
5.0%
4) FR Sheath with Oxygen Index
2.5%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.

KEI WIRES & CABLES