Bill Avenue®

Bharat Bill Payment System

API Integration Document

Version 2.8.7

Statement of Confidentiality

This document contains information that is proprietary and confidential to Avenues India Private Limited, which shall not be disclosed, transmitted, or duplicated, used in whole or in part for any purpose other than its intended purpose. Any use or disclosure in whole or in part of this information without the express written permission of Avenues India Private Ltd. is prohibited. Any other company and product names mentioned are used for identification purposes only and may be trademarks of their respective owners.

Document Control

Version History:

Date	Version	Description of change	Owner	Approved by
15-03-2017	1.0	Draft document - BBPS API Pilot functionality	Avenues	Hemangi Zope
17-03-2017	1.1	BBPS API Pilot functionality	Avenues	Hemangi Zope
18-05-2017	1.2	1. API Message Exchange - Parameter added 2. Bill Info Response - billerAdhoc attribute value changed 3. Bill Fetch - Valid and Invalid response scenarios depicted. 4. Bill Payment - <amountTags>format changed to accept key - value pair. 5. Bill Payment - <paymentInfo>format changed to accept key - value pair. 6. Bill Payment - Valid and Invalid response scenarios depicted. 7. Transaction Status - Date rangeinput added.	Avenues	Hemangi Zope
08-06-2017	1.3	Biller Info Sample XML Request for Complete Biller List is added.	Avenues	Hemangi Zope
21-07-2017	1.4	Deposit Enquiry API request and response added.	Avenues	Hemangi Zope
24-11-2022	1.5	Updated all the XML Request and Responses.	Avenues	Akshayraj Dileeprajan, Pramod Sharma
24-02-2023	2.0	Had discussed with Support and made some minor modifications.	Avenues	Pramod Sharma
19-04-2024	2.1	Incorporated JSONs for all the XMLs	Avenues	Saurabh Jadhav, Pramod Sharma
20-05-2024	2.2	Made some formatting changes	Avenues	Pramod Sharma

19-09-2024	2.3	Added Validation info, and XML Request and Response for INT and MOB payment channels	Aman Vardia	Pramod Sharma
24-10-2024	2.4	Made consistent formatting, Added value added API, All API URLs, merge Plan Pull API and CCF1 Tag details, under Deposit Enquiry API XML and JSON URL added, Encryption and Decryption details added, API message exchange is updated, API authentication and Encryption of request for API calls section is added.	Anagha Mestry	Pramod Sharma
02-05-2025	2.5	Amount tag updated in bill fetch API XML request and response; bill fetch and pay request and response for credit card transactions; new disposition added in complaint registration and tracking section; request and response changed, URL updated	Anagha Mestry	Pramod Sharma
07-05-2025	2.6	JSON URLS added for Complaint registration and complaint tracking API	Anagha Mestry	Pramod Sharma
19-06-2025	2.7	1. New section added which explains supported payment modes for both B2B and B2C modules, along with payment channel-wise bifurcation. 2. MDM call limit note added 3. Validation API – the JSON request and URL endpoint are added. 4. Before initiating a Fetch, Payment, or Validation API call, the Biller Info API must be called first to get updated parameter details this note added. 5. JSON URLS added for Complaint registration and complaint tracking API 6. Extra tags remove from Complaint Registration & Tracking API 7. Bill payment sample XML request for INT payment channel and cash payment mode also added, also covered successful and failure response.	Anagha Mestry	Ashwini Sonawane
09-07-2025	2.8	1. APIs Authentication and Encryption request API call section remove 2. AGT column deleted from B2C section	Anagha Mestry	Ashwini Sonawane Pramod Sharma

		3. Changes made in Bill Payment for MOB payment, as suggested note also added 4. XML request tags are made consistent throughout document. 5. Payment Channel Vs Payment modevise sample Bill request are remove and instead table added.		
14-07-2025	2.8.1	1. Push refund notification API format added.	Anagha Mestry	Ashwini Sonawane Pramod Sharma
17-07-2025	2.8.2	1. B2B and B2C section, table removed.	Anagha Mestry	Ashwini Sonawane Pramod Sharma
02-09-2025	2.8.3	1. Under B2B and B2C section, Payment channels and payment mode supported by BillAvenue table added. 2. Remitter Info newly added 3. Complaint disposition updated 4. Plan push API JSON request and response added	Anagha Mestry	Ashwini Sonawane Pramod Sharma
25-09-2025	2.8.4	1. Biller Info API request and response added. 2. Push notification	Anagha Mestry	Ashwini Sonawane Pramod Sharma
16-10-2025	2.8.5	1. Square parenthesis removed from Bill fetch sample JSON request	Anagha Mestry	Ashwini Sonawane Pramod Sharma
09-01-2025	2.8.6	1. Remitter Info section added	Anagha Mestry	Ashwini Sonawane Pramod Sharma
13-02-2026	2.8.7	1. Remitter info section updated 2. LPSC remove from complaint disposition table 3. Complaint registration JSON request added after correction.	Anagha Mestry	Ashwini Sonawane Pramod Sharma

Authorization:

Prepared By	Reviewed By	Approved By
Name: Anagha Mestry Designation: Business Analyst	Name: Ashwini Sonawane Designation: Technical Lead	Name: Pramod Sharma Designation: Sr. Project Manager

Table of Contents

Statement of Confidentiality 2
Document Control 2
Version History: 2
Authorization: 4
Table of Contents 5
1.0 About the Document 6
2.0 System Requirements 6
3.0 API Message Exchange 7
4.0 BillAvenue API 8
5.0 B2B (Business-to-Business) payments in BillAvenue 9
6.0 B2C (Business-to-Customer) payments in BillAvenue 10
Biller Info API 11
Bill Payment API 32
Complaint Registration/Tracking API 51
Biller Validation API 58
Plan Pull API 63
CCF1 Tag Implementation 71
Deposit Enquiry API 76
Push Notification API 79

1.0 About the Document

Purpose

This document will act as a standard integration guide that would help Agent Institutions to integrate with Avenues Bill Payment System. The API serves as the bridge between Agent Institution (AI), Avenues as an Operating Unit (OU) and BBPS Central Unit (CU).

Scope

The scope of this document primarily encompassed the BBPS functionalities during the Pilot phase. However, it underwent iterations over time to cater to the system requirements of BBPS envisaged for future enhancements in a post-Pilot scenario. The following sections cover the various considerations to be factored in preparing the application. Agent / Agent Institutions need to update their API's, as and when the changes are being delegated by the BBPS.

2.0 System Requirements

Network

The participating Agent Institution is recommended to process the API's over secure HTTPS protocol. This would help secure the packages in transmission. The API's are configured on TLS v1.2 and accept requests only in this format.

Application

The application connects with BBPS and in return, the responses are delegated back to the Agent Institutions. As per a BBPS suggestion, the time out for API's has to be set at minimum of 300 seconds. To account for marginal difference, a tolerance of +/- 15 seconds has been provisioned. To secure the API communication the messages are set to be AES encrypted and encryption key (AES 128-bit mechanism) will be provided to Agent Institutions once successfully on-boarded with Avenues.

3.0 API Message Exchange

All API's accept POST parameters, which are sent over HTTPS. To ensure data authenticity and prevent any kind of tampering, we accept data and send data in encrypted format. The encryption key is Agent Institution specific and each Agent Institution is requested to use the given set of access code and working key for API communication.

Agent Institution's needs to develop APIs in the suggested format and then post the following parameters:

1. **accessCode** (provided by BillAvenue)

2. **requestId** (Alphanumeric 35 characters unique ID)
   Format: <random characters of length 27>;
   <YDDDhhmm> where Y will be the last digit of the current year,
   DDD – the nth day of the current year, hh will be in 24-hour format, followed by mm in minutes.

3. **encRequest** (encrypted XML request)

4. **ver** (fixed version value 1.0)

5. **instituteId** (provided by BillAvenue)

6. **Algorithm** Advanced Encryption Standard (AES)

7. **Cipher Mode** Cipher block chaining(CBC)

8. **Padding** PKCS5Padding

9. **IV** is confidential and can be shared separately

Note: Any amount mentioned in the API request / response are in paise. So, Agent Institutions are requested to pass the converted values accordingly.

4.0 BillAvenue API

The BillAvenue API is designed to enable billers to interact securely with our API from client-side web application. Biller can get API Request and Response in XML, JSON format including errors.

1. **Biller Info API** - The API fetches information of Biller's that are registered under Bharat Bill Payment System.
   Staging API URL - https://stgapi.billavenue.com/billpay/extMdmCntrl/mdmRequestNew/xml

2. **Biller Fetch API** - This API fetches the bill from the Central Unit (CU) of BBPS via Avenues application.
   Staging API URL - https://stgapi.billavenue.com/billpay/extBillCntrl/billFetchRequest/xml

3. **Bill Payment API** - This API is called post processing of payment and all mandatory information should be passed in this call. Based on the successful response of this API a receipt has to be generated as per the BBPS guidelines. In event of a failure, end user should be updated so that he/she can retry.
   Staging API URL - https://stgapi.billavenue.com/billpay/extBillPayCntrl/billPayRequest/xml

4. **Transaction Status API** - This API can be utilized to fetch status information of any transaction based on its txnRefId or customer mobile number..
   Staging API URL - https://stgapi.billavenue.com/billpay/transactionStatus/fetchInfo/xml

5. **Complaint Registration API** - This API helps the Agent Institutions to register any customer complaint.
   Staging API URL - https://stgapi.billavenue.com/billpay/extComplaints/register/xml

6. **Complaint Tracking API** - This API helps the Agent Institutions to check the status of any previously registered complaint.
   Staging API URL - https://stgapi.billavenue.com/billpay/extComplaints/track/xml

7. **Bill Validation API** - Bill validation API for payment only Billers, which will help avoid the need for reversals on account of invalid customer parameters or any other valid reasons.
   Staging API URL - https://stgapi.billavenue.com/billpay/extBillValCntrl/billValidationRequest/xml

8. **Plan Pull API** - This API details that can be useful for Agent Institutions (AI) to pull new/updated plans from one or more billers.
   Staging API URL - https://stgapi.billavenue.com/billpay/extPlanMDM/planMdmRequest/xml?accessCode=*****&requestId=****&ver=**&instituteId=****

9. **CCF1 Tag Implementation** - Billers will not charge a uniform CCF1 fee, so an optional tag <CCF1> is added to the payment request. For billers in the above categories, this tag becomes mandatory.

10. **Deposit Enquiry API** - This API can be utilized to fetch the information of the deposits made for a particular agent.
    Staging API URL: https://stgapi.billavenue.com/billpay/enquireDeposit/fetchDetails/xml

5.0 B2B (Business-to-Business) payments in BillAvenue

BillAvenue supports "Business-to-Business" (B2B) payments where businesses managing or aggregating billing or payment services for other businesses.

System users:

Enterprises such as FinTechs, Banks, NBFCs, distributors, or corporate bill aggregators.

Use Cases of B2B payments:

- A company that wants to offer bill payment services under its brand.
- A distributor integrating BBPS into its own app/website for retail agents.

BillAvenue API Integration:

FinTech uses BillAvenue's API solution to provide bill pay services to its clients (other businesses).

Payment channels and payment mode supported by BillAvenue:

Refer the highlighted channels for supported modes, to know more detail about payment mode and payment channels, kindly connect with BillAvenue marketing team.

S No	Payment Mode	Payment Channels								
		INT	INB	MOB	MBB	ATM	BNK	KSK	AGT	BSC
1	Cash	N	N	N	N	N	Y	Y	Y	Y
2	Internet Banking	Y	Y	Y	Y	Y	N	N	N	N
3	Credit Card	Y	Y	Y	Y	Y	Y	Y	N	Y
4	Debit Card	Y	Y	Y	Y	Y	Y	Y	N	Y
5	Prepaid Card	Y	Y	Y	Y	Y	Y	Y	N	Y
6	IMPS	N	Y	N	Y	N	Y	N	N	Y
7	NEFT	N	Y	N	Y	Y	Y	N	N	Y
8	UPI	Y	Y	Y	Y	N	Y	N	N	Y
9	Wallet	Y	Y	Y	Y	N	Y	Y	N	Y
10	AEPS	N	N	N	N	N	Y	N	N	Y
11	Act Transfer	N	N	N	N	N	Y	N	N	N
12	Bharat QR	N	N	Y	Y	N	Y	N	N	Y
13	USSD	N	N	Y	Y	N	N	N	N	N

Kindly note that, as per NPCI guidelines **NEFT** and **IMPS** payment mode are no longer active

Payment mode should exactly match what the customer selects.

AI should pass no other payment mode.

6.0 B2C (Business-to-Customer) payments in BillAvenue

BillAvenue supports "Business-to-Customer" (B2C) payments where customer paying their own bills.

System users:

Regular Customers/individuals.

Use Cases of B2C payments:

- A customer uses a BillAvenue Agent (like a retailer or app) to pay their bill.
- The agent accesses the biller's system through the BBPS platform.

BillAvenue API Integration:

Agent institutions/agent uses develop mobile application and integrate with BillAvenue's API solution to provide bill pay services to customer.

Payment channels and payment mode supported by BillAvenue:

Refer the highlighted channels for supported modes, to know more detail about payment mode and payment channels, kindly connect with BillAvenue marketing team.

S No	Payment Mode	Payment Channels								
		INT	INB	MOB	MBB	ATM	BNK	KSK	AGT	BSC
1	Cash	N	N	N	N	N	Y	Y	Y	Y
2	Internet Banking	Y	Y	Y	Y	Y	N	N	N	N
3	Credit Card	Y	Y	Y	Y	Y	Y	Y	N	Y
4	Debit Card	Y	Y	Y	Y	Y	Y	Y	N	Y
5	Prepaid Card	Y	Y	Y	Y	Y	Y	Y	N	Y
6	IMPS	N	Y	N	Y	N	Y	N	N	Y
7	NEFT	N	Y	N	Y	Y	Y	N	N	Y
8	UPI	Y	Y	Y	Y	N	Y	N	N	Y
9	Wallet	Y	Y	Y	Y	N	Y	Y	N	Y
10	AEPS	N	N	N	N	N	Y	N	N	Y
11	Act Transfer	N	N	N	N	N	Y	N	N	N
12	Bharat QR	N	N	Y	Y	N	Y	N	N	Y
13	USSD	N	N	Y	Y	N	N	N	N	N

Kindly note that, as per NPCI guidelines, **NEFT** and **IMPS** payment modes are no longer active.

Payment mode should exactly match what the customer selects.

AI should pass no other payment mode.

Biller Info API

This API fetches information of Billers that are registered under Bharat Bill Payment System. Agent Institutions are advised to design their front-end channels accordingly. Agent Institution needs to pass the encrypted data in the request body only, without including the parameter name in the header. Some key information that is part of the response message is as follows:

Please refer "BillerInfo_API 1.1.doc" for complete information about Biller Info (MDM) API.

Before initiating a Fetch, Payment, or Validation API call, the Biller Info API must be called first to get updated parameter details.

The current MDM API call limit is 15 requests per AI per 24-hour period.

Biller Info API now includes payment mode and channel limit details. payments are accepted based on the defined limits, thereby reducing failures at NPCI or on our end.

API endpoint: https://stgapi.billavenue.com/billpay/extMdmCntrl/mdmRequestNew/xml?

Biller Info XML Sample Request (Specific data):

```
<?xml version="1.0" encoding="UTF-8">
<billerInfoRequest>
  <billerId>OTME00005XXZ43</billerId>
</billerInfoRequest>
```

VALIDATION:

- The Biller id must be 14 characters.
- The list should contain at least 1 and at most 2000 biller Ids.

XML Element	Description	Required	Values(Actual /Dummy)	Data type	Min-Max length	Validations	Sample values
billerId	Unique alphanumeric code to identify each biller in the system.	Mandatory	Actual	String	Min: 14 Max:14	Alphanumeric	OTME00005XXZ43

Biller Info XML Sample Response:

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<billerInfoResponse>
  <responseCode>000</responseCode>
  <biller>
    <billerId>BILAVAIRTEL001</billerId>
    <billerAliasName>Airtel</billerAliasName>
    <billerName>AIRTEL</billerName>
    <billerCategory>Mobile Prepaid</billerCategory>
    <billerAdhoc>true</billerAdhoc>
```

```
<billerCoverage>Ind</billerCoverage>
<billerFetchRequiremet>NOT_SUPPORTED</billerFetchRequiremet>
<billerPaymentExactness>Exact</billerPaymentExactness>
<billerSupportBillValidation>OPTIONAL</billerSupportBillValidation>
<supportPendingStatus>No</supportPendingStatus>
<supportDeemed>No</supportDeemed>
<billerStatus>ACTIVE</billerStatus>
<billerTimeout></billerTimeout>
<billerInputParams>
  <paramInfo>
    <paramName>Mobile Number</paramName>
    <dataType>NUMERIC</dataType>
    <isOptional>false</isOptional>
    <minLength>10</minLength>
    <maxLength>10</maxLength>
    <visibility>true</visibility>
  </paramInfo>
  <paramInfo>
    <paramName>Location</paramName>
    <dataType>ALPHANUMERIC</dataType>
    <isOptional>false</isOptional>
    <minLength>0</minLength>
    <maxLength>0</maxLength>
    <visibility>true</visibility>
  </paramInfo>
</billerInputParams>
<billerAdditionalInfo/>
<billerAmountOptions>BASE_BILL_AMOUNT</billerAmountOptions>
<billerPaymentModes>
  <paymentModeInfo>
    <paymentMode>DEBIT CARD</paymentMode>
    <minAmount>0</minAmount>
    <maxAmount>0</maxAmount>
  </paymentModeInfo>
  <paymentModeInfo>
    <paymentMode>UPI</paymentMode>
    <minAmount>0</minAmount>
    <maxAmount>0</maxAmount>
  </paymentModeInfo>
  <paymentModeInfo>
    <paymentMode>CASH</paymentMode>
```

```
    <minAmount>0</minAmount>
    <maxAmount>0</maxAmount>
  </paymentModeInfo>
  <paymentModeInfo>
    <paymentMode>WALLET</paymentMode>
    <minAmount>0</minAmount>
    <maxAmount>0</maxAmount>
  </paymentModeInfo>
  <paymentModeInfo>
    <paymentMode>PREPAID CARD</paymentMode>
    <minAmount>0</minAmount>
    <maxAmount>0</maxAmount>
  </paymentModeInfo>
  <paymentModeInfo>
    <paymentMode>ACCOUNT TRANSFER</paymentMode>
    <minAmount>0</minAmount>
    <maxAmount>0</maxAmount>
  </paymentModeInfo>
  <paymentModeInfo>
    <paymentMode>INTERNET BANKING</paymentMode>
    <minAmount>0</minAmount>
    <maxAmount>0</maxAmount>
  </paymentModeInfo>
  <paymentModeInfo>
    <paymentMode>CREDIT CARD</paymentMode>
    <minAmount>0</minAmount>
    <maxAmount>0</maxAmount>
  </paymentModeInfo>
  <paymentModeInfo>
    <paymentMode>NEFT</paymentMode>
    <minAmount>0</minAmount>
    <maxAmount>0</maxAmount>
  </paymentModeInfo>
  <paymentModeInfo>
    <paymentMode>AEPS</paymentMode>
    <minAmount>0</minAmount>
    <maxAmount>0</maxAmount>
  </paymentModeInfo>
  <paymentModeInfo>
    <paymentMode>IMPS</paymentMode>
    <minAmount>0</minAmount>
```

```
        <maxAmount>0</maxAmount>
      </paymentModeInfo>
      <paymentModeInfo>
        <paymentMode>BHARAT QR</paymentMode>
        <minAmount>0</minAmount>
        <maxAmount>0</maxAmount>
      </paymentModeInfo>
    </billerPaymentModes>
    <billerDescription></billerDescription>
<rechargeAmountInValidationRequest>NOT_SUPPORTED</rechargeAmountInValidationRequest>
    <billerPaymentChannels>
      <paymentChannelInfo>
        <paymentChannelName>AGT</paymentChannelName>
        <minAmount>0</minAmount>
        <maxAmount>0</maxAmount>
      </paymentChannelInfo>
      <paymentChannelInfo>
        <paymentChannelName>INT</paymentChannelName>
        <minAmount>0</minAmount>
        <maxAmount>0</maxAmount>
      </paymentChannelInfo>
      <paymentChannelInfo>
        <paymentChannelName>MOB</paymentChannelName>
        <minAmount>0</minAmount>
        <maxAmount>0</maxAmount>
      </paymentChannelInfo>
      <paymentChannelInfo>
        <paymentChannelName>BSC</paymentChannelName>
        <minAmount>0</minAmount>
        <maxAmount>0</maxAmount>
      </paymentChannelInfo>
    </billerPaymentChannels>
    <billerAdditionalInfoPayment>
      <paramInfo>
        <paramName>Minimum Recharge Amount</paramName>
        <dataType>NUMERIC</dataType>
        <isOptional>false</isOptional>
      </paramInfo>
      <paramInfo>
        <paramName>Supported UPI</paramName>
        <dataType>ALPHANUMERIC</dataType>
```

```
            <isOptional>true</isOptional>
          </paramInfo>
        </billerAdditionalInfoPayment>
        <planAdditionalInfo>
          <paramInfo>
            <paramName>number</paramName>
            <dataType>ALPHANUMERIC</dataType>
            <isOptional>true</isOptional>
          </paramInfo>
        </planAdditionalInfo>
        <planMdmRequirement>NOT_SUPPORTED</planMdmRequirement>
        <billerResponseType>SINGLE</billerResponseType>
        <billerPlanResponseParams/>
        <interchangeFeeCCF1/>
      </biller>
    </billerInfoResponse>
```

XML Element	Description	Required
<responseCode>	Code for success or failure of a request.	Mandatory
<errorInfo>	If the request validation failure occurs details of error is returned in this block.	Conditional
<error>	Description of error if any	Conditional
<errorCode>	System generated error code in case error occurs.	
<errorMessage>	A brief description of error code.	Conditional
<biller>	Each biller tag consists of master configuration for the specified biller.	Conditional
<billerId>	Unique alphanumeric code to identify each biller in the system.	Mandatory
<billerName>	Biller name as registered in the system.	Mandatory
<billerCategory>	Category under which a biller falls e.g. Mobile Prepaid	Mandatory
<billerAdhoc>	Describes if the biller accept Ad-hoc amount payments.(billerAdhoc = true along with billerFetchRequiremet = MANDATORY enables the billerPaymentExactness of the biller)	Mandatory
<billerCoverage>	Coverage of the Biller, i.e., National, State/UT, City/District	Mandatory
<billerFetchRequiremet>	Indicates if the Biller allows Bill Fetch or not – possible values are MANDATORY, OPTIONAL, NOT_SUPPORTED.	Mandatory
<billerPaymentExactness>	Indicates if the Biller (having Mandatory Bill Fetch) allows exact payment or not – possible values are Exact, Exact and above, Exact and below.	Conditional
<billerSupportBillValidation>	Indicates if the Biller allows Bill Validation or not – possible values are MANDATORY, OPTIONAL, NOT_SUPPORTED.	Mandatory
<supportPendingStatus>	Flag indicating if a biller supports pending status or not. Its values can be Yes or No. This is utilized by the CU and BOU.	Conditional
<supportDeemed>	Flag indicating if a biller supports deemed success or not. Its values can be Yes or No.This is utilized by the CU and BOU.	Optional
<billerTimeout>	Final Timeout of the Biller in minutes, which supports Pending Status.This, is utilized by the CU and BOU.	Optional
<billerInputParams>	List of customer parameters required by a biller for processing the request.	Mandatory
<paramInfo>	Configuration of each input parameter is defined in this block.	Mandatory
<paramName>	Customer input parameter name.	Mandatory
<dataType>	Allowed data type. Its value could be NUMERIC or ALPHANUMERIC	Mandatory
<isOptional>	Specifies whether customer input is mandatory or	Mandatory

	optional.	
<minLength>	Minimum length of input for validation if specified by biller. Default value is 0.	Conditional
<maxLength>	Maximum length of input for validation if specified by biller. Default value is 0.	Conditional
<regEx>	Regular expression (RegEx) is a string of characters representing permissible values of the customer parameters for a biller.	Conditional
<visibility>	Visibility of the customer parameter in COU/AIs front-end screen.	Conditional
<values>	Default (possible) values list against a Customer Parameter	Conditional
<billerAmountOptions>	Applicable for post-paid bill payment to depict acceptable combination of amount options.	Conditional
<billerPaymentModes>	Payment mode supported by the biller.	Mandatory
<billerDescription>	A brief description about biller if any.	Conditional
<rechargeAmountInValidation Request>	Valid if bill validation is supported to identify if amount shall be passed along with customer inputs.	Conditional
<billerPaymentChannels>	Payment channel details of the Biller	Mandatory
<billerAdditionalInfoPayment>	Additional information details provided by the Biller	Conditional
<planAdditionalInfo>	Plan Additional information details provided by the Biller. This is aailable for billers supporting Plan MDM	Optional
<billerAdditionalInfo>	Additional information details provided by the Biller.	Conditional
<planMdmRequirement>	Flag indicating whether Plan MDM is applicable for the biller or not. MANDATORY/OPTIONAL/NOT_SUPPORTED.	Optional

Note: For awaited transactions, AI should hold the customer's funds at its end and raise status check API after 15 min of payment initiation.

Biller Info JSON Sample Request (Specific data):

API endpoint: https://stgapi.billavenue.com/billpay/extMdmCntrl/mdmRequestNew/json?


```
{
   "billerId": [
       "AURDG0000DIG01"
   ]
}
```


Biller Info JSON Sample Response:


```
{
 "responseCode": "000",
 "biller": [
  {
   "billerId": "BILAVAIRTEL001",
   "billerAliasName": "Airtel",
   "billerName": "AIRTEL",
   "billerCategory": "Mobile Prepaid",
   "billerAdhoc": "true",
   "billerCoverage": "Ind",
   "billerFetchRequiremet": "NOT_SUPPORTED",
   "billerPaymentExactness": "Exact",
   "billerSupportBillValidation": "OPTIONAL",
   "billerInputParams": [
    {
     "paramsList": [
      {
       "paramName": "Mobile Number",
       "dataType": "NUMERIC",
       "isOptional": "true",
       "minLength": "10",
       "maxLength": "10",
       "visibility": "true"
      },
      {
       "paramName": "Location",
       "dataType": "ALPHANUMERIC",
       "isOptional": "true",
       "minLength": "2",
       "maxLength": "20",
       "visibility": "true"
      }
     ]
```

```
  }
 ],
 "billerAmountOptions": "BASE_BILL_AMOUNT",
 "billerPaymentModes": {
  "paymentModeList": [
   {
    "paymentModeName": "Debit Care",
    "minAmount": "0",
    "maxAmount": "0"
   },
   {
    "paymentModeName": "WALLET",
    "minAmount": "0",
    "maxAmount": "0"
   },
   {
    "paymentModeName": "CASH",
    "minAmount": "10",
    "maxAmount": "100"
   },
   {
    "paymentModeName": "CREDIT CARD",
    "minAmount": "0",
    "maxAmount": "0"
   },
   {
    "paymentModeName": "ACCOUNT TRANSFER",
    "minAmount": "0",
    "maxAmount": "0"
   },
   {
    "paymentModeName": "NEFT",
    "minAmount": "0",
    "maxAmount": "0"
   },
   {
    "paymentModeName": "UPI",
    "minAmount": "0",
    "maxAmount": "0"
   },
   {
    "paymentModeName": "INTERNET BANKING",
    "minAmount": "0",
    "maxAmount": "0"
   },
```

```
      {
        "paymentModeName": "PREPAID CARD",
        "minAmount": "0",
        "maxAmount": "0"
      },
      {
        "paymentModeName": "AEPS",
        "minAmount": "0",
        "maxAmount": "0"
      },
      {
        "paymentModeName": "IMPS",
        "minAmount": "0",
        "maxAmount": "0"
      },
      {
        "paymentModeName": "BHARAT QR",
        "minAmount": "0",
        "maxAmount": "0"
      }
    ]
  },
  "rechargeAmountInValidationRequest": "OPTIONAL",
  "billerDescription": "",
  "supportPendingStatus": "No",
  "supportDeemed": "No",
  "billerTimeout": "",
  "billerPaymentChannels": [
    {
      "paymentChannelList": [
        {
          "paymentChannelName": "POS",
          "minAmount": "0",
          "maxAmount": "0"
        },
        {
          "paymentChannelName": "BSC",
          "minAmount": "0",
          "maxAmount": "0"
        },
        {
          "paymentChannelName": "ATM",
          "minAmount": "0",
          "maxAmount": "0"
        },
```

```
      {
        "paymentChannelName": "KIOSK",
        "minAmount": "0",
        "maxAmount": "0"
      },
      {
        "paymentChannelName": "AGT",
        "minAmount": "0",
        "maxAmount": "0"
      },
      {
        "paymentChannelName": "INT",
        "minAmount": "0",
        "maxAmount": "0"
      },
      {
        "paymentChannelName": "BNKBRNCH",
        "minAmount": "0",
        "maxAmount": "0"
      },
      {
        "paymentChannelName": "MPOS",
        "minAmount": "0",
        "maxAmount": "0"
      },
      {
        "paymentChannelName": "MOB",
        "minAmount": "0",
        "maxAmount": "0"
      },
      {
        "paymentChannelName": "INTB",
        "minAmount": "0",
        "maxAmount": "0"
      },
      {
        "paymentChannelName": "MOBB",
        "minAmount": "0",
        "maxAmount": "0"
      }
    ]
  }
],
"billerAdditionalInfo": [
  {}
```

```
      ],
      "billerAdditionalInfoPayment": [
        {}
      ],
      "planAdditionalInfo": [
        {}
      ],
      "planMdmRequirement": "NOT_SUPPORTED",
      "billerResponseType": "SINGLE",
      "billerPlanResponseParams": [
        {}
      ],
      "interchangeFeeCCF1": {},
      "billerStatus": "FLUCTUATING"
    }
  ],
  "errorInfo": []
}
```


Bill Fetch API

This API fetches the bill from the Central Unit (CU) of BBPS via BillAvenue's application. Following key information is required to fetch the bill and this should be in-sync with the Biller Info API details:

1. Agent ID assigned by Avenues
2. Agent device info like IP and MAC **Note** - initChannel can be AGT or INT or MOB
3. Customer information (mobile number is mandatory)
4. Biller ID as received from Biller Information
5. Biller input parameters

Biller input parameters should be validated as per the information received from the Biller Info call and value selected by the end user.

API endpoint: https://stgapi.billavenue.com/billpay/extBillCntrl/billFetchRequest/xml?

Remitter Info

- The PaymentRefId tag is mandatory for all transactions, regardless of the amount or Category.
- The AIs should pass the new <infoName>Payment Account Info</infoName> tag for all the transactions irrespective of the amount (no less than or more than 50k segregation).
- Since you won't pass the old tag, so there will be no need to pass the "IFSC Code" etc (not available in case of PG integration).
- The txnReferenceId is PG's ref id.
- For ALL transactions, following Remitter Info tags are mandatory:
  - Remitter Name
  - PaymentRefId
  - Payment Account Info
  - Payment mode
- The previous implementation of CCBP where the above tags were mandatory irrespective of amount is NULL and VOID now.
- For Payment Account Info, the only validations required are:
  a) It should be pipe (|) separated if it contains multiple values.
  b) For VPA values, the @ symbol must be present.
- For amounts > 50,000 and when payment mode is CASH, providing a PAN is mandatory.
- For Credit Card and Loan Repayment biller category, these payment modes are disabled:
  - Credit Card
  - Wallet
  - Prepaid Card.
- For payment channel INT, MOB and AGT, the following payment modes are disabled:
  - Internet Banking,
  - NEFT
  - IMPS
- Based on Payment mode, payment info tag will be change as mentioned in below table:

Sr No	Payment Mode	Payment Account Info	Sample Values
1	Cash	Cash Payment	Cash Payment
2	Internet Banking	txnReferenceId|txnReferenceId	~~HDFC0002255|12345678~~ 114039653628|114039653628
3	Debit Card	Last 4 digits|Card Issuer or txnReferenceId|txnReferenceId	4049|ICICI
4	Credit Card	Last 4 digits|Card Issuer or txnReferenceId|txnReferenceId	1870|HDFC
5	UPI	VPA [Valid and genuine VPA value]	998766789456@upi
6	Wallet	WalletName|MobileNo	Paytm|99878965684
7	AEPS	Last 4 digits of Aadhaar|IIN	8080|123456
8	Bharat QR	VPA [Valid and genuine VPA value]	998766789456@upi
9	USSD	USSD Payment	USSD Payment

Kindly note that, as per NPCI guidelines **NEFT** and **IMPS** payment mode are no longer active so removed from table.

Bill Fetch Sample XML Request:


```xml
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<billFetchRequest>
  <agentDeviceInfo>
      <app>tripozo</app>
      <imei>000000000000000</imei>
      <initChannel>MOB</initChannel>
      <ip>103.108.7.127</ip>
      <os>android</os>
  </agentDeviceInfo>
  <agentId>CC01CC01513515340681</agentId>
  <billerId>POCK00000NATDZ</billerId>
  <customerInfo>
      <customerEmail>divyeshsachan@gmail.com</customerEmail>
      <customerMobile>8004480444</customerMobile>
  </customerInfo>
  <inputParams>
      <input>
          <paramName>MOBILE NUMBER</paramName>
          <paramValue>8004480444</paramValue>
      </input>
  </inputParams>
</billFetchRequest>
```


Note: The value in agentDeviceInfo should not be static. It must be dynamically generated and reflect the actual agent's details.

XML Element	Description	Required	Values(Actual/ Dummy)	Data type	Min-Max length	Validations	Sample values
<agentId>	Unique alphanumeric code for each Agent. The values shall be communicated by BillAvenue team for each agent upon successful onboarding on production environment.	Mandatory	Actual	String	Min: 20 Max:20	• Length must be 20 characters. • CC015135153 40681 Highlighted Part of Agent Id should be same as the Unique Id assigned by COU to AI. • Agent Id should be Alphanumeric	CC01BP66AGTU00 000001
<agent DeviceInfo>	Details of Device from which the transaction was initiated.	Mandatory				• NA	
<Ip>	End user IP address.	Conditional	Actual	String	Min: 07 Max:15	• If initChannel is **INT**, then IP is mandatory. • Basic ip Regex validation is applied	192.156.29.55
<initChannel>	Initiating channel can be AGT, INT, MOB, etc. These values are configured in the system	Mandatory	Actual	String	Acceptable Values : **MOB, INT, AGT, INTB, MOBB, POS, ATM, BNKBRNCH , BSC, KIOSK, MPOS**	• It must be one of the channels enabled for the biller. • InitChannel must be one of the following: [**MOB**, **INT**, **AGT**, **INTB**, **MOBB**, **POS**, **ATM**, **BNKBRNCH**, **BSC**, **KIOSK**, **MPOS**] • If the payment channel is **MOB** or **MOBB**, then **IP**, **IMEI**, **OS**, and **App** Parameters are mandatory. • If the payment channel is **INT**, **INTB** then **IP** and **Mac**	

						parameters are mandatory.	
<mac>	MAC address of the server if available else default values as depicted can be passed.	Conditional	Actual	String		• It is mandatory if the **initChannel** is INT. • Basic mac Validation is applied.	A1-B2-C3-D4-E5-F6
<customer Info>	This block captures details of the Customer viewing / paying the bill	Mandatory					
<customer Mobile>	Customer mobile number	Mandatory	Actual	String	Min: 10 max:10	• It must start with one of these: [6789]. • Length must be 10 integers. • Must be all numeric.	6895454165
<customerE mail>	Customer email id	Optional	Actual	String		• Basic email validation applied.	xyz@abc.com
<customerA dhaar>	Customer Adhaar number	Optional	Actual	String	Min :12 Max:12	• It must be all alphanumeric and length must be 12 characters.	123112145566478 1
<customerP an>	Customer PAN number	Optional	Actual	String	Min: 10 Max: 10	• Length must be 10 characters. • First 5 characters should be Upper case Alphabets. • Next 4 characters must be Integers. • The last character should be an Alphabet.	AKSJK9685B
<billerId>	Unique identification code allocated to the Biller	Mandatory	Actual	String	Min:14 Max:14	• Length must be 14 characters. • It must be Alphanumeric	OTME00005X XZ43
<inputParams>	List of customer inputs as returned in Biller Info API response for the mentioned Biller ID.	Mandatory				• It must contain all the mandatory parameters	

						configured at the biller's end.	

Bill Fetch Sample XML Response:


```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<billFetchResponse>
  <responseCode>000</responseCode>
  <inputParams>
      <input>
<paramName>MOBILE NUMBER</paramName>
<paramValue>8004480444</paramValue>
      </input>
  </inputParams>
  <billerResponse>
      <amountOptions>
          <option>
              <amountName>Plan 1 Amount</amountName>
              <amountValue>900</amountValue>
          </option>
          <option>
              <amountName>Plan 2 Amount</amountName>
              <amountValue>4900</amountValue>
          </option>
          <option>
              <amountName>Plan 3 Amount</amountName>
              <amountValue>9900</amountValue>
          </option>
      </amountOptions>
      <billAmount>900</billAmount>
  </billerResponse>
  <additionalInfo>
      <info>
          <infoName>Plan 3 Amount</infoName>
          <InfoValue>99
          </infoValue>
      </info>
      <info>
          <infoName>Plan 3 Summary</infoName>
          <infoValue>Plan id: 303 || Coins: 230 || Original Amount: 130.0 || Discounted Amount:
          99.0</infoValue>
      </info>
      <info>
          <infoName>Plan 2 Amount</infoName>
          <infoValue>49</infoValue>
      </info>
```

```
        <info>
            <infoName>Plan 2 Summary</infoName>
            <infoValue>Plan id: 302 || Coins: 110 || Original Amount: 60.0 || Discounted Amount:
            49.0</infoValue>
        </info>
        <info>
            <infoName>Plan 1 Amount</infoName>
            <infoValue>9</infoValue>
        </info>
        <info>
            <infoName>Plan 1 Summary</infoName>
            <infoValue>Plan id: 301 || Coins: 20 || Original Amount: 11.0 || Discounted Amount:
            9.0</infoValue>
        </info>
    </additionalInfo>
</billFetchResponse>
```


Bill Fetch Sample XML Invalid Response:

(**Note:** If invalid mobile number is entered in bill fetch request)


```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<billFetchResponse>
    <responseCode>001</responseCode>
    <errorInfo>
        <error>
    <errorCode>E002</errorCode>
<errorMessage>Mobile number invalid</errorMessage>
        </error>
    </errorInfo>
</billFetchResponse>
```


XML Element	Description	Required
<responseCode>	Code for success or failure of a request.	Mandatory
<errorInfo>	If the request validation failure occurs details of error is returned in this block.	Conditional
<error>	Description of error if any	Conditional
<errorCode>	System generated error code in case error occurs.	
<errorMessage>	A brief description of error code.	Conditional
<inputParams>	List of customer inputs as mentioned in the bill fetch request.	Conditional
<billerResponse>	Response which is sent by the Biller for a successful transaction, i.e., response code is '000'	Conditional

<billAmount>	Amount of the bill	Mandatory
<billDate>	Generation date of the bill	Conditional
<billNumber>	Unique identifier of the bill	Conditional
<billPeriod>	Billing period of the bill.	Conditional
<customerName>	Name of the Customer	Conditional
<dueDate>	Due date of the bill	Conditional
<additionalInfo>	Additional information parameters provided by the Biller for a successful transaction, i.e., response code is '000'	Conditional
<amountOptions>	Amount options provided by the biller	Conditional

Bill Fetch Sample JSON Request:

API endpoint: https://stgapi.billavenue.com/billpay/extBillCntrl/billFetchRequest/json?


```
{
 "agentId": "CC01CC01513515340681",
 "billerAdhoc": false,
 "agentDeviceInfo": {
"ip": "192.168.2.183",
"initChannel": "INT",
"mac": "01-23-45-67-89-ab"
 },
 "customerInfo": {
"customerMobile": 9892506507,
"customerEmail": "abc@avenues.info",
"customerAdhaar": 548550008000,
"customerPan": ""
 },
 "billerId": "HPCL00000NAT01",
 "inputParams": {
"input": [
  {
 "paramName": "Consumer Number",
 "paramValue": 90883000
  },
  {
 "paramName": "Distributor ID",
 "paramValue": 13645300
  }
```

]
}
}

Bill Fetch Sample JSON Response:

{
"responseCode": "000",
"inputParams": {
"input": [
{
"paramName": "Consumer Number",
"paramValue": "90883000"
},
{
"paramName": "Distributor ID",
"paramValue": "13645300"
}
]
},
"billerResponse": {
"billAmount": "92300",
"billNumber": "1123314338567",
"customerName": "Ramesh Agrawal",
"dueDate": ""
},
"additionalInfo": {
"info": [
{
"infoName": "Distributor Contact",
"infoValue": "243306"
},
{
"infoName": "Distributor Name",
"infoValue": "BillAvenue Company"
},
{
"infoName": "Consumer Number",
"infoValue": "90883000"
},
{
"infoName": "Consumer Address",
"infoValue": "NA"
}
]

```
  }
}
```


Bill Fetch Sample XML Response for MOB Payment Channel:

(THIS IS SAME FOR EVERY PAYMENT MODE)


```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<billFetchResponse>
 <responseCode>000</responseCode>
 <inputParams>
  <input>
<paramName>Last 4 Digits of Credit Card</paramName>
<paramValue>0013</paramValue>
  </input>
  <input>
<paramName>Registered Mobile No</paramName>
<paramValue>8863008798</paramValue>
  </input>
 </inputParams>
 <billerResponse>
  <amountOptions>
<option>
 <amountName>Late Payment Fee</amountName>
 <amountValue>40</amountValue>
</option>
<option>
 <amountName>Fixed Charges</amountName>
 <amountValue>50</amountValue>
</option>
<Option>
 <amountName>Additional Charges</amountName>
 <amountValue>60</amountValue>
</option>
  </amountOptions>
  <billAmount>15770000</billAmount>
  <billDate>2025-03-13</billDate>
  <billNumber>BILL01</billNumber>
  <billPeriod>3 months</billPeriod>
  <customerName>Srinivas</customerName>
  <dueDate>2025-03-18</dueDate>
 </billerResponse>
 <additionalInfo>
  <info>
<infoName>Minimum Due Amount</infoName>
<infoValue>50000</infoValue>
```

```
  </info>
  <info>
<infoName>Unbilled Amount</infoName>
<infoValue>90000</infoValue>
  </info>
 </additionalInfo>
</billFetchResponse>
```


Bill Payment API

This API is called post processing of payment and all mandatory information should be passed in this call. Based on the successful response of this API a receipt has to be generated as per the BBPS guidelines.
In event of a failure, end user should be updated so that he/she can retry. Following parameters play a key role in this API call:

1. Customer details (Mobile number mandatory)
2. Agent ID
3. Agent device information (IP and MAC)
4. Biller ID
5. Biller input parameters
6. Payment method (mode, Quickpay)
7. Payment information
8. Amount information (based on user selection)
9. Biller response (as received in bill fetch response)
10. Additional info (as received in bill fetch response)

Note:

1. If the Fetch is Mandatory, then the same Request ID needs to be used in the Payment API.
2. If this is forward type request (<txnRespType>), then the transaction is treated as successful, and in case of reversal type the amount shall be refunded back to the customer.

API endpoint: https://stgapi.billavenue.com/billpay/extBillPayCntrl/billPayRequest/xml?

Bill Payment Sample XML Request:


```xml
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<billPaymentRequest>
  <additionalInfo>
      <info>
          <infoName>Plan 3 Amount</infoName>
          <infoValue>99</infoValue>
      </info>
      <info>
          <infoName>Plan 3 Summary</infoName>
          <infoValue>Plan id: 303 || Coins: 230 || Original Amount: 130.0 || Discounted Amount:
          99.0</infoValue>
      </info>
      <info>
          <infoName>Plan 2 Amount</infoName>
          <infoValue>49</infoValue>
      </info>
      <info>
          <infoName>Plan 2 Summary</infoName>
          <infoValue>Plan id: 302 || Coins: 110 || Original Amount: 60.0 || Discounted Amount:
          49.0</infoValue>
      </info>
      <info>
          <infoName>Plan 1 Amount</infoName>
          <infoValue>9</infoValue>
      </info>
      <info>
          <infoName>Plan 1 Summary</infoName>
          <infoValue>Plan id: 301 || Coins: 20 || Original Amount: 11.0 || Discounted Amount:
          9.0</infoValue>
      </info>
  </additionalInfo>
  <agentDeviceInfo>
      <app>tripozo</app>
      <imei>000000000000000</imei>
      <initChannel>MOB</initChannel>
      <ip>103.108.7.127</ip>
      <os>android</os>
  </agentDeviceInfo>
  <agentId>CC01CC01513515340681</agentId>
  <amountInfo>
      <amount>900</amount>
      <amountTags>
          <amountTag>Plan 1 Amount</amountTag>
          <value>900</value>
```

```
        </amountTags>
        <CCF1>0</CCF1>
        <currency>356</currency>
        <custConvFee>0</custConvFee>
    </amountInfo>
    <billerId>POCK00000NATDZ</billerId>
    <billerAdhoc>false</billerAdhoc>
    <billerResponse>
        <billAmount>900</billAmount>
        <amountOptions>
            <option>
                <amountName>Plan 1 Amount</amountName>
                <amountValue>900</amountValue>
            </option>
            <option>
                <amountName>Plan 2 Amount</amountName>
                <amountValue>4900</amountValue>
            </option>
            <option>
                <amountName>Plan 3 Amount</amountName>
                <amountValue>9900</amountValue>
            </option>
        </amountOptions>
    </billerResponse>
    <customerInfo>
        <customerEmail>abc@gmail.com</customerEmail>
        <customerMobile>8004480444</customerMobile>
    </customerInfo>
    <inputParams>
        <input>
            <paramName>MOBILE NUMBER</paramName>
            <paramValue>8004480444</paramValue>
        </input>
    </inputParams>
    <paymentInfo>
        <info>
            <infoName>IFSC</infoName>
            <infoValue>SBIN0000001</infoValue>
        </info>
        <info>
            <infoName>AccountNo</infoName>
            <infoValue>0000000000000001</infoValue>
        </info>
    </paymentInfo>
    <paymentMethod>
```

```
        <paymentMode>Internet Banking</paymentMode>
        <quickPay>N</quickPay>
        <splitPay>N</splitPay>
    </paymentMethod>
  </billPaymentRequest>
```

XML Element	Description	Required	Values(Actual/ Dummy)	Data type	Min-Max length	Validations	Sample values
<agentId>	Unique alphanumeric code for each Agent. The values shall be communicated by BillAvenue team for each agent upon successful on-boarding on production environment.	Mandatory	Actual	String	Min: 20 Max:20	• Length must be 20 characters. • CC015135153 40681 Highlighted Part of Agent Id should be same as the Unique Id assigned by COU to AI. • Agent Id can contain **_@./#&+-** along with alphanumeric characters.	CC01BP66AGTU00 000001
<billerAdhoc>	Describes if the biller accepts Ad-hoc amount payments. This should be passed as received in Biller Info API response for the biller.	Mandatory	Actual	String	Acceptable Values: **true** or **false** (Case Sensitive)	• It must be either true or false.	TRUE
<agent DeviceInfo>	Details of Device from which the transaction was initiated.	Mandatory				• NA	
<ip>	End user IP address.	Conditional	Actual	String	Min: 07 Max:15	• If initChannel is **INT**, then IP is mandatory. • Basic ip Regex validation is applied	192.156.29.55
<initChannel>	Initiating channel can be AGT, INT, MOB, etc. These values are configured in the system	Mandatory	Actual	String	Acceptable Values : **MOB, INT, AGT, INTB, MOBB, POS, ATM, BNKBRNCH , BSC, KIOSK, MPOS**	• It must be one of the channels enabled for the biller. • InitChannel must be one of the following: [**MOB**, **INT**, **AGT**, **INTB**, **MOBB**, **POS**, **ATM**, **BNKBRNCH**, **BSC**, **KIOSK**, **MPOS**] • If the	AGT

						payment channel is **MOB** or **MOBB**, then **IP**, **IMEI**, **OS**, and **App** Parameters are mandatory. • If the payment channel is **INT**, **INTB** then **IP** and **Mac** parameters are mandatory.	
<mac>	MAC address of the server if available else default values as depicted can be passed.	Conditional	Actual	String		• It is mandatory if the initChannel is **INT**. • Basic mac Validation is applied.	A1-B2-C3-D4-E5-F6
<customer Info>	This block captures details of the Customer viewing / paying the bill	Mandatory				• NA	
<customer Mobile>	Customer mobile number	Mandatory	Actual	String	Min: 10 max:10	• It must start with one of these: [6789]. • Length must be 10 integers. • Must be all numeric.	6895454165
<customer Email>	Customer email id	Optional	Actual	String		• Basic email validation applied.	xyz@abc.com
<customer Adhaar>	Customer Adhaar number	Optional	Actual	String	Min :12 Max:12	• It must be all alphanumeric and length must be 12 characters.	1231121455664781
<customer Pan>	Customer PAN number	Optional	Actual	String	Min: 10 Max: 10	• Length must be 10 characters. • First 5 characters should be Upper case Alphabets. • Next 4 characters must be Integers. • The last	AKSJK9685B

						character should be an Alphabet. • The Pan received is validated against a government database for validation.	
<billerId>	Unique identification code allocated to the Biller	Mandatory	Actual	String	Min:14 Max:14	• Length must be 14 characters. • It must be Alphanumeric	OTME00005XXZ43
<input Params>	List of customer inputs as returned in Biller Info API response for the mentioned Biller ID.	Mandatory				• It must contain all the mandatory parameters configured at the biller's end.	
<biller Response>	Response which is sent by the Biller for a successful transaction, i.e., response code is '000'	Conditional				• Further validations apply on the fields received in the **<billerResponse>** tag • **BillAmount**: BillAmount must not be null and must always be numeric. It cannot be 0 but can be negative. • **BillDate:** Its presence depends on the biller. Format of date must be **YYYY-MM-DD.** • **BillNumber:** Its presence depends on the biller. The maximum length is 100 characters. It can contain **_@./#&+-** along with alphanumeric characters.	

						• **BillPeriod:** Its presence depends on the biller. Maximum Length is 35 characters. It can contain **_,@./#&+'-** along with alphanumeric characters. • **CustomerName:** Its presence depends on the biller. Maximum Length is 100 characters. It can contain _ along with alphanumeric characters. • **DueDate:** Its presence depends on the biller. The format of date should be **YYYY-MM-DD.** • **AmountOptions:** For every **Option** under this, **amountName** and **amountValue** must not be empty. And **amountValue** must only be non-negative integer.	
<additional Info>	Additional information parameters sent by the Biller supporting. fetch is copied in the payment request "as-is" – not applicable for payment only Billers	Conditional				• For every Info under this, **infoName** and **infoValue** must not be empty. • **infoName** & **infoValue** can contain _ along with alphanumeric characters.	
<amount Info>	Amount related details for the payment.	Mandatory				• NA	

<amount>	Bill amount in **paise**.	Mandatory	Actual	String	Acceptable Value should be non negative and non zero	• The Amount must be non-negative and non-zero integer.	1000
<currency>	Currency code of the transaction be passed.	Mandatory	Actual	String	Min: 3 Max: 3	• Currency code must be a non-negative integer of length 3.	365
<custConv Fee>	Customer convenience fee	Mandatory	Actual	String		• CustConvFee must be non-negative integer.	
<amount Tags>	Amount paid by the customer indicating different amount option combinations	Conditional				• NA	
<payment Method>	Payment method opted by the Customer	Mandatory	Actual	String	Acceptable values: **Cash, Internet Banking, Credit Card, Debit Card, Prepaid Card, IMPS, NEFT, UPI, Wallet, AEPS, Account Transfer, Bharat QR**	• Payment Method must be one of these: **Cash, Internet Banking, Credit Card, Debit Card, Prepaid Card, IMPS, NEFT, UPI, Wallet, AEPS, Account Transfer, Bharat QR.**	Cash
<quickPay>	Flag indicating if the payment is initiated without a fetch or not	Mandatory	Actual	String	Acceptable Values: Yes or No (Case Sensitive)	• It can be either **Y** or **N**.	N
<splitPay>	Flag indicating if the bill is paid using two different payment modes.	Mandatory	Actual	String	Acceptable Values: Yes or No (Case Sensitive)	• It can be either **Y** or **N**.	N
<payment Info>	Payment information of the instrument which is used for making the bill payment	Mandatory				• NA	

Bill Payment Sample XML Response:


```xml
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<ExtBillPayResponse>
  <responseCode>000</responseCode>
  <responseReason>Successful</responseReason>
  <txnRefId>CC013194BAAE00044817</txnRefId>
  <approvalRefNumber>12345037</approvalRefNumber>
  <txnRespType>FORWARD TYPE RESPONSE</txnRespType>
  <inputParams>
      <input>
          <paramName>a</paramName>
          <paramValue>10</paramValue>
      </input>
      <input>
          <paramName>a b</paramName>
          <paramValue>20</paramValue>
      </input>
      <input>
          <paramName>a b c</paramName>
          <paramValue>30</paramValue>
      </input>
      <input>
          <paramName>a b c d</paramName>
          <paramValue>40</paramValue>
      </input>
      <input>
          <paramName>a b c d e</paramName>
          <paramValue>50</paramValue>
      </input>
  </inputParams>
  <CustConvFee>0</CustConvFee>
  <RespAmount>100000</RespAmount>
  <RespBillDate>2016-07-01</RespBillDate>
  <RespBillNumber>12303037</RespBillNumber>
  <RespBillPeriod>Jul</RespBillPeriod>
  <RespCustomerName>Ashish</RespCustomerName>
  <RespDueDate>2016-07-30</RespDueDate>
</ExtBillPayResponse>
```

Bill Payment Sample XML Invalid Response:

(Note: If invalid mobile number is entered in bill pay request)

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<ExtBillPayResponse>
  <responseCode>001</responseCode>
  <errorInfo>
      <error>
          <errorCode>E031</errorCode>
          <errorMessage>Mobile number invalid</errorMessage>
      </error>
  </errorInfo>
</ExtBillPayResponse>
```

XML Element	Description	Required
<responseCode>	Code for success or failure of a request.	Mandatory
<responseReason>	Description of the response code – possible values are "Successful" or "Failure".	Mandatory
<errorInfo>	If the request validation failure occurs details of error is returned in this block.	Conditional
<error>	Description of error if any	Conditional
<errorCode>	System generated error code in case error occurs.	
<errorMessage>	A brief description of error code.	Conditional
<txnRefId>	Unique identification assigned by BillAvenue to unambiguously identify the transaction which is passed on, unchanged, throughout the entire end-to-end chain, binding the Fetch and Payment messages	Mandatory
<approvalRefNumber>	Internal reference number, which may be used by the AI for a transaction – default, value "AB123456".	Mandatory
<txnRespType>	Describes the API flow like -- FORWARD TYPE RESPONSE.	Conditional
<inputParams>	As passed in the payment request	Conditional
<CustConvFee>	As passed in the payment request	Conditional
<RespAmount>	Actual amount paid by the Customer for the transaction	Mandatory
<RespBillDate>	Generation date of the bill.	Conditional
<RespBillNumber>	Unique identifier of the bill.	Conditional
<RespBillPeriod>	Billing period of the bill.	Conditional

<RespCustomerName>	Name of the Customer	Conditional
<RespDueDate>	Due date of the bill.	Conditional

Bill Payment Sample JSON Request:

API endpoint: https://stgapi.billavenue.com/billpay/extBillPayCntrl/billPayRequest/json?


```
{
 "billerAdhoc": "false",
 "agentId": "CC01CC01513515340681",
 "agentDeviceInfo": {
  "initChannel": "AGT",
  "ip": "192.168.2.183",
  "mac": "01-23-45-67-89-ab"
 },
 "customerInfo": {
  "customerMobile": "9892506507",
  "customerEmail": "kishor.anand@avenues.info",
  "customerAdhaar": "548550008000",
  "customerPan": ""
 },
 "billerId": "HPCL00000NAT01",
 "inputParams": {
  "input": [{
"paramName": "Consumer Number",
"paramValue": "90883000"
  }, {
"paramName": "Distributor ID",
"paramValue": "13645300"
  }]
 },
 "billerResponse": {
  "billAmount": "92300",
  "billNumber": "1123314338567",
  "customerName": "Ramesh Agrawal",
  "dueDate": ""
 },
 "additionalInfo": {
  "info": [{
"infoName": "Distributor Contact",
"infoValue": "243306"
  }, {
"infoName": "Distributor Name",
"infoValue": "Billavenue COMPANY"
```

```
 }, {
"infoName": "Consumer Number",
"infoValue": "90883000"
 }, {
"infoName": "Consumer Address",
"infoValue": "NA"
 }]
 },
 "amountInfo": {
  "amount": "92300",
  "currency": "356",
  "custConvFee": "0"
 },
 "paymentMethod": {
  "paymentMode": "Credit Card",
  "quickPay": "N",
  "splitPay": "N"
 },
 "paymentInfo": {
  "info": [{
"infoName": "CardNum",
"infoValue": "4111111111111111"
 }, {
"infoName": "AuthCode",
"infoValue": "123456"
 }]
 }
}
```


Bill Payment Sample JSON Response:


```
{
  "responseCode": "000",
  "responseReason": "Successful",
  "txnRefId": "CC014109BAAB00064226",
  "txnRespType": "FORWARD TYPE RESPONSE",
  "respAmount": "92300",
  "respBillNumber": "1123314338567",
  "custConvFee": "0",
  "respCustomerName": "Ramesh Agrawal",
  "inputParams": {
 "input": [
{
  "paramName": "Consumer Number",
  "paramValue": "90883000"
```

},
{
"paramName": "Distributor ID",
"paramValue": "13645300"
}
]
},
"approvalRefNumber": "1230466000115913",
"requestId": "HPCLDUMMY00000010027602032120900000"
}

Bill Payments Sample XML API Response for INT Payment channel:

Successful Response:

<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<ExtBillPayResponse>
<responseCode>000</responseCode>
<responseReason>Successful</responseReason>
<txnRefId>CC011X175208</txnRefId>
<txnRespType>FORWARD TYPE RESPONSE</txnRespType>
<inputParams>
<input>
<paramName>a</paramName>
<paramValue>10</paramValue>
</input>
<input>
<paramName>a b</paramName>
<paramValue>20</paramValue>
</input>
<input>
<paramName>a b c</paramName>
<paramValue>30</paramValue>
</input>
<input>
<paramName>a b c d</paramName>
<paramValue>40</paramValue>
</input>
<input>
<paramName>a b c d e</paramName>
<paramValue>50</paramValue>
</input>
</inputParams>
<CustConvFee>0</CustConvFee>
<RespAmount>100000</RespAmount>
<RespBillDate>2016-07-01</RespBillDate>

```
<RespBillNumber>12303037</RespBillNumber>
<RespBillPeriod>Jul</RespBillPeriod>
<RespCustomerName>Ashish</RespCustomerName>
<RespDueDate>2016-07-30</RespDueDate>
</ExtBillPayResponse>
```


Failure Response:

As per guidelines of RBI, transaction amount of INR 50,000/- and above (Cash) must be accompanied with PAN number and Name of the customer.
Pertaining to the said requirement, Agent Institutions need to ensure that while processing a transaction, the Agent passes Customer's PAN number and Name (as mentioned on the pan card) for cash transaction of INR 50,000/- or above. Agent Institutions need to do necessary changes at their frontend for the same.


```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<ExtBillPayResponse>
    <responseCode>001</responseCode>
    <requestId>DUMMY1112050SK01002760202212191224 6</requestId>
    <errorInfo>
  <error>
      <errorCode>E049</errorCode>
      <errorMessage>"Pan No." mandatory for Txn &gt;= 50k, or use any other Payment Mode except
      Cash!</errorMessage>
  </error>
</errorInfo>
</ExtBillPayResponse>
```

Bill Payment Sample XML Response for MOB Payment Channel:

(THIS IS SAME FOR EVERY PAYMENT MODE)


```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<ExtBillPayResponse>
    <responseCode>000</responseCode>
    <responseReason>Successful</responseReason>
    <txnRefId>CC015062BAAE00071903</txnRefId>
    <requestId>cmehsrrygvfbzyguierkgikjdfugsd5oium</requestId>
    <approvalRefNumber>AB123456</approvalRefNumber>
    <txnRespType>FORWARD TYPE RESPONSE</txnRespType>
    <inputParams>
      <input>
          <paramName>Last 4 Digits of Credit Card</paramName>
          <paramValue>0013</paramValue>
      </input>
      <input>
          <paramName>Registered Mobile No</paramName>
          <paramValue>8863008798</paramValue>
      </input>
    </inputParams>
    <CustConvFee>0</CustConvFee>
    <RespAmount>1000</RespAmount>
    <RespBillDate>2025-03-03</RespBillDate>
    <RespBillNumber>BILL01</RespBillNumber>
    <RespBillPeriod>3 months</RespBillPeriod>
    <RespCustomerName>Srinivas</RespCustomerName>
    <RespDueDate>2025-03-18</RespDueDate>
</ExtBillPayResponse>
```


Transaction Status API

This API can be utilized to fetch status information of any transaction based on its txnRefId orCustomer Mobile Number or Request Id. Following fields are required:

1. Tracking type (either TRANS_REF_ID, or MOBILE_NO, or REQUEST_ID)
2. Value of the above selected flag type

API endpoint: https://stgapi.billavenue.com/billpay/transactionStatus/fetchInfo/xml?

Transaction Status Sample XML Request:


```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<transactionStatusReq>
  <trackType>TRANS_REF_ID</trackType>
  <trackValue>CC013194BAAE00044817</trackValue>
```

```
</transactionStatusReq>
```

OR

Transaction Status Sample XML Request:

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<transactionStatusReq>
  <trackType>MOBILE_NO</trackType>
  <trackValue>9876543210</trackValue>
  <fromDate>2016-09-02</fromDate>
  <toDate>2016-09-06</toDate>
</transactionStatusReq>
```

Transaction Status Sample XML Request with Reference/Request ID:

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<transactionStatusReq>
  <trackType>REQUEST_ID</trackType>
  <trackValue>LIVERT02000012345678421913923201515</trackValue>
</transactionStatusReq>
```

XML Element	Description	Required	Values(Actual/ Dummy)	Data type	Min-Max length	Validations	Sample values
<trackType>	Type of Unique Identifier for the txn	Mandatory	Actual	String	Acceptable values can be: **TRANS_REF_ID, MOBILE_NO or REQUEST_ID.**	• NA	TRANS_REF_ID
<trackValue>	Unique identifier for the txn	Mandatory	Actual	String	If track type is **TRANS_REF_ID:** Length must be either 20 or 12. **MOBILE_NO:** Length must be 10. **REQUEST_ID:** Length must be 35	• For **TRANS_REF_ID** or **REQUEST_ID** • It must be alphanumeric and for **MOBILE_NO**. • It must be numeric • Request Id must already be in the COU System.	**TRANS_REF_ID:**CC014263BAAA67235101 **REQUEST_ID:**BLVL5W2D8TB7QC11525099CVQ7RQWU0UOAK **MOBILE_NO:**6895945645
<fromDate>	Start Date for transaction search	Conditional	Actual	String	Must be a valid date	• Must be in YYYY-MM-DD	2024-09-28

		(Mandatory for track type MOBILE_NO)				Format	
<toDate>	End Date for transaction search	Conditional (Mandatory for track type MOBILE_NO)	Actual	String	Must be a valid date	• Must be in YYYY-MM-DD Format	2024-09-28

Transaction Status Sample XML Response:

Note: If the transaction status API call is successful, then you will get the response code "000".
Kindly consider "txnStatus" tag to confirm the status.


```xml
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<transactionStatusResp>
  <responseCode>000</responseCode>
  <responseReason>SUCCESS</responseReason>
  <txnList>
      <agentId>CC01CC01513515340681</agentId>
      <amount>100000</amount>
      <billerId>OTME00005XXZ43</billerId>
      <txnDate>2023-07-13T17:48:33+05:48</txnDate>
      <txnReferenceId>CC013194BAAE00044817</txnReferenceId>
      <txnStatus>SUCCESS</txnStatus>
      <mobile>9898990084</mobile>
      <approvalRefNumber>12345037</approvalRefNumber>
      <inputParams>
          <paramName>a</paramName>
          <paramValue>10</paramValue>
      </inputParams>
      <inputParams>
          <paramName>a b</paramName>
          <paramValue>20</paramValue>
      </inputParams>
      <inputParams>
          <paramName>a b c</paramName>
          <paramValue>30</paramValue>
      </inputParams>
      <inputParams>
          <paramName>a b c d</paramName>
          <paramValue>40</paramValue>
      </inputParams>
      <inputParams>
```

```
            <paramName>a b c d e</paramName>
            <paramValue>50</paramValue>
        </inputParams>
        <txnRespType>FORWARD TYPE RESPONSE</txnRespType>
        <custConvFee>0</custConvFee>
        <respBillNumber>12303</respBillNumber>
        <respBillPeriod>june</respBillPeriod>
        <respCustomerName>BBPS</respCustomerName>
        <respDueDate>2015-06-20</respDueDate>
    </txnList>
</transactionStatusResp>
```


TRANSACTION STATUS SAMPLE XML INVALID RESPONSE:
(**Note:** If invalid REQUEST_ID is entered in status check request)


```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<transactionStatusResp>
    <responseCode>205</responseCode>
    <responseReason>FAILURE</responseReason>
    <errorInfo>
        <error>
            <errorCode>V4008</errorCode>
            <errorMessage>No Txn ID mapped against REQUEST_ID</errorMessage>
        </error>
    </errorInfo>
</transactionStatusResp>
```


XML Element	Description	Required
<responseCode>	Code for success or failure of a request.	Mandatory
<responseReason>	Description of the response code – possible values are "Successful" or "Failure".	Mandatory
<errorInfo>	If the request validation failure occurs details of error is returned in this block.	Conditional
<error>	Description of error if any	Conditional
<errorCode>	System generated error code in case error occurs.	
<errorMessage>	A brief description of error code.	Conditional
<txnList>	Transaction information	Conditional
<agentId>	Agent ID of the Agent involved in the transaction.	Mandatory
<amount>	Bill payment amount	Mandatory

<billerId>	Biller ID of the Biller involved in the transaction	Mandatory
<txnDate>	Date of the transaction	Mandatory
<txnReferenceId>	Transaction reference number used by the Customer for referring to a Payment transaction	Mandatory
<txnStatus>	Status of the transaction – successful or failure	Mandatory
<mobile>	Mobile number linked to the transaction(s)	Mandatory
<approvalRefNumber>	Internal reference number which may be used by the AI for a transaction – default value "AB123456".	Conditional
<txnRespType>	Describes the API flow like -- FORWARD TYPE RESPONSE.	Conditional
<inputParams>	As passed in the payment request	Conditional
<CustConvFee>	Convenience fee passed in the payment request	Conditional
<RespBillNumber>	Unique identifier of the bill.	Conditional
<RespBillPeriod>	Billing period of the bill.	Conditional
<RespCustomerName>	Name of the Customer.	Conditional
<RespDueDate>	Due date of the bill.	Conditional

Transaction Status Sample JSON Request:

API endpoint: https://stgapi.billavenue.com/billpay/transactionstatus/fetchinfo/json?


```
{
  "trackingType": "TRANS_REF_ID",
  "trackingValue": "CC012322BAAB00058452"
}
```


Transaction Status Sample JSON Response:


```
{
  "responseCode": "000",
  "responseReason": "SUCCESS",
  "statusRequestId": "DMST0300MNPREQ00000000000000000036",
  "txnList": [
 {
"agentId": "CC01CC01513515340681",
"amount": "100",
"billerId": "BILAVAIRTEL001",
```

"txnDate": "2022-11-18T14:53:22+02:53",
"txnReferenceId": "CC012322BAAB00058452",
"txnStatus": "SUCCESS",
"mobile": "9876543210",
"approvalRefNumber": "1810111214250116",
"txnRespType": "FORWARD TYPE RESPONSE",
"custConvFee": "0",
"respBillNumber": "MRC0030789090",
"respBillPeriod": "NA",
"respCustomerName": "NA",
"respDueDate": "2022-11-18",
"payRequestId": "EXTBILLPAYREQUESTREQUEST02022111805",
"inputList": [
{
"paramName": "Location",
"paramValue": "Mumbai"
},
{
"paramName": "Mobile Number",
"paramValue": "9922955000"
}
]
}
]
}

Complaint Registration/Tracking API

This API helps the Agent Institutions to register any customer complaint and to check the status of any previously registered complaint. Following fields are required to register a complaint:

1. Transaction reference id is mandatory.
2. Complaint description is mandatory. Complaint disposition is mandatory.

API endpoint: https://stgapi.billavenue.com/billpay/extComplaints/register/xml

URL: https://stgapi.billavenue.com/billpay/extComplaints/register/xml?accessCode=AVYX26EA85AL93XYLA&encRequest=xxxx&requestId=RAGY01000050000100276021221209000 26&ver=2.0&instituteId=CC01

NOTE: This is the same API that was used previously, with a minor difference being the 'ver' value, which is now 2.0. [Ver=2.0 since new APIs have been given by NPCI for complaint and hence version has been changed]

Complaint Registration Sample XML Request:

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<complaintRegistrationReq>
  <txnRefId>CC015135BAAA92192259</txnRefId>
  <complaintDesc>Complaint initiated through API</complaintDesc>
  <complaintDisposition>Bill Paid but Amount not adjusted or still showing due amount </complaintDisposition>
</complaintRegistrationReq>
```

XML Element	Description	Required	Values (Actual /Dummy)	Data Type	Min - Max Length	Validation	Sample Values
<complaint Type>	Type of Complaint	Optional	Actual	String	Acceptable values can be: Service, Transaction.		Service
<participation Type>	Type of Participation	Conditional (If complaint type is Service, Then it is mandatory)	Actual	String	Acceptable values can be : **AGENT**, **BILLER**.		BILLER
<agentId>	Unique alphanumeric code for each Agent. The values shall be communicated by BillAvenue team for each agent upon successful on-boarding on production environment.	Conditional (Mandatory for participation type AGENT)	Actual	String	Min: 20 Max : 20	• Length must be 20 characters. • CC01513515340681 Highlighted Part of Agent Id should be same as the Unique Id assigned by COU to AI. • Agent Id must be Alphanumeric	CC01BP66AGTU00000001
<billerId>	Unique identification code allocated to the Biller	Conditional (Mandatory for participation type BILLER)	Actual	String	Min:14 Max:14	• The length must be 14 characters. • It must be Alphanumeric.	OTME00005XXZ43
<txnRefId>	Unique Identification for transactions	Mandatory (Mandatory for Complaint type Transaction)	Actual	String	Length can either 20 or 12	• It must be alphanumeric,	CC014263BAAA67235101
<complaint Desc>	Text describing the complaint	Mandatory	--	String	Max: 255	• It can contain numeric characters	Complaint initiated through API
<serv Reason >	Reason of Service	Conditional (Mandatory for Complaint type Service)	Actual	String	Max:255	• It can contain numeric characters	Reason
<complaint Disposition>		Mandatory	Actual	String	Max:255	• It can contain numeric characters	Amount deducted multiple times

Complaint Registration Sample XML Response:


```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<complaintRegistrationResp>
  <complaintAssigned>OU12</complaintAssigned>
  <complaintId>CC01FDB0334EB11</complaintId>
  <responseCode>000</responseCode>
  <responseReason>SUCCESS</responseReason>
  <transactionDetails/>
</complaintRegistrationResp>
```


XML Element	Description	Required
<responseCode>	Code for success or failure of a request.	Mandatory
<responseReason>	Description of the response code – possible values are "Successful" or "Failure".	Mandatory
<errorInfo>	If the request validation failure occurs details of error is returned in this block.	Conditional
<error>	Description of error if any	Conditional
<errorCode>	System generated error code in case error occurs.	
<errorMessage>	A brief description of error code.	Conditional
<complaintAssigned>	Complaint assigned to which BOU	Conditional
<complaintId>	Complaint ID generated by BBPCU to check the ticket status, re-assign or close a complaint subsequently	Conditional

Complaint Registration Sample JSON Request:

API endpoint: https://stgapi.billavenue.com/billpay/extComplaints/register/json


```
{
 "txnRefId": "CC015044BAAB00069257",
 "complainDesc": "Complaint initiated through API",
 "complaintDisposition": "Transaction Successful, Amount Debited but Service Disconnected or Service
  Stopped"
}
```

Complaint Registration Sample JSON Response:

{
"complaintType": "",
"participationType": "",
"agentId": "",
"txnRefId": "CC014110BAAE00054718",
"billerId": "",
"complaintDesc": "Complaint initiated through API",
"servReason": "",
"complaintDisposition": "Amount deducted multiple times"

Complaint Tracking Sample XML Request:

For **Complaint Tracking,** Agent Institutions can send the request, with the complaint type as Transaction and complaint id provided by the user.

API endpoint: https://stgapi.billavenue.com/billpay/extComplaints/track/xml

URL: https://stgapi.billavenue.com/billpay/extComplaints/track/xml?accessCode=AVCE91KB36WC76VUOE&encRequest=xxxx&requestId=SSJ001000050000100276021221209000029&ver=2.0&instituteId=CC01

NOTE: complaint Id which we received in register API response has to be passed here, ver=2.0 has changed from previous API. [Ver=2.0 since new APIs have been given by NPCI for complaint and hence version has been changed]

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<complaintTrackingReq>
 <complaintId>CC01FDB0334EB11</complaintId>
</complaintTrackingReq>
```

Complaint Tracking Sample XML Response:

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<complaintTrackingResp>
   <complaintId>CC01FDB0334EB11</complaintId>
   <complaintRemarks>NA</complaintRemarks>
   <responseCode>000</responseCode>
   <responseReason>SUCCESS</responseReason>
   <complaintStatus>ASSIGNED</complaintStatus>
</complaintTrackingResp>
```

XML Element	Description	Required
<responseCode>	Code for success or failure of a request.	Mandatory
<responseReason>	Description of the response code – possible values are "Successful" or "Failure".	Mandatory

<errorInfo>	If the request validation failure occurs details of error is returned in this block.	Conditional
<error>	Description of error if any	Conditional
<errorCode>	System generated error code in case error occurs.	
<errorMessage>	A brief description of error code.	Conditional
<complaintAssigned>	BBPOU to which the complaint is assigned.	Conditional
<complaintId>	Complaint ID generated by BBPCU to check the complaint status, re-assign or close a complaint subsequently	Conditional
<complaintRemarks>	Last updated additional information provided by the BBPOU pertaining to the complaint and fetched in the complaint status check (506) response.	Conditional
<complaintStatus>	Complaint status of the transaction	Conditional

Complaint Tracking JSON Request:

API endpoint: https://stgapi.billavenue.com/billpay/extComplaints/track/json

```
{
  "complaintId": "CC01FDB0334EB11"
}
```

Complaint Tracking JSON Response:

```
{
  "complaintAssigned": "",
  "complaintId": "CC0125122209187",
  "complaintStatus": "Assigned",
  "complaintResponseCode": "000",
  "complaintResponseReason": "SUCCESS",
  "complaintRemarks": "NA"
}
```

COOLING PERIOD FOR RAISING CMS (in Hrs.)

The transactions have a cooling period as per their Bharat Connect category as delineated below:

S.No.	Category Name	Cooling Period
1	Fastag	0
2	DTH	0
3	Mobile Prepaid	0
4	Housing Society	24
5	Motor Insurance	24
6	Municipal taxes	24
7	Health Insurance	24
8	Gas	24
9	Electricity	24
10	Broadband Postpaid	24
11	Water	24
12	Mobile Postpaid	24
13	Landline Postpaid	24
14	Life Insurance	24
15	Loan Repayment	24
16	Agent Collection	
17	Education Fees	24
18	Cable TV	24
19	Insurance	24
20	Hospital	24
21	Municipal Services	24
22	Subscription	24
23	Hospital & Pathology	24
24	Clubs & Associations	24
25	Credit Card	24
26	Symmetric Deposit Plan	24
27	Datacard	24
28	Metro	24
29	Rental	24
30	Recurring Deposit	24
31	B2B	24
32	NCMC Recharge	24
33	Donation	24

34	Metro Recharge	24
35	LPG Gas	24

Complaint Disposition

Kindly note that, Disposition code, parent disposition should not to be used in request it just for information purpose.

SR No	Disposition Code	Disposition Name	Parent Disposition
1	D11	Transaction Successful, Amount Debited but services not received	Transaction Successful, Amount Debited but service not received by the customer or service disconnected or service stopped or levied by Biller.
2	D12	Transaction Successful, Amount Debited but Service Disconnected or Service Stopped	
3	D13	Transaction Successful, Amount Debited but Late Payment Surcharge Charges add in next bill	
4	D21	Erroneously paid in wrong account	Erroneously paid in wrong account, Duplicate payment initiated, erroneously paid the wrong amount.
5	D22	Duplicate Payment	
6	D23	Erroneously paid the wrong amount	
7	D31	Payment information not received from Biller or Delay in receiving payment information from the Biller	Payment information not received or Delay in receiving payment information from the Biller.
8	D32	Bill Paid but Amount not adjusted or still showing due amount	

Biller Validation API

Bill Validation API for payment only Billers, which will help avoid the need for reversals on account of invalid customer parameters or any other valid reasons.

Any payment only type of Biller (Fetch column value NOT_SUPPORTED) supporting the Bill Validation API will have a flag (NOT_SUPPORTED/OPTIONAL/MANDATORY) at the time of its onboarding. The Biller MDM will have one more additional tag to indicate if the Biller supports validation or not.

Depending on the flag value, the following scenarios may arise:

1. Flag value is **NOT_SUPPORTED**: This payment only type of Biller does not Support Bill Validation and the Customer has to only initiate Payment requests for this Biller.

2. Flag value is **OPTIONAL**: This payment only type of Biller supports Bill Validation In addition, the Agent Institution/Agent has an option of validating the Customer account before making a payment.

3. Flag value is **MANDATORY**: This payment only type of Biller mandates a Bill Validation before making a payment and the Agent Institution/Agent has to validate the Customer account before making a payment.

API endpoint: https://stgapi.billavenue.com/billpay/extBillValCntrl/billValidationRequest/json?

API endpoint: https://stgapi.billavenue.com/billpay/extBillValCntrl/billValidationRequest/xml?

Biller Validation XML API Request:

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<billValidationRequest>
  <agentId>CC01CC01513515340681</agentId>
  <billerId>OTNS00005XXZ43</billerId>
  <inputParams>
      <input>
          <paramName>a</paramName>
          <paramValue>10</paramValue>
      </input>
      <input>
          <paramName>a b</paramName>
          <paramValue>20</paramValue>
      </input>
      <input>
          <paramName>a b c</paramName>
          <paramValue>30</paramValue>
```

```
        </input>
        <input>
            <paramName>a b c d</paramName>
            <paramValue>40</paramValue>
        </input>
        <input>
            <paramName>a b c d e</paramName>
            <paramValue>50</paramValue>
        </input>
    </inputParams>
</billValidationRequest>
```

XML Element	Description	Required
<agentId>	Agent ID as shared post successful on boarding.	Mandatory
<billerId>	Biller ID for whom details need to be validated.	Mandatory
<inputParams>	All inputs to be passed as defined in Biller Info for the Biller	Mandatory
<input>	Customer input parameter set	Mandatory
<paramName>	Customer input parameter name as defined by Biller in Biller Info configuration.	Mandatory
<paramValue>	Customer input value against the parameter name entered by the end user.	Mandatory

Biller Validation XML API Response:

Successful Response:

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<billValidationResponse>
    <responseCode>000</responseCode>
    <responseReason>Successful</responseReason>
    <complianceCode></complianceCode>
    <complianceReason></complianceReason>
    <approvalRefNo>AB123456</approvalRefNo>
    <additionalInfo>
        <info>
            <infoName>a</infoName>
            <infoValue>10</infoValue>
        </info>
        <info>
            <infoName>a b</infoName>
            <infoValue>20</infoValue>
        </info>
```

```
        <info>
            <infoName>a b c</infoName>
            <infoValue>30</infoValue>
        </info>
    </additionalInfo>
</billValidationResponse>
```


Failure Response:


```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<billValidationResponse>
    <responseCode>200</responseCode>
    <responseReason>Failure</responseReason>
    <complianceCode>BVR001</complianceCode>
    <complianceReason>Incorrect / invalid customer account</complianceReason>
</billValidationResponse>
```


XML Element	Description	Required
<responseCode>	Code for success or failure of a request.	Mandatory
<responseReason>	Reason for above code – "Successful" or "Failure"	Mandatory
<complainceCode>	Reason code for failure if any.	Conditional
<complianceReason>	Description of failure if any.	Conditional
<approvalRefNo>	Code from BOU in case of successful validation.	Conditional
<additionalInfo>	Any additional info if passed by the biller.	Conditional
<info>	Set of additional info in infoName (Key) and infoValue (Value) pair.	Conditional

Error Codes:
Following is the list of error code that can be referred to in case of Bill Validation failure:

SR No	Compliance Code	Compliance Reason
1	BVR001	Incorrect / invalid customer account
2	BVR002	Invalid combination of customer parameters
3	BVR003	Recharge amount does not exist for Biller
4	VE001	Agent ID required
5	VE002	Agent ID nomenclature invalid
6	VE003	Agent ID invalid
7	VE004	Biller ID required
8	VE005	Biller ID nomenclature Invalid
9	VE006	Biller ID invalid
10	VE007	Customer input parameter name required
11	VE008	Customer input parameter value required
12	VE009	Customer input parameter min length mismatch
13	VE010	Customer input parameter max length mismatch
14	VE011	Customer input parameter data type mismatch
15	VE012	Customer input parameter mismatch
16	VE013	Duplicate Request ID

Note:
The error codes starting with BVR series are generated by NPCI whereas,
error codes starting with VE are BillAvenue generated error codes.
These error codes are subject to changes and may differ in production environment.

Biller Validation JSON API Request:


```
{
 "agentId": "CC01CC01513515340681",
 "billerId": "DUMMY0000DIG05",
 "inputParams": {
  "input": [{
"paramName": "CustomerId",
"paramValue": "h696077"
  }]
 }
}
```

Biller Validation JSON API Response:


```
{
  "approvalRefNo": "56043011",
  "responseCode": "000",
  "responseReason": "Successful",
  "complianceCode": "",
  "complianceReason": "",
  "additionalInfo": {
 "info": [
{
  "infoName": "Subscriber_Id",
  "infoValue": "h696077"
}
 ]
  },
  "billerPlanResponseParam": {
 "billerPlanInfo": [
{
  "planInfo": [
 {
"infoName": "Plan_Id",
"infoValue": "123"
 },
 {
"infoName": "Plan_Name",
"infoValue": "Plan_123"
 },
 {
"infoName": "Plan_Amount_In_Rupees",
"infoValue": "123"
 }
  ],
  "planType": "RECOMMENDED"
},
{
  "planInfo": [
 {
"infoName": "Plan_Id",
"infoValue": "124"
 },
 {
"infoName": "Plan_Name",
"infoValue": "Plan_124"
 },
```

{
"infoName": "Plan_Amount_In_Rupees",
"infoValue": "124"
}
],
"planType": "CURATED"
}
]
}
}

Plan Pull API

This API details that can be useful for Agent Institutions (AI) to pull new/updated plans from one or more billers.

API endpoint: https://stgapi.billavenue.com/billpay/extPlanMDM/planMdmRequest/xml?accessCode=*****&requestId=****&ver=**&instituteId=****

Successful Case Example XML Request:

<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<planDetailsRequest>
<billerId>DISH00000NAT01</billerId>
<billerId>ZEE500000NAT01</billerId>
</planDetailsRequest>

Successful Case Example XML Response:

<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<planDetailsResponse>
<responseCode>000</responseCode>
<planDetails>
<planId>1</planId>
<billerId>DISH00000NAT01</billerId>
<categoryType>Type</categoryType>
<categorySubType>Sub type</categorySubType>
<amountInRupees>500.0</amountInRupees>
<planDesc>Plan desc</planDesc>
<planAddnlInfo>
<paramTag>
<paramName> Plan duration</paramName>
<paramValue>10 days</paramValue>

```
            </paramTag>
        </planAddnlInfo>
        <effectiveFrom>2021-12-27</effectiveFrom>
        <effectiveTo>2022-12-27</effectiveTo>
        <status>ACTIVE</status>
    </planDetails>
    <planDetails>
        <planId>12</planId>
        <billerId>DISH00000NAT01</billerId>
        <categoryType>Type 2</categoryType>
        <categorySubType>Sub type</categorySubType>
        <amountInRupees>800.0</amountInRupees>
        <planDesc>Plan desc 2</planDesc>
        <planAddnlInfo>
            <paramTag>
                <paramName>Plan duration</paramName>
                <paramValue>20 days</paramValue>
            </paramTag>
        </planAddnlInfo>
        <effectiveFrom>2021-12-27</effectiveFrom>
        <effectiveTo>2022-12-27</effectiveTo>
        <status>DEACTIVATED</status>
    </planDetails>
</planDetailsResponse>
```


Successful Case Example JSON Request:


```
{
  "billerId": [
    "DISH00000NAT01",
    "ZEE500000NAT01"
  ]
}
```


Successful Case Example JSON Response:


```
{
  "responseCode": "000",
  "planDetails": [
    {
      "planId": "4",
```

```
    "billerId": "ZEE500000NAT01",
    "categoryType": "Premium",
    "categorySubType": "12 Months",
    "amountInRupees": 999,
    "planDesc": "All ZEE5 Originals and Exclusives, Blockbuster Movies, All ALT Balaji Shows, Zindagi
    TV Shows,\nKids,",
    "planAddnlInfo": {
      "paramTag": [
        {
          "paramName": " Package Name",
          "paramValue": "ZEE5 Premium 12 Months Plan"
        },
        {
          "paramName": " Package Duration",
          "paramValue": "12 Months"
        }
      ]
    },
    "effectiveFrom": "2021-01-01",
    "effectiveTo": "2021-12-31",
    "status": "ACTIVE"
  },
  {
    "planId": "5",
    "billerId": "ZEE500000NAT01",
    "categoryType": "Club",
    "categorySubType": "12 Months",
    "amountInRupees": 365,
    "planDesc": "TV shows before telecast, Select ZEE5 Originals, Select ALT Balaji Shows, Select
    Movies, Zindagi\nTV ",
    "planAddnlInfo": {
      "paramTag": [
        {
          "paramName": " Package Name",
          "paramValue": "ZEE5 Club 12 Months Plan"
        },
        {
          "paramName": " Package Duration",
          "paramValue": "12 Months"
        }
```

```
      ]
    },
    "effectiveFrom": "2021-01-01",
    "effectiveTo": "2021-12-31",
    "status": "ACTIVE"
  },
  {
    "planId": "14",
    "billerId": "DISH00000NAT01",
    "categoryType": "Type",
    "categorySubType": "Sub type",
    "amountInRupees": 777,
    "planDesc": "Plan desc",
    "planAddnlInfo": {
      "paramTag": [
        {
          "paramName": " Plan duration",
          "paramValue": "15 days"
        }
      ]
    },
    "effectiveFrom": "2021-12-27",
    "effectiveTo": "2025-12-27",
    "status": "ACTIVE"
  },
  {
    "planId": "15",
    "billerId": "DISH00000NAT01",
    "categoryType": "Type 2",
    "categorySubType": "Sub type",
    "amountInRupees": 600,
    "planDesc": "Plan desc 2",
    "planAddnlInfo": {
      "paramTag": [
        {
          "paramName": " Plan duration",
          "paramValue": "20 days"
        }
      ]
```

```
    },
    "effectiveFrom": "2021-12-27",
    "effectiveTo": "2022-12-27",
    "status": "DEACTIVATED"
  }
 ],
 "errorInfo": []
}
```

Failure Case Example XML Request:

In the above example, one more Biller Id (ZEE500000NAT01) was passed to exhibit how multiple Biller Ids are supplied. The same request has been separated and shown below. Let us suppose, no plans were available for the same (failure case):

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<planDetailsRequest>
  <billerId>ZEE500000NAT01</billerId>
</planDetailsRequest>
```

Failure Case Example XML Response:

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<planDetailsResponse>
  <responseCode>200</responseCode>
  <errorInfo>
      <error>
          <errorCode>P004</errorCode>
          <errorMessage>No Data found!</errorMessage>
      </error>
  </errorInfo>
</planDetailsResponse>
```

Failure Case Example JSON Request:

```
{
  "planDetailsRequest": {
      "billerId": "ZEE500000NAT01"
  }
}
```

Failure Case Example JSON Response:

```
{
  "planDetailsResponse": {
      "responseCode": "200",
      "errorInfo": {
          "error": {
              "errorCode": "P004",
              "errorMessage": "No Data found!"
          }
      }
  }
}
```

Request Parameters

Tag	Mandatory	Description
BillerId	Yes	Biller id for which the plans need to be fetched. Can be multiple ids.

Response Parameters

Tag	Description
responseCode	Response code (000 or 200).
responseReason	Response reason (Successful or Failure).
planId	Unique identifier for a plan. Can be alphanumeric. Minimum length 1 and Maximum 32.
billerId	Biller id of the biller for the corresponding plan.
categoryType	Category for the plan.
categorySubType	Sub-category as defined by the Biller.
amountInRupees	Denomination of the Plan Amount in Rupees.
planDesc	Plan description as defined by the Biller.
PlanAddnlInfo → paramName	Parameter name of the additional information that the Biller will pass.
PlanAddnlInfo → paramValue	Parameter value of the additional information that the Biller will pass.
effectiveFrom	Effective from the date of the corresponding plan (required format yyyy-MM-dd).
effectiveTo	Effective to date of the corresponding plan (required format yyyy-MM-dd).
status	Status of the Plan. Possible Values "ACTIVE" / "DEACTIVATED".
errorCode	Error code.
errorMessage	Error message.

Error Code and Messages

Error Code	Error Message
PP001	AI authentication failed!
PP002	Invalid ENC request!
PP003	Duplicate request id!
PP004	Internal error occurred!
PP005	No Data found!

CCF1 Tag Implementation

NBBL has introduced new guidelines regarding the CCF1 (Customer Convenience Fee) for billers in the following categories:

1. NCMC Recharge
2. Prepaid Meter
3. National Pension System

This implementation may expand to other biller categories in the future.

Billers will not charge a uniform CCF1 fee, so an optional tag <CCF1> is added to the payment request. For billers in the above categories, this tag becomes mandatory.

Biller MDM Example:

For billers falling under these categories, the following MDM response structure is as:

```
<interchangeFeeCCF1>
  <feeCode>CCF1</feeCode>
  <feeDirection>C2B</feeDirection>
  <flatFee>100</flatFee>
  <percentFee>1.2</percentFee>
  <feeMinAmt>1</feeMinAmt>
  <feeMaxAmt>2147483647</feeMaxAmt>
</interchangeFeeCCF1>
```

Explanation of Fields

- feeCode: This is the identifier for the fee, in this case, CCF1.
- feeDirection: Indicates the fee direction, which is C2B (Customer to Biller).
- flatFee: A fixed fee charged by the biller, expressed in currency.
- percentFee: A percentage of the transaction amount charged by the biller.
- feeMinAmt and feeMaxAmt: Minimum and maximum amounts defined by NPCI for the biller.

These are for reference only and not involved in calculations.

CCF1 Calculation

The CCF1 fee is calculated based on the biller's flatFee and percentFee. Below is an example calculation for a payment amount of 10000 paisa (i.e., ₹100).

1. Formula:
   CCF1 = (Payment Amount * percentFee / 100) + flatFee

2. Example Calculation:
- Payment Amount = 10000 paisa (₹100)
- percentFee = 1.2%
- flatFee = 100 paisa (₹1)

CCF1 = (10000 * 1.2 / 100) + 100 = 220 paisa

3. GST on CCF1:
- GST Rate = 18%
- GST Amount = CCF1 * 18 / 100

CCF1 + GST = 220 + (220 * 18 / 100) = 259.6 ≈ 259

Therefore, the final CCF1 (rounded to the nearest floor value) = 259 paisa (₹2.59).

Note: Rounding the final CCF1 amount to Floor i.e. whatever the digits post decimal may be, it will be netted against the lowest integer value.
In case of credit adjustment, CCF1 will be refunded to the respective COU's pool account as part of subsequent settlement cycle post credit adjustment is approved.

Payment Request Example


```
{
  "billPaymentRequest": {
      "agentId": "CC01CC01513515340681",
      "billerAdhoc": "false",
      "agentDeviceInfo": {
          "ip": "192.168.2.183",
          "initChannel": "BSC",
          "mac": "01-23-45-67-89-ab"
      },
      "customerInfo": {
          "customerMobile": "9892506507",
          "customerEmail": "kishor.anand@avenues.info",
          "customerAdhaar": "548550008000",
          "customerPan": ""
      },
      "billerId": "NATI00027NATIS",
      "inputParams": {
          "input": [
```

```
            {
                "paramName": "Contribution Amount (Rs.)",
                "paramValue": "1000"
            },
            {
                "paramName": "DOB (dd/mm/yyyy)",
                "paramValue": "20/10/1998"
            },
            {
                "paramName": "PRAN (12 Digit)/Mobile Number (10 Digit)",
                "paramValue": "9999999999"
            },
            {
                "paramName": "Tier",
                "paramValue": "Tier 1 Account"
            }
        ]
    },
    "billerResponse": {
        "billAmount": "101770",
        "billNumber": "ABC123",
        "customerName": "XYZ"
    },
    "additionalInfo": {
        "info": [
            {
                "infoName": "Contribution Amount (Rs.)",
                "infoValue": "1000"
            },
            {
                "infoName": "POP Trail Commission Charges (Rs.)",
                "infoValue": "15"
            },
            {
                "infoName": "GST on POP Trail Commission Charges (Rs.)",
                "infoValue": "2.7"
            },
            {
                "infoName": "CCF1 Fee (Rs.) + GST",
                "infoValue": "0.59"
            },
            {
```

```
                "infoName": "Consumer Note",
                "infoValue": "YTD"
            }
        ]
    },
    "amountInfo": {
        "amount": "10000",
        "currency": "356",
        "custConvFee": "0",
        "CCF1": "259"
    },
    "paymentMethod": {
        "paymentMode": "UPI",
        "quickPay": "N",
        "splitPay": "N"
    },
    "paymentInfo": {
        "info": {
            "infoName": "VPA",
            "infoValue": "saurabh.jdv@axis"
        }
    }
  }
}
```


Note: "amount" attribute in <amountInfo> tag corresponds to the bill amount / amount entered by the customer. "CCF1" attribute in <AmountInfo> tag corresponds to the CCF1 + GST

Payment Response Example

You will get <CustConvFee>259</CustConvFee> tag in response


```
<?xml version="1.0" encoding="UTF-8">
<ExtBillPayResponse>
  <responseCode>000</responseCode>
  <responseReason>Successful</responseReason>
  <txnRefId>CC014284BAAE00063010</txnRefId>
  <requestId>SSJ0000000001SSJ1AB0SSJ0000000SSJ43</requestId>
  <approvalRefNumber>AB123456</approvalRefNumber>
  <txnRespType>FORWARD TYPE RESPONSE</txnRespType>
  <inputParams>
      <input>
          <paramName>CustomerId</paramName>
```

```
            <paramValue>h696077</paramValue>
        </input>
    </inputParams>
    <CustConvFee>259</CustConvFee>
    <RespAmount>7070000</RespAmount>
    <RespBillDate>2024-10-10</RespBillDate>
    <RespBillNumber>10001</RespBillNumber>
    <RespBillPeriod>Monthly</RespBillPeriod>
    <RespCustomerName>Shrinivas</RespCustomerName>
    <RespDueDate>2024-10-25</RespDueDate>
</ExtBillPayResponse>
```

Deposit Enquiry API

This API can be utilized to fetch the information of the deposits made for a particular agent.

1. From Date
2. To Date
3. Transaction Type (either Debit (DR) or Credit (CR))
4. Agent ID

Staging URL in XML: https://stgapi.billavenue.com/billpay/enquireDeposit/fetchDetails/xml

Deposit Enquiry XML Request:

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<depositDetailsRequest>
  <fromDate>2017-07-10</fromDate>
  <toDate>2017-07-15</toDate>
  <transType>DR</transType>
  <agents>
      <agentId>OU21AB11AGT000008032</agentId>
      <agentId>OU21AB11AGT000008034</agentId>
      <agentId>OU21AB11AGT000008036</agentId>
  </agents>
</depositDetailsRequest>
```

XML Element	Description	Required	Values (Actual /Dummy)	Data Type	Min - Max Length	Validation	Sample Values
<transaction Id>	Unique Identifier for Transaction	Optional	Actual	String	Length must be either 12 or 20	It must be alphanumeic	CC01426 3BAAA67235101
<RequestId>	Unique Identification for Request	Optional	Actual	String	Min:35 Max:35	It must be alphanumeric	BLVL5W2D8TB7QC11525099CVQ7RQWU0UOAK
<agents>	List of Agents	Optional	Actual	List of String		Can contain 0 or more Agents	<agents> <agentId>OU21AB11AGT000008032</agentId> <agentId>OU21AB11AGT000008034</agentId> <agentId>OU21AB11AGT000008036</agentId> </agents>
<agentId>	Unique alphanumeric code for each Agent. The values shall be communicated by BillAvenue team for each agent upon successful on boarding on production environment.	Optional	Actual	String	Min:20 Max:20	Must be Alphanumeric	OU21AB11AGT000008032
<transType>	Type of Transaction, Debit or Credit	Optional	Actual	String	Acceptable Values are **DR** or **CR**		DR

<fromDate>	Start Date to search for Deposit Entry	Conditional (Mandatory if Transaction id and Request Id is not null)	Actual	String	Length can be either 10 or not than 10	If length is 10, then Must be in **yyyy-MM-dd** format. If length is greater than 10, then Must be in **yyyy-MM-dd Hh:mm:ss** format.	2027-09-09 or 2027-09-09 15:23:26
<fromDate>	End Date to search for Deposit Entry	Conditional (Mandatory if Transaction id and Request Id is not null)	Actual	String	Length can be either 10 or not than 10	If length is 10, then Must be in **yyyy-MM-dd** format. If length is greater than 10, then Must be in **yyyy-MM-dd HH:mm:ss** format.	2027-09-09 or 2027-09-09 15:23:26

Deposit Enquiry XML Response:


```xml
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<DepositEnquiryResponse>
  <responseCode>000</responseCode>
  <instituteId>OU21</instituteId>
  <currentBalance>252000.00</currentBalance>
  <currency>INR</currency>
  <transaction>
      <entry>
          <agentId>OU21AB11AGT000008032</agentId>
          <transactionId>OU212K110400</transactionId>
          <requestId>REF001TRANS0001DT11042017SR00012001</requestId>
          <amount>1160.00</amount>
          <transType>DR</transType>
          <datetime>2017-04-12 12:35:30</datetime>
      </entry>
      <entry>
          <agentId>OU21AB11AGT000008034</agentId>
          <transactionId>OU212K557801</transactionId>
          <requestId>REF001TRANS0001DT11042017SR00095421</requestId>
          <amount>1000.00</amount>
          <transType>DR</transType>
          <datetime>2017-04-11 12:35:30</datetime>
      </entry>
  </transaction>
</DepositEnquiryResponse>
```

Negative Deposit Enquiry XML Response:


```xml
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<DepositEnquiryResponse>
  <responseCode>200</responseCode>
  <errorInfo>
      <error>
          <errorCode>AE001</errorCode>
          <ErrorMessage>Processing error - Invalid Data. </errorMessage>
      </error>
  </errorInfo>
</DepositEnquiryResponse>
```


Deposit Enquiry JSON Request:

Staging URL in JSON: https://stgapi.billavenue.com/billpay/enquireDeposit/fetchDetails/json


```json
{
 "fromDate": "2024-04-01",
 "toDate": "2024-04-01",
 "transType": "",
 "agents": [],
 "transactionId": "",
 "requestId": ""
}
```


Deposit Enquiry JSON Response:


```json
{
 "instituteId": "CC01",
 "currentBalance": "1000.00",
 "currency": "INR",
 "transaction": []
}
```

Push Notification API

URL for configuration

To consume response agent institutions need to configure push notification URL and same should be shared with BillAvenue.

- Request method - POST
- URL - Client to share the URL to configure at our end

Push Refund JSON API Request:


```xml
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<ExtBillPayResponse>
  <responseCode>000</responseCode>
  <responseReason>Successful</responseReason>
  <txnRefId>CC015267CBAA49221245</txnRefId>
  <approvalRefNumber>AB123456</approvalRefNumber>
  <txnRespType>FORWARD TYPE RESPONSE</txnRespType>
  <inputParams>
      <input>
          <paramName>Consumer Number</paramName>
          <paramValue>053000020111</paramValue>
      </input>
  </inputParams>
  <CustConvFee>0</CustConvFee>
  <RespAmount>35000</RespAmount>
  <RespBillDate>2025-09-24</RespBillDate>
  <RespBillNumber>NA</RespBillNumber>
  <RespBillPeriod>NA</RespBillPeriod>
  <RespCustomerName>BINAY RABHA</RespCustomerName>
  <RespDueDate>2025-09-24</RespDueDate>
</ExtBillPayResponse>
```


When a payment response is marked AWAITED, we forward it to the AI. If the AI supplies a notification (callback) URL, the system will POST the final encrypted payment status (SUCCESS or FAILURE) to that URL.

Push Refund JSON API Response:

We pushed refund transactions to AI.
Using the shared working key, the AI must decrypt the encrypted response at their end.
The enc_request payload is encrypted with AES, following the same scheme used for real-time transaction encryption.

{
"responseCode": "300",
"responseReason": "Refund",
"txnRefId": "CC012161BAAB00057789",
"txnRespType": "FORWARD TYPE RESPONSE",
"RespAmount": "200",
"RespBillDate": "2021-11-01",
"RespBillNumber": "2111110002",
"RespBillPeriod": "01-Oct-2021 to 31-Oct-2021",
"CustConvFee": "0",
"RespCustomerName": "John Doe",
"RespDueDate": "2021-11-10",
"inputParams": {
"input": [
{
"paramName": "User Name",
"paramValue": "ACS001682"
}
]
},
"approvalRefNumber": "2206100250",
"requestId": "CC012161BAAB0005735573367636544 3789"
}

End of Document