EX. NO : 05

LAYOUTS

AIM

To understand Android layouts and implement navigation between activities using Kotlin.

PROCEDURE

1. Open **Android Studio**.
2. Create a new project → Empty Activity → Kotlin → Finish.
3. Open **activity_main.xml** and design UI using LinearLayout, TextView, and Button.
4. Create a new activity named **SecondActivity**.
5. Design **activity_second.xml** with a TextView.
6. Open **MainActivity.kt** and add button click logic using Intent.
7. Ensure **SecondActivity.kt** is properly set.
8. Update **AndroidManifest.xml** to include SecondActivity.
9. Run the application and observe navigation between activities.

CODE

activity_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:orientation="vertical"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:gravity="center"
    android:padding="16dp">
    <TextView
        android:id="@+id/tvWelcome"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
```

```
        android:text="Welcome to Layouts Ex-5"
        android:textSize="24sp"
        android:textStyle="bold" />
    <Button
        android:id="@+id/btnNext"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Go to Second Activity"
        android:layout_marginTop="20dp" />
</LinearLayout>
```

activity_second.xml

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:orientation="vertical"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:gravity="center"
    android:padding="16dp">
    <TextView
        android:id="@+id/tvSecond"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="This is the Second Activity"
        android:textSize="24sp"
        android:textStyle="bold" />
</LinearLayout>
```

MainActivity.kt

```
package com.example.layoutsex5
import android.content.Intent
import androidx.appcompat.app.AppCompatActivity
import android.os.Bundle
import android.widget.Button
```

```
class MainActivity : AppCompatActivity() {
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContentView(R.layout.activity_main)
        val btnNext = findViewById<Button>(R.id.btnNext)
        btnNext.setOnClickListener {
            val intent = Intent(this, SecondActivity::class.java)
            startActivity(intent)
        }
    }
}
```

SecondActivity.kt

```
package com.example.layoutsex5
import androidx.appcompat.app.AppCompatActivity
import android.os.Bundle
class SecondActivity : AppCompatActivity() {
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContentView(R.layout.activity_second)
    }
}
```

OUTPUT









RESULT

Thus, Android layouts were successfully implemented, and navigation between activities was achieved using Intent in a Kotlin-based Android application.