

Ex. No. : 04

Date: 27/02/2025

Register No.: 221701062

Name: UDAY KIRAN K

Android Fragments

Aim

Develop an android application to create Two activity named as Student Basic Details (name, age, address) and Student Mark (Marks, Total, Grade, Status). Write an android code to combine these two activities in single screen using android fragment.

Procedure:

Step 1 : File -> NewProject

Provide the application name and Click "Next"

Step 2 : Select the target android devices

Select the minimum SDK to run the application. Click "Next".

Step 3 : Choose the activity for the application (By default choose "Blank Activity").

Click "Next".

Step 4 : Enter activity name and click.

Step 5 : Edit the program.

Step 6 : Run the application, 2-ways to run the application.

1. Running through emulator

2. Running through mobile device

AndroidManifest.xml

```
<?xml version="1.0" encoding="utf-8"?>
<manifest xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:tools="http://schemas.android.com/tools">

    <application
        android:allowBackup="true"
        android:dataExtractionRules="@xml/data_extraction_rules"
        android:fullBackupContent="@xml/backup_rules"
        android:icon="@mipmap/ic_launcher"
        android:label="@string/app_name"
        android:roundIcon="@mipmap/ic_launcher_round"
        android:supportsRtl="true"
        android:theme="@style/Theme.StudentApp"
        tools:targetApi="31">
        <activity
            android:name=".MainActivity"
            android:exported="true">
            <intent-filter>
                <action android:name="android.intent.action.MAIN" />

                <category android:name="android.intent.category.LAUNCHER" />
            </intent-filter>
        </activity>
    </application>

</manifest>
```

Activity_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:orientation="vertical"
    android:layout_width="match_parent"
    android:layout_height="match_parent">

    <fragment
        android:id="@+id/studentBasicFragment"
        android:name="com.example.studentapp.StudentBasicFragment"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:layout_weight="1"/>

    <fragment
        android:id="@+id/studentMarksFragment"
        android:name="com.example.studentapp.StudentMarksFragment"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:layout_weight="1"/>

</LinearLayout>
```

MainActivity.kt

```
package com.example.studentapp

import android.os.Bundle
import androidx.appcompat.app.AppCompatActivity

class MainActivity : AppCompatActivity() {
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContentView(R.layout.activity_main)
    }
}
```

Output

The image shows a mobile application interface with a light pink background. At the top, the title 'Student Basic Details' is displayed. Below it, there are four input fields: the first contains 'Uday Kiran K', the second contains '20', and the third contains '3/324/5 Ganga colony'. A circular menu icon with three horizontal lines is positioned to the left of the lower section. The lower section is titled 'Student Marks' and contains four input fields: the first two both contain '100', the third contains 'A+', and the fourth contains 'Good grade'.

Student Basic Details

Uday Kiran K

20

3/324/5 Ganga colony

Student Marks

100

100

A+

Good grade

Result:

The Android Fragments experiment has been successfully completed