

4. WebApi Handson

Output:

```
EmployeeApi — -zsh — 80x52
...pi < dotnet run --launch-profile http ~/EmployeeApi — -zsh +
Last login: Sat Jul 18 14:51:57 on ttys001
(base) chapalasuryatej@Chapalas-MacBook-Air EmployeeApi % curl -i -X PUT "http://localhost:5289/api/employee/0" \
-H "Content-Type: application/json" \
-d '{"name": "Test Name", "role": "Test Role"}'
HTTP/1.1 415 Unsupported Media Type
Content-Type: application/problem+json; charset=utf-8
Date: Sat, 18 Jul 2026 09:24:09 GMT
Server: Kestrel
Transfer-Encoding: chunked

{"type":"https://tools.ietf.org/html/rfc9110#section-15.5.16","title":"Unsupported Media Type","status":415,"traceId":"00-d3c4c9ac49bb90343476e19aa5b5582a-5bfc1bcca488d331-00"}curl: (6) Could not resolve host:
curl: (6) Could not resolve host: -H
curl: (3) URL rejected: Malformed input to a URL function
curl: (6) Could not resolve host:
curl: (6) Could not resolve host:
curl: (6) Could not resolve host: -d
curl: (3) URL rejected: Malformed input to a URL function
curl: (3) URL rejected: Malformed input to a URL function
(base) chapalasuryatej@Chapalas-MacBook-Air EmployeeApi % curl -i -X PUT "http://localhost:5289/api/employee/0" -H "Content-Type: application/json" -d '{"name": "Test Name", "role": "Test Role"}'
HTTP/1.1 400 Bad Request
Content-Type: text/plain; charset=utf-8
Date: Sat, 18 Jul 2026 09:24:56 GMT
Server: Kestrel
Transfer-Encoding: chunked

[Invalid employee id]
(base) chapalasuryatej@Chapalas-MacBook-Air EmployeeApi % curl -i -X PUT "http://localhost:5289/api/employee/1" -H "Content-Type: application/json" -d '{"id": 1, "name": "Alice Cooper", "role": "Lead Architect"}'
HTTP/1.1 200 OK
Content-Type: application/json; charset=utf-8
Date: Sat, 18 Jul 2026 09:25:05 GMT
Server: Kestrel
Transfer-Encoding: chunked

{"id":1,"name":"Alice Cooper","role":"Lead Architect"}%
(base) chapalasuryatej@Chapalas-MacBook-Air EmployeeApi %
```