


Configuration of VS Code

Wednesday, August 07, 2024 10:52 AM


For Utilities

Pre-requisites for creating a project.


- Add sample folder to TC_ROOT.
 - a. This can be done by running Tem.bat
 - ▣ b. Select Add/Remove features and click next
 - c. Select server enhancement/ Sample Files.



- Install VS_WDExpress of 2017 version.
- Create a new Console App project by selecting File -> New Project



- After creating a new project, select the project name and right click on it and go to properties.



- As your Teamcenter is 12 bit, you have to change the platform to x64, to avoid debug issues.
- After that, select Debugging and in Environment property add the following data.
 - As we have to give the path for the environment, open TC command prompt and run TCDB13_config1.bat.
 - Then run the command SET and copy the results.




```


D:\TC13\TC_ROOT\vtc_menuD:\TC13\TC_DATA\vtc_profilevars
D:\TC13\TC_ROOT\vtc_menuSET
ALLUSERSPROFILE=C:\ProgramData
APPDATA=C:\Users\13337\AppData\Roaming
ChocolateyInstall=C:\ProgramData\chocolatey
CommonProgramFiles=C:\Program Files\Common Files
CommonProgramFiles(x86)=C:\Program Files (x86)\Common Files
CommonProgramW6432=C:\Program Files\Common Files
COMPUTERNAME=INHY00060C
ComSpec=C:\WINDOWS\system32\cmd.exe
CSPAPIPath=56
DriverData=C:\Windows\System32\Drivers\DriverData
FPS_BROWSER_APP_PROFILE_STRING=Internet Explorer
FPS_BROWSER_USER_PROFILE_STRING=Default
FSC_HOME=D:\TC13\TC_ROOT\vtc
HOMEDRIVE=C:
HOMEPATH=C:\Users\13337
InputSelectPollThreshold=100
JAVA_HOME=D:\Apps\Java\jdk1.8.0_231
JDK_HOME=D:\Apps\Java\jdk1.8.0_231
JRE64_HOME=D:\Apps\Java\jdk1.8.0_231\jre
JRE_HOME=D:\Apps\Java\jdk1.8.0_231\jre
LOCALAPPDATA=C:\Users\13337\AppData\Local
LOGONSERVER=\\INB00025W
MODE=vt100
NLS_SORT=BINARY
NUMBER_OF_PROCESSORS=12
OneDrive=C:\Users\13337\OneDrive - IZ
OneDriveCommercial=C:\Users\13337\OneDrive - IZ
ORACLE_STD=TC0913
ORA_NLS33=D:\TC13\TC_ROOT\NLS\data
OS=Windows_NT
Path=D:\TC13\TC_ROOT\bin;D:\Apps\Java\jdk1.8.0_231\jre\bin;client;D:\Apps\Java\jdk1.8.0_231\jre\bin;D:\Apps\Java\jdk1.8.0_231\jre\bin\server;D:\Apps\Downloads\WINDOWS.X64_193000_db_home\bin;C:\Program Files (x86)\Common Files\Oracle\Java\

```


- In C/C++ - General, Additional include Directories, add the path to the Include and Include.cpp.



- In the pre-processor/pre-processor definition give the value as **IPLIB=none**



- In code generation, change Run time library attribute to **Multi-threaded DLL**.



- In Linker/Input/Additional dependencies, Add 6 libraries from **SYSLIBS** from **linkitk.bat** from **Sample** folder and also add path to the **itk_main.lib** all other libraries in


```


#####
# Platform Independent
#####
$LINK = "link";

$SYSLIBS = "wsock32.lib " .
           "advapi32.lib " .
           "msvcrt.lib " .
           "oldnames.lib " .
           "kernel32.lib " .
           "winmm.lib ";

$XMLLIBS = "$ENV{TC_LIBRARY}\\xerces322_X_19
#####

```





- Click Ok.

For DLL

- For DLL configuration, we have to modify the following changes, along with the .exe configuration changes .

- Add the project name as a value to the preference **tc_customization_library** in Teamcenter.
- This is the code for registration of DLL with TC.

- Here I used extern "C" because it will bring C language linkers to the code without including the header files. Or will it convert the C++ code to C?.
-
- Here the 1st argument is DLL which is the project name in VS code. We have to pass the project name.
- When we build the project, it will generate a .dll file, we have to copy this and paste it in the **D:\TC13\TC_ROOT\bin** folder. To do this action we have to close the TC.
-